

Attitude towards Blood Donation among Undergraduate Engineering Students of SRM University, Kattankulathur, Kancheepuram District

M. Hemamalini*, Sherab Dema**

Abstract

Introduction: Safe blood is a critical component in improving health care and in preventing the spread of infectious diseases globally. Millions of lives are saved each year through blood transfusions, yet the quality and safety of blood transfusion is still a concern particularly in the developing countries. *Objective:* To assess the attitude towards blood donation among Engineering students. *Methodology:* Quantitative research approach and descriptive research design was adopted for the study. The study was conducted among the undergraduate Engineering students of SRM University. A Total 150 Undergraduate Engineering students who fulfilled inclusion criteria. were selected as samples by adopting non probability purposive sampling technique. Three point Likert scale developed by the investigator was used for assessing the attitude of undergraduate students regarding blood donation. *Results:* Majority of the students (93.35%) had favorable attitude towards blood donation and 6.7% had moderately adequate attitude.. *Conclusion:* Nurses need to take up the responsibilities to create awareness among the students about blood donation.

Keywords: Blood Donation; Attitude; Students; Health Care; Blood Transfusion.

Introduction

Blood is universally recognized as the most precious element that sustains life. It saves innumerable lives across the world in a variety of conditions. The need for the blood is great on any given day; approximately 39,000 units of red blood cells are needed. More than 29 million units of blood components are transfused every year [1].

This red liquid carries oxygen and nutrients to all parts of the body, and carries carbon dioxide and other waste products back to the lungs, kidneys and liver for disposal. It fights against infection and helps heal wounds, so we can stay healthy. There is no substitute for blood. If people lose blood from surgery or injury or if their bodies can't produce enough, there

is only one place to turn' Voluntary blood donors' [2].

The theme of World Blood Donation day 2015 was "Thank you for saving my life". It focuses on thanking blood donors who save lives every day through their blood donations and strongly encourages more people all over the world to donate blood voluntarily and regularly with the slogan "Give freely, give often. Blood donation matters." It highlight stories from people whose lives have been saved through blood donation, as a way of motivating regular blood donors to continue giving blood and people in good health who have never given blood to begin doing so [3].

The theme of the World Blood Donor Day 2016 was "Blood connects us all". It focuses on thanking blood donors and highlights the dimension of "sharing" and "connection" between blood donors and patients. In addition, we have adopted the slogan "Share life, give blood", to draw attention to the roles that voluntary donation systems play in encouraging people to care for one another and promote community cohesion [4].

Safe blood is a critical component in improving health care and in preventing the spread of infectious

Author's Affiliation: *Associate Professor **B.Sc(N), Final Year, SRM College of Nursing, Potheri, Kattankulathur, Kancheepuram District-603203, TamilNadu, India.

Reprint's Request: M. Hemamalini, Associate Professor, S.R.M. College of Nursing, SRM University, Kattankulathur, Kancheepuram District-603203, TamilNadu, India.
E-mail: hemasrini1979@yahoo.com

Recived on 03.03.2017, **Accepted on** 17.03.2017

diseases globally. Millions of lives are saved each year through blood transfusions, yet the quality and safety of blood transfusion is still a concern particularly in the developing countries. About 5 to 10 percent of new HIV infections worldwide are transmitted through unsafe blood transfusions. The reason for this includes blood collection from unsafe donors, poor laboratory procedures and inadequate testing of blood. Blood will be safe if there is a nationally coordinated blood transfusion service, non-remunerated donors, testing of blood for transfusion transmissible infection and by transfusion of the right blood to the right patient through the appropriate clinical use of blood (WHO, 2001) [5].

According to the World Health Organization that clubs India in the South Eastern Asian Region, the estimated blood requirement for the region is about 15 million units, the blood collection annually amounts to just over 9 million units, leaving a gap of 6 million units [6]. India is able to collect only 9 million units of which 70% is from voluntary blood donors while the remaining 30% is from family/ replacement donors. India has 2 760 blood banks (new BLOOD BANKS INIDA, February, 2015). The Indian Red Cross Society has 166 blood banks all over the country, where the voluntary blood donation is 90%. At the Model blood bank in National HQ of the IRCS, more than 90% of donations are by voluntary blood donors. However, we still have a long way to go as the need today is also for safe blood [7].

The community health nurse can play a pivotal role in promoting voluntary blood donation. Youth are healthy, active, dynamic, and receptive and constitute a greater proportion of population. Every year a large number of young adults are attaining the age of blood donation.

Every year regular blood donors are moving out from donor base owing to old age, ailment or change of residence. Blood donor motivation is, therefore, an ongoing process to change the behavioral pattern of non-donors.

College students are healthy, enthusiastic and approachable as a group. These students if 'caught young' are future donors and motivators. In the scenario it is very important to understand their attitude regarding blood donation. Voluntary blood donation will reduce the risk of blood borne diseases getting transmitted to innocent poor patients.

A healthy Attitude among college students will bring change, as they are the backbone of the country. They have to be encouraged, inspired and motivated

to donate blood voluntarily.

Methods and Materials

Quantitative research approach and descriptive research design was adopted for the study . The variables includes demographic and study variables. Demographic variables comprises of age, sex, year of study, residence area, religion, type of family, family income and the Study variable was attitude regarding blood donation. The study was conducted among the undergraduate Engineering students of SRM University, Kattankulathur.

A Total 150 Undergraduate Engineering students who fulfilled inclusion criteria.were selected as samples by adopting non probability purposive sampling technique.

The tool consists of two sections; section A: demographic data which consist the item for obtaining information about the selected background factors such as age, sex, year, residence, type of family, religion, family income. Section B: 3 point Likert scale developed by the investigator was used for assessing the attitude of undergraduate students regarding blood donation. A three point Likertscale consisting of 20 statements with a total score of 60 was used. The 3 point Likert scale was framed with a number of statements that would reflect their inner feelings towards blood donation. Reliability of the tool was established by using split half method. The r value of the tool was $r=0.83$ which indicates positive correlation.

Ethical Considerations

The study was approved by the Dean of SRM College of Nursing, SRM University, Kattankulathur, Kanchipuram District. Permission was obtained from Director of SRM Engineering College and the written consent was obtained from the participants. Prior permission for the conduct of the study was obtained from the HOD of concerned Department. Consent was obtained from the students and they were explained about the purpose of the study and ensured that their response will be kept confidentially.

Questionnaire was distributed to students. Clarifications were given to students in between to obtain accurate data. On an average each student took around 5-10 minutes to complete the tool. The collected data was coded and analyzed using descriptive and inferential statistics.

Results

Table 1: Frequency and percentage distribution of engineering students N = 150

Demographic variables		Engineering students	
		Number	%
Age	18 Years	50	33.3
	19 Years	39	26.0
	20 Years	36	24.0
	>20 Years	25	16.7
Sex	Male	64	42.7
	Female	86	57.3
Year of study	I Year	50	33.3
	II Year	58	38.7
	III Year	42	28.0
Residential area	Rural	30	20
	Urban	120	80
Type of family	Nuclear	110	73.3
	Joint	36	24
	Extended	4	2.7
Religion	Hindus	113	75.3
	Christians	18	12
	Muslims	10	6.7
	Others	9	6
Income	Rs.10000-20000	29	19.3
	Above Rs.20000	121	80.7

Table 2: Assessment of the level of attitude regarding blood donation among engineering students N = 150

Level of attitude	Number	Percentage
Un favorable attitude	0	0
Moderately favorable attitude	10	6.7
Favorable attitude	140	93.3

Table 3: Association between the levels of attitude regarding blood donation among engineering students with their demographic variables N=150

Demographic variables		Level of attitude						Chi square test
		Un favorable		Moderately favorable		Favorable		
		N	%	N	%	N	%	
Age	18 Years	0	0	4	40	46	32.9	X ² = 2.80 P = 0.42 NS
	19 Years	0	0	4	40	35	25	
	20 Years	0	0	2	20	34	24.3	
	>20 Years	0	0	0	0	25	17.8	
Sex	Male	0	0	7	70	57	40.7	X ² = 3.27 P = 0.07 NS
	Female	0	0	3	30	83	59.3	
Year of study	I Year	0	0	7	70	43	30.7	X ² = 6.52 P = 0.038 Significant
	II Year	0	0	2	20	56	40	
	III Year	0	0	1	10	41	29.3	
Residential area	Rural	0	0	6	5	50	25	X ² = 6.02 P = 0.015 Significant
	Urban	0	0	5	50	115	82.2	
Type of family	Nuclear	0	0	3	30	107	76.4	X ² =12.47 P = 0.002 Significant
	Joint	0	0	7	70	29	20.7	
	Extended	0	0	0	0	4	2.9	
Religion	Hindus	0	0	3	30	110	78.6	X ² = 24.31 P = 0.000 Significant
	Christians	0	0	6	60	12	8.6	
	Muslims	0	0	1	10	9	6.4	
	Others	0	0	0	0	9	6.4	
Monthly Income	Rs 10000-20000	0	0	4	40	25	17.9	X ² = 3.03 P = 0.21 NS
	>Rs 20000	0	0	6	60	115	82.1	

The Table 2 reveals that among 150 Engineering students, 10 (6.7%) students had moderately favorable attitude, 140 (93.3%) students had favorable

attitude and none of them had unfavorable attitude.

Table 3 reveals that there was significant




Fig. 1: Percentage distribution of level of attitude regarding blood donation among engineering students

association between the level of attitude on blood donation among engineering students and with their demographic variables of year of study, residential area, type of family and religion. There was no association with respect to other variables.

Discussion

India with a population of over one billion is naturally the country which requires lot of blood to save lives of its citizens. It has been quoted that there is a need of about 8 million units of blood every year in our country. Out of this, only half, that is around 4 million units, can be obtained from voluntary blood donors. Rest all comes from replacement blood donation from relatives or paid donors.

It was evident from the present study, that the majority of the students (93.35%) had favorable attitude towards blood donation and 6.7% had moderately adequate attitude. None of the subjects have unfavorable attitude.

At this stage in the development of the transfusion service, the current study tests the very basic nature of the attitude of students to blood donation, in the hope of illuminating the way forward toward emphasizing vital aspect of many emergency and non-emergency at large scale.

A similar study was conducted by *Okpara RA* which probed the attitude of University students to blood donation found that 80% of the respondents were prepared to donate freely. Similarly, in a study among Dhaka University students, [33] 93% of the respondents objected to money incentives. Similarly the attitude of the students in this study was 90% percent positive attitude towards blood

donation [8].

Kriebardis A.G also conducted a similar study among health professionals regarding voluntary blood donation in Greece found that 97% of respondents were aware of the shortage of blood and responded correctly to most questions regarding blood donation and transfusion. The results also showed that women and young people donate the least in Greece and only 17% were volunteers [9].

It was also revealed that there was significant association between the levels of attitude on blood donation and year of study, residential area, and type of family, religion. The result of the present study was consistent with the study done by *Ownby (1999)* which reported that rate of donation increased with age and education and the results of another cross sectional study in India by *Singh (2002)* concluded that donor status was significantly associated with age, sex, literacy status, occupation and knowledge about other aspects of blood donation [10].

One can almost say that blood is that magic potion which gives life to another person. Though we have made tremendous discoveries and inventions in science, we are not yet able to make the magic potion called Blood. Human blood has no substitute. Requirement of safe blood is increasing and regular voluntary blood donations are vital for blood transfusion services.

Conclusion

The study concluded that majority of the undergraduate engineering students had (93.3%) good attitude towards blood donation. There was significant association between the levels of attitude

on blood donation among engineering students with their demographic variables such as year of the study, residential area, type family and religion. Hence the investigator felt that specific campaigns are needed to convert favourable attitude towards blood donation into regular voluntary blood donation. Nurses need to take up the responsibilities to create awareness among the students about blood donation. The school health nurse can utilize educational material for teaching higher secondary school children and inspire students to donate blood on attaining the age of 18. The nursing curriculum should provide opportunity to conduct blood donation education programme in various settings.

Community health nurse should play a vital role in sensitization of the population using motivational advocacy messages, introducing culturally relevant social incentives to voluntary donors, launching promotional programmes with an emphasis on the elimination of certain indigenous misconceptions regarding blood donation.

Acknowledgement

We express our sincere gratitude to Dean , Engineering College, SRM University for granting permission to conduct the study and also to all the study participants for their co-operation

Conflict of Interest

The authors have no conflict of interest to declare.

References

1. Blood bank of India available from <http://www.bloodbankindia.net/>.
2. Vijaykrishnan. R. Knowledge attitude and practice of blood donation among undergraduates in selected colleges of Thiruvananthapuram with a view to develop a CD-ROM.
3. World blood donor day available from <http://www.who.int/campaigns/world-blood-donor-day/2015/en/>.
4. World blood donor day available from <http://www.who.int/campaigns/world-blood-donor-day/2016/event/en/>.
5. WHO; Safe Blood and Blood Products. Distance learning Materials in English.
6. Blood donation facts; <http://www.friends2support.org/inner/about/blood.aspx>.
7. Leo, J, The good-news generation. U.S. News & World Report. 2003;V-135(15):60.
8. Okpara RA. Attitudes of Nigerians towards blood donation and blood transfusion. Trop Geogr Med. 1989;41(1):89-93.
9. Kribardis AG, Giftonikolos A, Karadimas K, Stamoulis K, Kalakani H, Tzimogianni A, Economou-Petersen E. Attitude of professional of health for the blood donation. VoxSanguinis 2008; 95(1):74-326.
10. Singh B, Pandey RM, DSouza N, Anushyanthan A, Krishna V, Gupta V, Chaudhary MM, Ganeshan S, Jha S, Uppal S, Mehrara V. Knowledge, attitudes and socio-demographic factors differentiating blood donors from non-donors in an urban slum of Delhi. Indian Journal of Community Medicine. 2002 Jul 1;27(3):118.