

Indian Journal of Ancient Medicine and Yoga

The Indian Journal of Ancient Medicine and Yoga (pISSN 0974- 6986, eISSN 0974 - 6994) presents peer-reviewed survey and original research articles. IJAMY is a major new multidisciplinary print & electronic journal designed to support the needs of this expanding community. IJAMY allows patients to obtain effective and proven treatment information regarding their conditions. In each issue, you will find information about ancient medicine and yoga in a variety of forms, including: case studies and reports, book and literature reviews, original research, clinical applications and applied science, editorials and commentaries on controversial issues and updates on legislative issues relating to ayurvedic medicine and yoga.

Readership: Scientists, scholars, professionals, practitioners, faculty, students in the field of Ayurveda, Yoga, modern medicine, life sciences, pharmacy and other related disciplines.

Disclaimer The opinion in this publication is those of the authors and is not necessarily those of the **Indian Journal of Ancient Medicine and Yoga** the Editor-in-Chief and Editorial Board. Appearance of an advertisement does not indicate IJAMY approval of the product or service.

Editor-in-Chief

H.L. Sharma

Executive Editor

S. Sharma

National Editorial Advisory Board

Basavaraj R Tubaki, Belgaum
Chaturbhuja Bhuyan, Gujarat
Kalmesh S Sangolli, Belgaum
Mahesh Kumar Mainali, Haridwar
Qamrul Hasan Lari, Lucknow
Raygonda Shivgonda Patil, Belgaum
Sandeep Madhukar Lahange, Jaipur
Sanjay Khedekar, Nashik
Savita. S. Angadi, Belgaum
Tukaram S. Dudhamal, Jamnagar
V.P. Trivedi, Lucknow
Manoj Jagtap, Mumbai
Vijaykumar. S. Kotrannavar, Belgaum

International Editorial Advisory Board

Amadio Bianchi, Italy
Jaisri M. Lambert, Canada
Julia Spivack, UK
Marc Halpern, USA
S.M.S. Samarakoon, Sri Lanka

Managing Editor

A. Lal

Publication Editor

Manoj Kumar Singh

Printed at

R.V. Printing Press
C-97, Okhla Industrial Area
Phase-1, New Delhi

Indexing / Abstracting information: Index Copernicus, Poland; EBSCO Publishing's Electronic Databases, Alt-Health Watch, USA; Consumer Health Complete, USA; Google Scholar, ProQuest, USA; Pubget, USA; Genamics Journal Seek, OCLC World Cat.

All right reserved. The views and opinions expressed are of the authors and not of the **Indian Journal of Ancient Medicine and Yoga**. IJAMY does not guarantee directly or indirectly the quality or efficacy of any product or service featured in the the advertisement in the journal which are purely commercial.

Corresponding address

Red Flower Publication Pvt. Ltd.
48/41-42, DSIDC, Pocket-II, Mayur Vihar Phase-I
Delhi - 110 091(India)
Phone: 91-11-22754205, 45796900, 22756995
E-mail: info@rfppl.co.in
Website: www.rfppl.co.in

Indian Journal of Ancient Medicine and Yoga

Library Recommendation Form

If you would like to recommend this journal to your library, simply complete the form below and return it to us. Please type or print the information clearly. We will forward a sample copy to your library, along with this recommendation card.

Please send a sample copy to:

Name of Librarian

Name of Library

Address of Library

Recommended by:

Your Name/ Title

Department

Address

Dear Librarian,

I would like to recommend that your library subscribe to the Indian Journal of Ancient Medicine and Yoga. I believe the major future uses of the journal for your library would provide:

1. useful information for members of my specialty.
2. an excellent research aid.
3. an invaluable student resource.

I have a personal subscription and understand and appreciate the value an institutional subscription would mean to our staff.

Should the journal you're reading right now be a part of your University or institution's library? To have a free sample sent to your librarian, simply fill out and mail this today!

Stock Manager

Red Flower Publication Pvt. Ltd.

48/41-42, DSIDC, Pocket-II

Mayur Vihar Phase-I

Delhi - 110 091(India)

Phone: 91-11-45796900, 22754205, 22756995, Cell: +91-9821671871

E-mail: sales@rfppl.co.in

Indian Journal of Ancient Medicine and Yoga

January - March 2019
Volume 12 Number 1

Contents

Original Article

- Morphological Characterization of Jeevaka Through
Synonyms: A Unique Approach of Ayurveda** 5
Maharjan R, Srivastava PK, Soni P, Mainali MK, Mysore PN

Review Articles

- Pratyatma Lakshana: A Diagnostic Pathological Report** 9
Mahamad Yunus S. Nabooji, Amit K., Sandhya G., Komal R.
- Medicinal Uses of Raat ki Rani (*Cestrum Nocturnum* L.): An Anukta Dravya** 13
Maharjan R, Srivastava PK, Dogra A, Mainali MK, Mysore PN

Case Reports

- A Case Report on Non Healing Foot Ulcer** 17
Baby Ganeriwala
- Efficacy of Thumari Malahara in The Management of
Dushta Vrana (Chronic Non-Healing wound): A Single Case Report** 21
Manisha Kapadiya, T.S. Dudhamal
- Guidelines for Authors** 36

SUBSCRIPTION FORM

I want to renew/subscribe international class journal "Indian Journal of Ancient Medicine and Yoga" of Red Flower Publication Pvt. Ltd.

Subscription Rates:

- Institutional: INR8000/USD625

Name and complete address (in capitals): _____

Payment detail:

Online payment link: <http://rfppl.co.in/payment.php?mid=15>

Cheque/DD: Please send the US dollar check from outside India and INR check from India made payable to 'Red Flower Publication Private Limited'. Drawn on Delhi branch.

Wire transfer/NEFT/RTGS:

Complete Bank Account No. 604320110000467

Beneficiary Name: Red Flower Publication Pvt. Ltd.

Bank & Branch Name: Bank of India; Mayur Vihar

MICR Code: 110013045

Branch Code: 6043

IFSC Code: BKID0006043 (used for RTGS and NEFT transactions)

Swift Code: BKIDINBBDOS

Term and condition for supply of journals

1. Advance payment required by Demand Draft payable to Red Flower Publication Pvt. Ltd. payable at Delhi.
2. Cancellation not allowed except for duplicate payment.
3. Agents allowed 10% discount.
4. Claim must be made within six months from issue date.

Mail all orders to

Subscription and Marketing Manager

Red Flower Publication Pvt. Ltd.

48/41-42, DSIDC, Pocket-II

Mayur Vihar Phase-I

Delhi - 110 091(India)

Phone: 91-11-45796900, 22754205, 22756995, Cell: +91-9821671871

E-mail: sales@rfppl.co.in

Morphological Characterization of Jeevaka Through Synonyms: A Unique Approach of Ayurveda

Maharjan R¹, Srivastava PK², Soni P³, Mainali MK⁴, Mysore PN⁵

Author Affiliation: ¹PG Scholar ²Associate Professor ³Assistant Professor, PG Department of Dravyaguna, Patanjali Bharatiya Ayurvedigyan evam Anusandhan Sansthan, Haridwar, Uttarakhand 249405, India. ⁴HOD, Patanjali Yoga Literary Research Department, Patanjali Yogpeeth, Haridwar, Uttarakhand 249405, India. ⁵Director, Rishipath Healthcare Research and Publication International Pvt. Ltd, Bangalore, Karnataka 560078, India.

Corresponding Author: Prema. N. Mysore, Director, Rishipath Healthcare Research and Publication International Pvt. Ltd, Bangalore, Karnataka 560078, India.

E-mail: rishipathinternational@gmail.com

Abstract

Ayurveda is the science of life and living. The principles of life and living are mentioned in various Ayurvedic texts. For good life and living, the use of various Dravyas has been indicated. These Dravyas are assigned various names. These names are called as paryaya (synonyms). These synonyms do not only represent the names but also represent the morphological features, properties, actions and effects. They also provide with key identification features. Jeevaka is one of the plants mentioned in astavarga with revitalizing and rejuvenative properties. Various synonyms of jeevaka are mentioned in many Nighantu but its exact morphological details, properties and uses using all the synonyms are not mentioned. Hence this work was taken to decode all the synonyms and explain the features, properties and action of jeevaka.

Keywords: Ayurveda; Jeevaka; Synonym.

How to cite this article:

Maharjan R, Srivastava PK, Soni P, Mainali MK, Mysore PN. Morphological Characterization of Jeevaka Through Synonyms: A Unique Approach of Ayurveda. Indian J Ancien Med Yog. 2019;12(1):5-8.

Introduction

The main aim of Ayurveda is Svasthasya svasthya raksanam aturasya vikara prashamanam cha. It means protection of health of the healthy and alleviate the disease of the diseased. Just as the warrior in the field requires weapons, similarly the physician requires plants. Hence, the knowledge regarding plants is of utmost importance. Also Acharya Charaka has defined Ayurveda as “the one that gives knowledge about ayusya (healthy) and anayusya (unhealthy) plants, guna (properties) and karmas (actions and effects)” [1].

It is also told in Raja Nighantu that a physician without the knowledge of materica medica becomes a matter of laughter [2]. In ancient times, the system of morphological description of plants, as it is done now, was not present. Hence, the names and synonyms which indicated the salient

features of plants were coined [3]. These names and synonyms were based on rudhi (traditional uses), prabhava (effect), desyokti (habitat), lanchana (morphological characters), upama (simile), veerya (potency), itarhava (local names prevalent in various regions), akriti (form), rasa (taste), kala (time), prasastibodhaka (availability) etc [4,5,6]. The synonyms of jeevaka as per important materica medicas of Ayurveda is as follows.

1. *Astanga Nighantu*

The synonyms of jeevakamentioned in Ashtanga Nighantuare kurchanibha, vrishanee, vrisha and Vrishabha [7].

2. *Paryaya ratnamala*

The synonym of jeevaka mentioned in this text is kurcasheersha [8].

3. *Madanadi Nighantu*

The synonyms of jeevakamentioned in this text are kurcasheersha, deerghayu, jeevya, mangalyan-amadheya, hrasvanga and priyasaptaka [9].

4. *Shodhala Nighantu*

The synonyms of jeevaka mentioned in this text are shringaka, kshveda, deerghayu, kurchasheershaka, hrasvanga, vardhana, sheeta, brimhana, chirajeevee, mangalya, pranadaand svadu and pittajvara vinashana [10].

5. *Dhanvantari Nighantu*

The synonyms of jeevaka mentioned in this text are sringaka, ksveda, deerghayu, kurcaseersaka, hrasvanga, madhura, svadu, pranada and chirajeevee [11].

6. *Abhidhanaratnamala (Shadrassa Nighantu)*

The synonyms of jeevaka mentioned in this text are kurchaseersa, hrasvanga and chirajeevee has been mentioned [12].

7. *Madanpala Nighantu*

The synonyms of jeevaka mentioned in this text are madhura, shringee, hrasvanga and kurcasheersaka [13].

8. *Kaiyadeva Nighantu*

The synonyms of the plant mentioned in this text

are hrasvanga, kurchaseershaka, kurchaka, jeevada, kshodi, mangalya, madhura, priya, jeevana, shringaka, shreya, deerghayu and chirajeevee [14].

9. *Bhavaprakash Nighantu*

The synonyms of jeevaka are madhura, shringa, hrasvanga and kurchasheersaka [15].

10. *Raja Nighantu*

The synonyms of jeevaka mentioned in this text are jeevana, jeevya, shringahva, pranada, priya, chirajeevee, madhura, mangalya, kurchasheersaka, hrasvanga, vriddhida, ayusman, jeevada, deerghayu and balada [16].

11. *Shaligrama Nighantu*

The synonyms of jeevaka mentioned in this text kshveda, hrasvanga, deerghayu, shringaka and priya [17].

12. *Saushruta Nighantu*

The synonyms of jeevaka mentioned in this text are priyanama, deerghayu, kurchasheersaka and mangalyanamadheya [18].

There are numerous synonyms of jeevaka given in various materia medica of Ayurveda on the basis of svarupa (morphological characters), guna (properties), and karmas (actions and effect) etc. This has been presented on table 1 below.

Table 1:

S.N.	Synonyms	SN	AN	PR	DN	AR	Ma. Ni	So. Ni	Ma. Pa.	R N	KN	BPN	SGN
Based on Svarupa (Morphological characters)													
1.	Hrasvanga	-	-	-	+	+	+	+	+	+	+	+	+
2.	Kurchanibha	-	+	-	-	-	-	-	-	-	-	-	-
3.	Kurcasheersha	+	-	+	+	-	+	-	-	-	-	-	-
4.	Kurchasheershaka	-	-	-	-	+	-	+	+	+	+	+	-
5.	Nisara	-	-	-	-	-	-	-	-	-	-	+	-
6.	Shringee	-	-	-	-	-	-	-	+	-	-	-	-
7.	Shringa	-	-	-	-	-	-	-	-	-	-	+	-
8.	Shringaka	-	-	-	+	-	-	+	-	-	+	-	+
Based on gunas (properties)													
9.	Madhura	-	-	-	+	-	-	-	+	+	+	+	-
10.	Sheeta	-	-	-	-	-	-	+	-	-	-	-	-
11.	Svadu	-	-	-	+	-	-	+	-	-	-	-	-
Based on Karmas (actions and effects)													
12.	Ayushman	-	-	-	-	-	-	-	-	+	-	-	-
13.	Balada	-	-	-	-	-	-	-	-	+	-	-	-
14.	Brimhana	-	-	-	-	-	-	+	-	-	-	-	-

15.	Chirajeevee	-	-	-	+	+	+	+	-	+	+	-	+
16.	Deerghayu	+	-	-	+	-	+	+	-	+	+	-	-
17.	Jeevada	-	-	-	-	-	-	-	-	+	+	-	-
18.	Jeevana	-	-	-	-	-	-	-	-	+	+	-	-
19.	Jeevya	-	-	-	-	-	-	-	-	+	-	-	-
20.	Kshodi	-	-	-	-	-	-	-	-	-	+	-	-
21.	Kshveda	-	-	-	+	-	-	+	-	-	-	-	+
22.	Maangalya	-	-	-	-	-	-	-	-	+	+	-	-
23.	Mangalya	-	-	-	-	-	-	+	-	-	-	-	-
24.	Mangalya- namadheya	+	-	-	-	-	+	-	-	-	-	-	-
25.	Pittajvara vinashana	-	-	-	-	-	-	+	-	-	-	-	-
26.	Pranada	-	-	-	+	-	-	+	-	+	-	-	-
27.	Vardhana	-	-	-	-	-	-	+	-	-	-	-	-
28.	Vridhdhida	-	-	-	-	-	-	-	-	+	-	-	-
29.	Vrishanee	-	+	-	-	-	-	-	-	-	-	-	-
30.	Vrishabha	-	+	-	-	-	-	-	-	-	-	-	-
31.	Vrisha	-	+	-	-	-	-	-	-	-	-	-	-
32.	Shreyasa	-	-	-	-	-	-	-	-	-	+	-	-
33.	Shamee	-	-	-	-	-	-	-	-	-	+	-	-
Others													
34.	Priya	-	-	-	-	-	-	-	-	+	+	-	+
35.	Priyasaptaka	-	-	-	-	-	+	-	-	-	-	-	-
36.	Priyanama	+	-	-	-	-	-	-	-	-	-	-	-
37.	Shringahva	-	-	-	-	-	-	-	-	+	-	-	-

*SN- Saushruta Nighantu, AN- Astanga Nighantu, PR- Paryaya Ratnamala, DN- Dhanvantari Nighantu, AR- Abhidhana Ratnamala, Ma. NiMadanadi Nighantu, So.Ni- ShodhalaNighantu, Ma. Pa.- Madanpala Nighantu, RN- Raja Nighantu, KN- Kaiyadeva Nighantu, BPN- Bhavaprakash Nighantu, SGN- Shaligrama Nighantu

The morphological characterization, properties, action and effect as per the above mentioned table have been presented below [19-23].

Synonyms based on svarupa (morphological features)

It is a plant with good name [priya, priya Nama, priya]. It is a small plant about 15-30 cm tall which has small parts [hrasvanga]. It bears racemose inflorescence [kurchanibha, kurcasheersha] which seems grouped [kurchaka]. The inflorescence is the prominent part that looks like horn [shringa, shringahva]. Its pseudobulb does not contain much fluid [Nisara]. The pseudo bulb can remain dormant for long period of time [Chirajeevee].

Synonyms based on guna (properties)

It is madhura (sweet) in taste [madhura, svadu]. It possessessheeta veerya guna (cold potency).

Synonyms based on karmas (actions and effects)

It has good effects in the body[mangalya, maangalya, mangalyanamadheya]. It provides bala [Ayushman, balada, vrishanee, vrisha, vrishabha].

It imparts prana (life sustaining energy), longevity [deerghayu] and vitality [jeevaka, jeevana, jeevya, jeevada, pranadayaka, pranada, susthirajivi]. It rejuvenates the body [kaumarya and increases body tissues [vardhana]. It also imparts good health and well-being [shreyasa, mangalya]. It helps to get rid of the disease [ksveda, kshodi]. It imparts good health by destroying diseases [vridhdhida] and helps in nourishment of the body [brimhana]. It pacifies the vitiated doshas [shami]. It pacifies pittaja fever [Pittajvara vinashana].

Results, Discussion and Conclusion

Jeevaka has the properties to vitalize and rejuvenate the body. It is a small plant with small parts. It bears a distinctive inflorescence with laxly arranged flowers. It pacifies vitiated doshas especially pitta and vata because of its sweet taste. It also pacifies pitta due to its cold potency. It imparts good health by pacifying the vitiated dosha. It then nourishes the depleted tissues and finally rejuvenates the body. These all can be simply understood by the synonyms only. Hence, there is a great need to decode these synonyms

and characterize the plants morphologically. These characters also match with the plant *Crepidium acuminatum* (D. Don) Szlach syn. *Malaxis acuminata* D. Don. Hence jeevaka can be considered as *Crepidium acuminatum* (D.Don) Szlach.

References

1. Shastri K (Comm.), Pandey G (Ed.). Charaka Samhita. Rep. Ed. Varanasi, India: Chowkhamba Sanskrit Sansthan; 2009; Sutrashtana shloka no 30/23
2. Tripathi I. Raja Nighantu with Dravyaguna Hindi commentary. Varanasi, India: Chaukhamba Krishnadas Academy; 2010; RN Bhumika.
3. Sharma PV. Namarupajnanam (Characterization of Medicinal Plants).Varanasi, India: Chaukhamba Visvabharati.
4. Sharma G, Sharma P.Dhanvantari Nighantu. Varanasi, India: Chaukhamba orientalia; 2008.
5. Tripathi I. Raja Nighantu with Dravyaguna Hindi commentary. Varanasi, India: Chaukhamba Krishnadas Academy; 2010.
6. Sharma PV. Dravyaguna Vigyana Part II. Varanasi, India: Chaukhamba Bharatiya Academy.
7. Sharma PV. Astanga Nighantu, Madras, India: The Kuppuswamy Shastri Research Institute; 1970.
8. <http://niimh.nic.in/ebooks/e-Nighantu/paryayaratnamala/?mod=read>; Retrieved on 30-11-2018; PR. Shloka no. 584
9. Balkrishna A. (Comm.). Madanadi Nighantu (Chandra Nighantu). Patanjali Yogpeeth, Bahadarabad, Haridwar: Divya Prakashana; 2017.
10. Pandey G (Comm.), Dwivedi RR (Ed.). Shodhala Nighantu. Varanasi, India: Chowkhamba Krishnadas Academy; 2009.
11. Sharma G, Sharma P.Dhanvantari Nighantu. Varanasi, India: Chaukhamba orientalia; 2008.
12. Sharma PV (Ed.). Abhidhanaratnamala. Varanasi, India: Chowkhamba Orientalia; 2013.
13. Shastri JLN. Illustrated Madanpala Nighantu. Varanasi, India: Chaukhamba Ayurveda Pratisthana; 2010.
14. Sharma G, Sharma P. Kaiyadeva Nighantu. Rep. Ed. Varanasi, India: Chaukhamba orientalia; 2013.
15. Mishra B, Vaishya R. Bhavaprakash Nighantu, Part I. Varanasi, India: Chaukhamba Sanskrit bhavana; 2012.
16. Tripathi I. Raja Nighantu with Dravyaguna Hindi commentary. Varanasi, India: Chaukhamba Krishnadas Academy; 2010.
17. Shaligrama L. Shaligrama Nighantu Bhusan. Bombay, India: Khemraj Shrikrishnadas Prakashana; 2011.
18. <http://niimh.nic.in/ebooks/e-Nighantu/saushrutanighatu/?mod=read>; Retrieved on 29-11-2018
19. Balkrishna A. Astavarga Rahasya. Patanjali Yogpeeth, Bahadarabad, Haridwar: Divya prakashana; 2012.
20. Deva RRR. Sabdakalpadruma part II. Varanasi, India: Chowkhamba Sanskrit Series; 2011.
21. Shastri H. (Ed.) Amara kosha. Rep. ed. Varanasi, India: Chaukhamba Sanskrit Sansthan; 2008.
22. Joshi J. (Ed.). Halayudha Kosha. Rep. Ed. Lucknow, India: GW Larry and Company; 1967
23. Tarkavachaspati T. Vachaspatyam part IV. Varanasi, India: Chowkhamba Sanskrit Series; 1970.

Pratyatma Lakshana: A Diagnostic Pathological Report

Mahamad Yunus S. Nabooji¹, Amit K.², Sandhya G.³, Komal R.⁴

Author Affiliation: ¹Assistant Professor
²Third Year PG Scholar ³Second Year PG Scholar, Department of P.G. Studies in Roganidana, Shri. J.G.C.H.S. Ayurvedic Medical College, Ghataprabha, Dist. Belgaum, Karnataka 591310, India.

Corresponding Author: Mahamad Yunus S. Nabooji, Assistant Professor, Department of P.G. Studies in Roganidana, Shri. J.G.C.H.S. Ayurvedic Medical College, Ghataprabha, Dist. Belgaum, Karnataka 591310, India.

E-mail: drmahamadyunus@gmail.com

Abstract

The meticulous diagnoses of the disease in Ayurveda completely rely on five means of diagnosis (nidanapanchaka), out of that lakshana (clinical features) plays an important role. These are manifested as the result of Gunata (qualitative) and Dravyata (quantitative) vitiation of various factors like dosha, dushya, srotas, agni, prakruti, bala and kala etc, involved in the process of samprapti (pathogenesis). Clinical features are occurred in different stages of samprapti, in doshadushyasamurchana avasta called as poorvarupa (premonitory clinical feature) and some manifested after the completion of doshadushyasamurchana called as roopa (clinical features) among these some are unique and specific to particular disease and these are called as pratyatma lakshana (cardinal features), for e.g. dehamanasantapa of jwara, malasarana of atisara and netratwakpanduta of pandu etc, understanding and diagnosis of srotogatavyadhis (systemic diseases) remains a challenging even after knowing the clinical features, because a single clinical feature of particular disease occur in more than one disease of same srotas or other srotas, but pratyatma lakshanas are unique to particular disease so it carries a great value in the accurate and final diagnosis of the disease along with other common features manifested as poorvarupa and roopa of srotogatavyadhis. By considering uniqueness of pratyatma lakshana the present work is taken into consideration.

Keywords: Pratyatma Lakshana; Roopa; Poorvarupa; Doshadushyasamurchana; Clinical Features; Diagnosis.

How to cite this article:

Mahamad Yunus S. Nabooji, Amit K., Sandhya G. et al. Pratyatma Lakshana: A Diagnostic Pathological Report. Indian J Ancien Med Yog. 2019;12(1):9-11.

Introduction

Among three principle objectives of Ayurveda, Aturasyavikara (Disease of the patient) is considered as most important in the point of Roganidana (Clinico-Diagnostic Pathology), to overcome the Aturasyavikara, Acharyas mentioned various diagnostic tool like nidanapanchaka and etc. among these pratyatma lakshanas which are manifested

either during the stage of poorvarupa or roopa are considered as Atmalakshana (cardinal/unique) of a particular disease and unique diagnostic pathological report of Ayurveda. Clinically most of the time poorvarupa and rupa are alike in various diseases of Doshapradoshaja, Dhatupradoshaja and Srotopradoshaja, where as pratyatma lakshanas are specific to specific disease even when different factors involved in the manifestation of various diseases are same, Because these are manifested as

the result of uniqueness of Khavaigunya (Suitable defected place to produce disease within the body/ Site of Pathology) and Samprapti of a particular disease. So it's time to explore the pratyatma lakshanas are unique diagnostic methods of ayurveda in relation to pathology.

Diagnostic Glance on Lakshana

After critical analysis of concept of lakshana as explained by various Acharyas in relation to diagnostic approach towards a disease, probably we can draw the following conclusion for the sake of accurate diagnosis and to explore the concept of Roganidana in the light of clinical and pathological

diagnostic report.

Pratyatma Lakshana (Diagnostic Pathological Report)

To explore the concept of pratyatma lakshana in the light of pathological diagnostic report only those unique clinical features are considered as pratyatma lakshana of the particular disease as these are directly indicating the nature of Khavaigunya (Pathology) among the common clinical features which are explained by various acharyas. For the differential diagnosis of the diseases one has to consider Samanyalakshanas along with Pratyatma Lakshana.

Table 1: Showing Probable Diagnostic Role of Lakshana

Lakshanas	Role in Diagnosis
Poorvarupa	Diagnostic Clinical Report in premonitory stage of the disease
Roopa	Diagnostic Clinical Report in manifested stage of the disease
Pratyatma	Diagnostic Pathological Report

Table 2: Showing Pratyatma lakshana (Diagnostic Pathological Finding) of Various Diseases [1,2,3,4]

Pratyatma Lakshana	Diagnosis
Shabdayuktauchwasanichwasa	Mahashwasa
Deerghashwasa, Urdhwadrusti	Urdhwashwasa
Vicchinnashwasa, Raktaikalochana	Chinnashwasa
Teevrevagashwasa, Gurguraka, Vimokshnate muhoortam labate sukham, Aaseenolabate sukham	Tamakashwasa
Shushkakasa and alpakapha, Jeernannevega	Vatajakasa
Peetanishteavana, Pratatamkaasamaancha jyoteeshmati	Pittajakasa
Bahula, Madhura, Snigdha, Ghana kapha	Kaphajakasa
Shushkakasa followed by Sashonitakapha, Paravata evakoojana	Kshatajakasa
Durghanda, Hareeta, Raktayukta, puyayuktakapha, Shreemadarshanalochana, Bahuvashi durbalacrusha	Kshayajakasa
Ekadasha Roopa	Rajayakshma
Uroruk followed by kasa and Raktavamana	Urakshata
Daranasphotanvat shoola in Hrudayapradesha	Vatajagrudroga
Dahachoshavat shoola in Hrudayapradesha followed by Hrudayaklama	Pittajagrudroga
Mandavedana, Hrudayasthabdhata in Hrudayapradesha followed by Hrudayastimita	Kaphajagrudroga
Teevrevadana in Hrudayapradesha followed by Kandu	Krimijagrudroga
Alpaalpa muhurmuha sashabdha malanisarna	Vatajatisara
Peeta/neela/lohita malanisarna	Pittajatisara
Tantula muhurmuha savedana malanisarana	Kaphajatisara
Sarakta malanisarana	Raktajatisara
Bahukaphaalpamalanisarana	Pravahika
Suchivatatoda followed by Chardhi and Atisara	Visuchika
Kukshiadmanaatopa followed by padashopha, Gamanashakti	Udararoga
Kukshi udakapoornadruti sparsha	Jalodara
Atishrustamatibadha/Drava malanisarana	Grahniroga
Atishrustamatibadha/Drava malanisarana followed by Jeerneadhmanam	Vatajagrahni
Atishrustamatibadha/Drava malanisarana followed by Hruthkantadaha	Pittajagrahni
Atishrustamatibadha/Drava malanisarana followed by Akrushasyadurbala	Kaphajagrahni
Galajalaghatadwani malasarana followed by Parshwa shoola	Ghatyantragrahni
Samsparshaparipindita Granti in between Hrudaya and naabhi pradesha	Gulma

Samsparshaparipindita Granti followed by Jeerneabhadhikam bhukte samaupaiti	Vatajagulma
Samsparshaparipindita Granti followed by Sparshasahatwam and jeerneshoolam	Pittajagulma
Samsparshaparipindita Granti followed by Staimitya	Kaphajagulma
Avipaka followed by Tiktamlaudgar, Hruthkantadaha, klama, utklesha	Amlapitta
Avipaka followed by jeeryate shoolam	Parinamashoola
Avipaka followed by Jeernejeeryateajeerne Shoolam	Annadravashoola
Dehamanasantapa	Jwara
Vishamavegajwara, vepatu	Vatajajwara
Tikshanavegajwara, Mukhapaka	Pittajajwara
Mandavegajwara, sthaimitya	Kaphajajwara
Kshenedaha kshenesheeta followed by asthisandishiroruja, kantakujana, shirasolotana	Sannipatajajwara
Vishama vega and kala jwara	Vishamajwara
Netratwakpanduta followed by Pindikodwestana, angasada, Hrudayaspandana	Pandu
Stabdha and Guruta in Sandhi followed by Angamardha, shoonagata, Avipaka	Amavata
Utsedhasamhatashopha followed by Prashamyati praanmati prapedita, Chala	Vatajashotha
Utsedhasamhatashopha followed by Bhrushadahapaka	Pittajashotha
Utsedhasamhatashopha followed by Prashamonipeedita, guru, sthira	Kpahajashotha
Utsedhasamhatashopha followed by avalambhi	Vishajashotha
Pittadhushta raktasarana	Raktapitta
Haridra netratwagnakha followed by Raktapeeta shakrutmutra	Koshtashakhashraya kamala
Haridra netratwagnakha followed by Shwetashakrutmutra	Shakhashraya kamala
Haridra netratwagnakha followed by Krushnashakrutmutra, kukshishotha	Kumbhakamala
Haridra netratwagnakha followed by Nityamandajwara, Strishuaharsha	Haleemaka
Prabhutaavilamutrata followed by Shadpatapippalikabhicha	Prameha
Twakvaivarnya followed by vedana/srava/Kandu etc	Kustha
Twakshweta followed by Asravi/Avedana	Shwittrakushta
Vatapoornadrutisparsha shotha in Sandhi	Sandhigatavata
Hatwaekapaksha	Pakshagata
Hatwaekapaksha followed by vakranasabhrulalatakshi	Ardhita
Shoola in Sphikkatiprustauruajuanjanghapadam kramath	Gradrasi
Sandhishoola followed by sweda, sparshajnatwam	Vatarakta
Talapratyanguli Vedana followed by Karmakshyakari	Vishvachi

Conclusion

Pratyatma lakshana are Atmalakshana of a particular disease. After critical analysis of all clinical features in relation to various Doshapradoshaja, Dhatupradoshaja and srotopradoshajavyadhis, the poorvarupa and rupa can be considered as Diagnostic Clinical Report of Ayurveda. Whereas pratyatma lakshanas can be considered as Diagnostic Pathological Report of Ayurveda as these are indicator of uniqueness of Khavaigunya and Samprapti even when different factors involved in the process of various disease manifestations are alike.

References

1. Agnivesha.charakasamhita, revised by chraka and Drdhabla with the Ayurveda Dipika commentary

of Chakrapanidatta and with Vidyotini hindi commentary by Pt.Kasinath Shastri edited by Dr.Gangasahay Pandey. A.M.S Eighth Edition 2004 Pub: Chaukambha Sanskrit Sansthana; Varanasi.

2. Madhavkar. Madhava Nidana with Sanskrit commentary madhukosha By VijayaRakshata and Srikanta Datta, Edited with vimala madhudhara hindi commentary by Dr. Brahmanada Tripathi, Vol.II, Pub: Chaukamba Surbharati Prakhshana; Varanasi.
3. Sushruta. Sushruta Samitha with the Nibandha Sanngraha commentary of Sri Dalhana Achary and the Naychandrika Panjika of Sri Gayadas Achary on Nidana Stana, Edited By Vaidya Jadavji Trikamji Achary, and rest Pub: Chaukambha Oriental; Varanasi.
4. Vagbhata. Astanga Hrudayam - English translation by Prof. K.R. Srikantha Murthy, Reprint. Varanasi: Chowkhamba Krishnadas Academy; 2004. Vol I.

Red Flower Publication (P) Ltd.

Presents its Book Publications for sale

- | | |
|--|----------------------|
| 1. Biostatistics Methods for Medical Research (2019)
<i>by Sanjeev Sarmukaddam</i> | INR549/USD44 |
| 2. MCQs in Medical Physiology (2019) <i>by Bharati Mehta & Bharti Bhandari Rathore</i> | INR300/USD29 |
| 3. Synopsis of Anesthesia (2019) <i>by Lalit Gupta MBBS & Bhavna Gupta MBBS</i> | INR1195/USD95 |
| 4. Shipping Economics (2018) <i>by D. Amutha, Ph.D.</i> | INR345/USD27 |
| 5. Breast Cancer: Biology, Prevention and Treatment (2015)
<i>by Rana P. Singh, Ph.D. & A. Ramesh Rao, Ph.D. (JNU)</i> | INR395/USD100 |
| 6. Child Intelligence (2005) <i>by Rajesh Shukla, MD.</i> | INR150/USD50 |
| 7. Pediatric Companion (2001) <i>by Rajesh Shukla, MD.</i> | INR250/USD50 |

Order from

Red Flower Publication Pvt. Ltd.

48/41-42, DSIDC, Pocket-II

Mayur Vihar Phase-I

Delhi - 110 091(India)

Mobile: 8130750089, Phone: 91-11-45796900, 22754205, 22756995

E-mail: sales@rfppl.co.in

Special Note!

Please note that our all Customers, Advertisers, Authors, Editorial Board Members and Editor-in-chief are advised to pay any type of charges against Article Processing, Editorial Board Membership Fees, Postage & Handling Charges of author copy, Purchase of Subscription, Single issue Purchase and Advertisement in any Journal directly to Red Flower Publication Pvt. Ltd.

Nobody is authorized to collect the payment on behalf of Red Flower Publication Pvt. Ltd. and company is not responsible of respective services ordered for.

Medicinal Uses of Raat ki Rani (*Cestrum Nocturnum L.*): An Anukta Dravya

Maharjan R¹, Srivastava PK², Dogra A³, Mainali MK⁴, Mysore PN⁵

Author Affiliation: ¹PG Scholar ²Associate Professor, PG Department of Dravyaguna ³PG Scholar, PG Department of Sahitya and Siddhanta, Patanjali Bharatiya Ayurvedigyan Evam Anusandhan Sansthan, Haridwar, Uttarakhand 249405, India. ⁴HOD/Chief Research Scientist, Patanjali Yoga Literary Research Department/Patanjali Research Foundation, Patanjali Yogpeeth, Haridwar, Uttarakhand 249405, India. ⁵Director, Rishipath Healthcare Research and Publication International Pvt. Ltd, Bangalore, Karnataka 560078, India.

Corresponding Author: Prema N. Mysore, Director, Rishipath Healthcare Research and Publication International Pvt. Ltd, Bangalore, Karnataka 560078, India.

E-mail: ramitama@gmail.com

Abstract

In Ayurveda, plants have been used for treatment of various diseases. Those drugs that are not mentioned in Ayurvedic Pharmacopeia are known as Extrapharmacopeial drugs. *Cestrum nocturnum* L. is categorized in Extrapharmacopeial drug section in Ayurvedic Pharmacopeia. It is commonly known as Raat ki Rani in Hindi and Queen of the Night in English. This is a unique plant that belongs to the Solanaceae family that blooms at night and exudes fragrance. It is used in traditional and folklore practices for the treatment of various digestive, urinary and gastrointestinal system related diseases because of its antibacterial, antifungal, antidiabetic and analgesic properties. Various extracts of the plant can be used for healing the wounds, inhibition of malignant growth and tumours.

Keywords: *Cestrum Nocturnum* L.; Extrapharmacopeial; Raat ki rani.

How to cite this article:

Maharjan R, Srivastava PK, Dogra A, Mainali MK, Mysore PN. Medicinal Uses of Raat ki Rani (*Cestrum Nocturnum* L.): An Anukta Dravya. Indian J Ancien Med Yog. 2019;12(1):13-16.

Introduction

In rural India, 65% of the population use medicinal plants to help meet their primary health care needs [1]. Over 70% of the people of India, which is around 1.1 billion population, still use these Non-Allopathic systems of medicine or Complementary and Alternative system of medicine [2]. Ayurveda, Yoga, Unani, Siddha, Homeopathy and Naturopathy constitutes Complementary and Alternative system of Medicine that have used plants as medicines, for thousands of years and continue to use various kinds of herbs and herbal drugs [3]. Among these traditional and alternative systems of health, Ayurveda has been prevalent for over three thousand years. Around seven hundred plants have been mentioned in Ayurveda that can

be used as medicines [4]. The drugs that are not mentioned in Ayurvedic pharmacopoeia (A.P.I) are known as Extrapharmacopeial drugs. Among them, Raat ki Rami (*Cestrum nocturnum* L.) is one such plant.



Fig. 1:

Cestrum nocturnum is commonly known as Raat ki Rani (Queen of the Night), which blooms at night and has a strong fragrance. It can reproduce vegetatively or through seeds. When ingested by livestock, it has proved fatal and poisonous. In humans, ingestion of this plant has produced hay fever like symptoms [5]. Even the scent of this plant is known to produce severe allergic reactions in some individuals [6].

Common Names

Raat ki rani in Hindi, Hasna Hana in Bengali, Queen of the Night in English, Thabal Lei in Manipuri, Raatrani in Marathi, and Rat Ki Rani in Konkani [7].

Distribution

Native Range: Tropical America: Mexico, Belize, Costa Rica, El Salvador, Guatemala, Honduras, Nicaragua, Panama and Caribbean: Cuba [8]

Plant description [9]

Shrubs erect or sprawling, 1-3 m tall; young growth puberulent, glabrescent. Branches slender. Petiole 0.8-2 cm; leaf blade oblong-ovate or oblong-lanceolate, 6-15 × 2-4.5 cm, entire. Inflorescences drooping, many-flowered, axillary or terminal racemose panicles, 7-10 cm. Flowers strongly night scented. Pedicel 1-5 mm. Calyx campanulate, 2-3 × 1-1.5 mm; lobes deltoid, 0.5-0.8 mm. Corolla greenish or whitish yellow, 1.5-2.5 cm, tube slightly contracted at throat, lobes 3-4 mm. Filaments with dentate appendages, usually puberulent at point of insertion. Ovary about 1 mm. Berry white, juicy, oblong or globose, 6-10 × 4-10 mm. Seeds 1-5, ellipsoid, 3.5-4.5 mm.

Taxonomical classification [10]

- Kingdom: Plantae
- Class: Equisetopsida C. Agardh
- Subclass: Magnoliidae Novák ex Takht.
- Superorder: Asteranae Takht.
- Order: Solanales Juss. Ex. Bercht. & J. Presl
- Family: Solanaceae Juss.
- Genus: *Cestrum* L.
- Species: *Cestrum nocturnum* L.

Varieties:

- *Cestrum nocturnum* var. *mexicanum* O.E. Schulz
- *Cestrum nocturnum* var. *pubescens* Dunal
- *Cestrum nocturnum* var. *tinctorium* M. Gómez

Part Used

Leaf [11], aerial parts [12]

Phytoconstituents

The crude form and fractions of the plant contains various phytochemical chemical groups like glycosides, alkaloids, saponins, phenols, flavonoids, sterols and tannins [13]. The methanolic extract contains steroidal saponin named nocturnoside A, in leaves that has been characterized as 3-O-[beta-D-glucopyranosyl (1---3)-beta-D-glucopyranosyl (1---2)-beta-D-glucopyranosyl((3---1)-beta-D-xylopyranosyl) (1---4)-beta-D-galactopyranosyl) (25R)-spirost-5-ene-2 alpha, 3 beta-diol through ¹³C NMR spectroscopy [14]. The mature and fresh leaf extract of n-hexane containing thin layer epicuticular waxes contains 17 long chain alkanes, Hentriacontane (n-C(31)) as the major n-alkane, while nonadecane (n-C(19)), the least abundant component [15].

Folklore Uses

It is used in heart diseases and spasms [16]. The extract of aerial parts is spasmolytic, hypotensive and diuretic [17]. The plant has been used as a good drug for treating digestive diseases in traditional Chinese medicine [18].

Medicinal Uses

The crude methanol extract of the whole plant of *Cestrum nocturnum* L. and its subsequent fractions showed marked antibacterial activity against *Pseudomonas aeruginosa*, *Staphylococcus aureus*, *Bacillus subtilis*, *Escherichia coli* and *Shigella flexneri* with the exception of *Salmonella typhi* among the tested samples. The crude extracts and fractions were also found to be susceptible to *Candida* species and *Microsporium canis* [19].

The ethanolic extract of *Cestrum nocturnum* L. leaves has a concentration dependent wound healing effect which was prepared as an ointment. It has high rate of wound contraction, decrease

in the period for epithelialisation, elevated hydroxyproline content in animals [20].

The n-butanol and polysaccharides extracts of *Cestrum nocturnum* L. is able to inhibit tumour growth and prolong the lifetime of the tumour-bearing mice in a dose-dependent pattern [21].

The decoction of dry leaves powder of the plant has analgesic activity through peripheral action mechanism and psychoactive activity. It did not show any anti-convulsing activity [22].

It also has cytotoxic activity against the human oral squamous cell carcinoma (HSC-2) cells along with normal human gingival fibroblasts [23].

The Green synthesized silver nanoparticles prepared with *Cestrum nocturnum* L. has strong antioxidant activity along with antibacterial activity. This activity might be suggested due to the presence of bioactive molecules on the surface of silver nanoparticles, with that of *Cestrum nocturnum* L. [24].

In an In vivo study in Wistar rats, the hydroalcoholic extract of *Cestrum nocturnum* leaves has demonstrated promising result in the treatment of diabetes [25].

The cell line studies shows that it has very good antitumor effects by inducing damage to the cancer cell DNA and inhibiting the activity of topoisomerase II and low immune toxicity [26].

Conclusion

It is a cosmopolitan plant belonging to the Solanaceae family that blooms at night and imparts a pleasant fragrance. The plant is an Extrapharmacopeial for Ayurveda system of medicine. But it has been in use in Chinese traditional medicine and folklore practices. The folklore uses of this plant are in treatment of various heart diseases, spasms, hypertension, urine retention and various digestive diseases. It is poisonous to livestock and produces hay fever like symptoms in humans when ingested orally and cause severe allergic reactions when inhaled.

Various researches studies show its activity as a potent antibacterial, antifungal, antidiabetic and analgesic drug. It can be used for wound healing, tumour inhibition, killing human oral squamous cell carcinoma and preparation of green silver nanoparticles.

Hence the plant "*Cestrum nocturnum* L." is a very important plant with great medicinal properties. Therefore, the plant needs to be studied

as per Ayurvedic parameters of rasa (taste), guna (properties), virya (potency), vipaka (post-digestive taste) and other parameters and after validation, included in the Ayurvedic pharmacopoeia.

References

1. [Http://apps.who.int/gb/archive/pdf_files/WHA56/ea5618.pdf](http://apps.who.int/gb/archive/pdf_files/WHA56/ea5618.pdf). Accessed on 23-06-2018
2. Vaidya AD, Devasagayam TP. Current Status of Herbal Drugs in India: An Overview. *Journal of Clinical Biochemistry and Nutrition*. 2007;41(1): 1-11.
3. Ibidem (ii).
4. Sharma SK. Medicinal plants used in Ayurveda. Dhanvantari bhavana, New Delhi, India: Rashtriya Ayurveda Vidyapeeth 1998.
5. [Http://www.iucngisd.org/gisd/species.php?sc=851](http://www.iucngisd.org/gisd/species.php?sc=851). Accessed on 24-08-2018.
6. [Http://www.flowersofindia.net/catalog/slides/Night%20Blooming%20Jasmine.html](http://www.flowersofindia.net/catalog/slides/Night%20Blooming%20Jasmine.html). Accessed on 16-12-2018
7. [Https://indiabiodiversity.org/species/show/265827](https://indiabiodiversity.org/species/show/265827). Accessed on 07-09-2018
8. [Http://issg.org/database/species/ecology.asp?si=851&fr=1&sts=&lang=EN](http://issg.org/database/species/ecology.asp?si=851&fr=1&sts=&lang=EN). Accessed on 24-08-2018.
9. [Http://www.efloras.org/florataxon.aspx?flora_id=2&taxon_id=200020516](http://www.efloras.org/florataxon.aspx?flora_id=2&taxon_id=200020516). Accessed on 24-08-2018.
10. [Http://www.tropicos.org/TaxonomyBrowser.aspx?nameid=29602426&projectid=0&conceptid=1](http://www.tropicos.org/TaxonomyBrowser.aspx?nameid=29602426&projectid=0&conceptid=1). Accessed on 31-08-2018.
11. Ganji K, Joshi VK. Nomenclature of anukta dravya. *Ancient Science of Life*. 2010;29(4):17-23.
12. Baral SR, Kurmi PP. A compendium of Medicinal plants in Nepal. Kathmandu, Nepal: Mass Printing Press 2006.
13. Khan M, Inayat H, Khan H, Saeed M, Khan I, Rahman I. Antimicrobial activities of the whole plant of *Cestrum nocturnum* against pathogenic microorganisms. *African Journal of Microbiology Research*. 2011;5(6):612-616.
14. Ahmad VU, Baqai FT, Fatima I, Ahmad R. A spirostanol glycoside from *Cestrum nocturnum*. *Phytochemistry*. 1991;30(9):3057-61.
15. Chowdhury N, Ghosh A, Bhattacharjee I, Laskar S, Chandra G. Determination of the n-alkane profile of epicuticular wax extracted from mature leaves of *Cestrum nocturnum* (Solanaceae: Solanales). *Natural Product Research*. 2010;24(14):1313-7.
16. Ganji K, Joshi VK. Nomenclature of anukta dravya. *Ancient Science of Life*. 2010;29(4):17-23.
17. Ibidem (xi).
18. Wu DP, Lin TY, Lv JY, Chen WY, Bai LR, Zhou

- Y, et. al. *Cestrum nocturnum* Flower Extracts Attenuate Proliferation and Induce Apoptosis in Malignant Cells through Inducing sDNA Damage and Inhibiting Topoisomerase II Activity. Evidence Based Complementary and Alternative Medicine. 2017;1456786.
19. Ibidem (xii).
20. Nagar HK, Srivastava AK, Srivastava R, Kurmi ML, Chandel HS, Ranawat MS. Pharmacological Investigation of the Wound Healing Activity of *Cestrum nocturnum* (L.) Ointment in Wistar Albino Rats. Journal of Pharmaceutical Sciences (Cairo). 2016 Feb;9249040. 10.1155/2016/9249040.
21. Zhong ZG, Zhao SY, Lv JY, et.al. Experimental study on antitumor effect of extracts from *Cestrum nocturnum* in vivo. Zhong Yao CAI. 2008 Nov;31(11):1709-12.
22. Pérez-Saad H, Buznego MT. Behavioural and antiepileptic effects of acute administration of the extract of the plant *Cestrum nocturnum* Lin (lady of the night). Epilepsy & Behaviour. 2008 Apr;12(3):366-72.
23. Mimaki Y, Watanabe K, Ando Y, et. al. Flavonol glycosides and steroidal saponins from the leaves of *Cestrum nocturnum* and their cytotoxicity. Journal of Natural Products. 2001 Jan;64(1):17-22.
24. Keshari AK, Srivastava R, Singh P, et.al. Antioxidant and antibacterial activity of silver nanoparticles synthesized by *Cestrum nocturnum*. Journal of Ayurveda and Integrative Medicine. 2018 Aug; pii: S0975-9476(17)30390-X
25. Kamboj A, Kumar S, Kumar V. Evaluation of Antidiabetic Activity of Hydroalcoholic Extract of *Cestrum nocturnum* Leaves in Streptozotocin-Induced Diabetic Rats. Advances in Pharmacology. 2013 Sept;150401 doi: 10.26. 1155/2013/150401.
26. Ibidem(xvii).
-

A Case Report on Non Healing Foot Ulcer

Baby Ganeriwala

Author Affiliation: Assistant Professor, Raghunath Ayurved Mahavidyalaya & Hospital, Purba Medinipur, Contai, West Bengal 721401, India.

Corresponding Author: Baby Ganeriwala, Assistant Professor, Raghunath Ayurved Mahavidyalaya & Hospital, Purba Medinipur, Contai, West Bengal 721401, India.

E-mail: drbabyganeriwala@gmail.com

Abstract

Foot ulcer is common in diabetic individual consisting of 15% of all diabetics, but it is less commonly seen in non-diabetics [1]. At the same time non healing leg ulcers are more common among diabetics than in non-diabetics. Non healing leg ulcer often becomes a great challenge to the surgeon. This case study demonstrates how Ayurvedic medicine helps in rapid healing of a chronic non healing ulcer in a non-diabetic individual. In this case treatment was planned for Dusht Vrana and a group of drugs were prescribed which are indicated for vranashodhana and vranaropana.

Keywords: Non Healing; Ulcer; Dusta Vrana.

How to cite this article:

Baby Ganeriwala A Case Report on Non Healing Foot Ulcer. Indian J Ancien Med Yog. 2019;12(1):17-20.

Introduction

A non-healing ulcer is defined as a wound that does not improve after four weeks or does not heal in eight weeks [2].

This is a major health problem comprising of 85% of lower limb amputation [3].

Conventional therapies such as dressings, surgical debridement and even skin grafting cannot provide satisfactory healing since these treatments are not able to provide growth factor that can modulate the healing process. Ayurveda has mentioned different types of ulcers under the heading of vrana. The case studied here fulfilled the criteria of Dushtavrana as mentioned in Sushruta Samhita [4].

Many medications are mentioned in classical texts for DushtaVrana, out of which some were selected depending on ashtarogipariksha.

Case Report

This is a case of chronic non healing foot ulcer of left heel, where a 60 years old non diabetic lady presented at outdoor patient department of a reputed Ayurveda college and Hospital with an ulcer for a period of 10 years following trauma. She consulted different surgeons and attended hospitals number of times during this period of time and also underwent debridement three times before, but the wound did not healed. She produced a report of blood which was done 5 months back suggestive of normal fasting and PP blood sugar levels. Her renal as well as liver function tests were also normal. She was off any treatment since last 4 months.

On examination left foot revealed an ulcer over heel measuring about 4x4 cm which was discharging and was having foul smell but tolerable. Surrounding area was not inflamed or congested. Edge and margins were tendered and temperature of surrounding area was not raised. There were no palpable popliteal or inguinal lymph nodes.

Management Adopted in This Case

1st visit

After the assessment, wound was washed with normal saline and sloughed tissues were removed. Hot compression with swetachurna solution was done approximately for 10 mints and Panchatiktaguggula Ghrita was applied over it. Wound was covered by gauze and bandage. Medications prescribed were the following

1. Nimbadiivati - 2 pills twice daily after meal with Luke warm water.
2. Khadirarista - 3 tsf thrice daily with equal amount of warm water after meal.
3. Gandhak Rasayana - 1 pill twice daily after meal with Luke warm water [5].
4. Dressing of wound every alternate day as demonstrated to the patient The patient was asked to continue the medicine for 2 weeks.



Fig. 1:

2nd visit:

Wound was examined. Signs of healing were evident. Dressing was done with swetachurna and panchtiktaguggula Ghrita was applied as before. This time medicines prescribed were

1. Khadirarishta - 15 ml thrice daily after meal with lukewarm water.
2. Gandhak Rasayana - 1 pill twice daily after meal with lukewarm water.
3. Dhatri Lauha - 1 pill
Kori Bhasma - 25 mg } One dose twice daily after food with warm water.
4. Panchatiktaguggula Ghrita - 5 ml with Luke warm water daily in empty stomach [6].
5. Dressing was advised as before.



Fig. 2:

3rd Visit

Patient attended OPD after 2 weeks with complaint of persistent oozing from ulcer. Wound was debrided and dressing was done in the similar way. Medicines prescribed were following.

1. Khadirarishta - 15 ml thrice daily after meal with equal amount of lukewarm water.
2. Gandhak Rasayana - 1 pill twice daily with milk after meal.
3. Dhatri Lauha- 1 pill
Tankan Bhasma - 125 mg } One dose twice daily after food.
4. Panchatiktaguggula Ghrita - 5 ml with Luke warm water daily in empty stomach.
5. Yasada Bhasma - 1 pinch with warm water once daily after meal.
6. Dressing was advised as before.



Fig. 3:

4th Visit:

The patient came to visit after approximately 40 days. Wound was healthier. Dressing was done and medications prescribed were following.

1. Khadirarishta - 15ml thrice daily after meal with equal amount of lukewarm water.
2. Gandhak Rasayana - 1 pill twice daily with milk after meal.
3. Dhatri Lauha - 1 pill
Tankan Bhasma - 25 mg } one dose twice daily with warm water after food.
4. Panchatiktaguggula Ghrita - 5 ml with Luke warm water daily in empty stomach.
5. Dressing was advised as before.



Fig. 4:

5th visit

Patient came for visit after 14 days. Medicines prescribed this time were the following.

1. Khadirarishta - 10 ml thrice daily after meal with equal amount of lukewarm water.
2. Triphala Churna - 1 tsf with warm water at night.



Fig. 5:

3. Nimbadi Vati - 2 pills twice daily with warm water after meal.

4. Panchatiktaguggula Ghrita - 5 ml with Luke warm water daily in empty stomach.
5. Dressing was advised as before

6th visit

She visited after about 45 days this time. Following medications were prescribed after dressing.

1. Nimbadivati - 1 pill twice daily with warm water after meal.
2. Baisnawar churna - ½ tsf twice daily with warm water before meal.
3. Panchtiktaguggula Ghrita - 1 tsf once daily in empty stomach.
4. Dressing with swetachurna and Panchtiktaguggul Ghrita as advised before.



Fig. 6:

7th visit

Patient came after 14 days for consultation. This time following medicines were prescribed.



Fig. 7:

1. Panchtiktaguggula Ghrita - 1 tsf daily in empty stomach.
2. Bainavar churna -1 tsf
Kari Bhasma- ½ tsf } 1 dose twice daily.

3. Dressing as advised before.

8th visit

Patient presented after 3 weeks. The wound healed very well. The center of healed ulcer was soft in touch. This time the patient complained of pain in low back. So following medicines were prescribed.

1. Panchtiktaguggula Ghrita - 1 tsf once daily with warm water in empty stomach.
2. Tab Kineaz - 1 tab twice daily after meal.
3. Dressing was asked to be continued as before.



Fig. 8:

9th visit

There was complete healing of wound. She was advised not to walk bare foot and she was encouraged to take care of the foot.



Fig. 9:

Dicussion

The skin of the heel ulcer is thin, but the subcutaneous space is filled with a thick layer

of fatty tissue. If infection from the ulcer invades the fatty tissue, rapid necrosis of the entire layer occurs, which destroys the calcaneus and can even cause osteomyelitis. Initially this ulcer was highly infected. Regular dressing with swetachurna made the wound healthy while ghrita helped its healing. Debridement was done to remove the edge of the eschar. In this case patient was not regular in visit and was having excessive walking, so it took little more time to heal completely for an 10 years old ulcer. Time taken in complete healing was approximately seven and half months. Whole treatment was done on OPD basis.

Conclusion

Treating Patients with chronic ulcer over heel not responding to treatment is challenging and multi factorial. Regular dressing and selection of medications were the most important determinant in this case. Out of number of medications mentioned in Ayurveda to treat dushtaVrana, very few were selected for this patient. Medicines worked well and it cured the patient completely who was depressed after visiting clinic to clinic since last 10 years.

References

1. Amarprakash P. Dwivedi. Case study of leech application in diabetic foot ulcer. International Journal of Research in Ayurveda and Pharmacy; 2012 Oct;3(5):748-751.
2. <https://www.inova.org/healthcare-services/wound-healing/symptoms-and-treatments.jsp>.
3. Kleopatra Alexiadou and John Doupis. Management of Diabetic Foot Ulcers. Diabetes Ther. 2012 Dec; 3(1):4.
4. Sastri Ambika Dutta. Susruta Samhita. Reprint; Varanasi: Chaukhambha Sanskrita Sansthan, 2016; sutra Sthan; 22nd chapter; verse-07 ; pg-123.
5. Tripathy T.B. and Puripanda S.K.; Tvachyam, A Hand Book of Skin Diseases Treatment In Ayurveda; 1st edition; Amrutham Health Care Series; Hyderabad: pg- 19.
6. Tripathy T.B. and Puripanda S.K.; Tvachyam, A Hand Book Of Skin Diseases Treatment In Ayurveda; 1st edition; Amrutham Health Care Series; Hyderabad: pg- 11.

Efficacy of Thumari Malahara in The Management of Dushta Vrana (Chronic Non-Healing wound): A Single Case Report

Manisha Kapadiya¹, T.S. Dudhamal²

Author Affiliation: ¹PG Scholar 3rd Year
²Associate Professor and I/C HOD, Dept. of Shalyatantra, IPGT & RA, Gujarat Ayurved University, Jamnagar, Gujarat 361008, India.

Corresponding Author: Tukaram S. Dudhamal, Associate Professor, I/C HOD, Department of Shalyatantra, I.P.G.T. & R.A., Gujarat Ayurved University, Jamnagar, Gujarat 361008, India.

E-mail: dudhamal@ayurveduniversity.com

Abstract

Introduction: Katupila a native plant of Sri Lanka commonly known as Thumari in Saurashtra Region of Gujarat is being used in treating chronic non-healing ulcers. The aim of this study is to evaluate effect of katupila malahara in the treatment of Dushtavrana (chronic non-healing ulcer). **Materials & Method:** A 62 years old male Patient consulted OPD with complaints of chronic non-healing ulcer at lateral malleolus of left foot having slough, foul odour, pus discharge, tenderness. The size of ulcer was (5× 9×4.5) cm sized. Patient had treating of two times skin grafting, but skin graft was failed. **Result:** Non-healing chronic ulcer completely healed within 4 weeks of treatment. The positive finding in this case is that even in old age ulcer healed and without skin grafting with good tissue strength. **Conclusion:** Study concluded that *Thumari malahar* had healing potential in chronic non-healing ulcer.

Keywords: *Dushta Vrana, Katupila, Malahara, Non-Healing Wound, Securinega Leucopyrus, Thumari.*

How to cite this article:

Manisha Kapadiya & T.S. Dudhamal. Efficacy of Thumari Malahara in The Management of Dushta Vrana (Chronic Non-Healing wound): A Single Case Report. Indian J Ancien Med Yog. 2019;12(1):21-25.

Introduction

A chronic wound which is not heal in an orderly set of stages and in a predictable amount of time the way most wounds do; Wounds that do not heal within three months are often considered in chronic wounds. Chronic wounds seem to be detained in one or more of the phases of wound healing. For example, chronic wounds often remain in the inflammatory stage for too long [1]. To overcome that stage and jump-start the healing process a number of factors need to be addressed such as bacterial burden, necrotic tissue, and moisture balance of the whole wound [2]. In acute wounds, there is a precise balance between production and degradation of molecules such as collagen; in

chronic wounds this balance is lost and degradation plays too large a role. These wounds cause patients severe emotional and physical stress and create a significant financial burden on patients and the whole healthcare system.

Emotional stress can also negatively affect the healing of a wound, possibly by raising blood pressure and levels of cortisol, which lowers immunity [3]. Emotion stress over an old age contribute to chronic wounds. The skin of older people is more easily damaged, and older cells do not proliferate as fast and may not have an adequate response to stress in terms of gene upregulation of stress-related proteins. In older cells, stress response genes are overexpressed when the cell is not stressed, but when it is, the expression of

these proteins is not upregulated by as much as in younger cells [4].

Securinegaleucopyrus is a desert climatic plant found in wet climates in Sri Lanka known as Katupila. It is known as *Thumari* in Saurashtra region of Gujarat or *Paanduraphalika* in the Indian Sub-continent also called as "Spinous fl uggea" in English [5]. Previous case reports/ research showed wound healing potential in powder form, ointment & gel form in management of nonhealing wound [6,7,8]. This is the first attempt to report the efficacy of *Katupila Malahara* (modified form from *churna*) in chronic non-healing ulcer. In this case report the *Thumari malahar* was used for management of non-healing chronic wound.

Case report

A 62 years old male patient came at shalyatantra outdoor patient department with complaints of non-healing ulcer at left foot with pus discharge off & on manner, difficulty in walking since last 5 years. On examination (5×9×4.5) cm sized infected ulcer at lateral malleolus of left foot with slough, foul odour, pus discharge, tenderness, slopping edges, surrounding area was hyper pigmented [Fig. 5]. Muscle wasting was also present at left lower limb due to old age. Patient had a history of insect bite 5 years back after that abscess was developed that leads to ulcer which became chronic and gradually increase in size. So, that ulcer was treated by the general practitioner, but did not got any relief & surgeon advised for skin grafting. So, patient under went skin grafting for two times (1 year and 3 years back) but both time that graft was failed. Laboratory investigations for total leukocyte count, differential leukocyte count, haemoglobin was in the normal range while blood urea and serum creatinine were at borderline (Table 1) Patient was admitted in male Shalya ward for further management.

Preparation of Thumari Malahara: *Tila taila* and *Siktha* was taken in 1:5 ratio for the preparation of *Siktha Taila* [9] [Fig. 1]. After preparing of *Siktha Taila* it was poured in porcelain *Kharala* [Fig. 2]. Then, *Katupila* powder (sieved by #120) [Fig. 3] was added in *Siktha Taila*. Trituration was done continuously till *Malahara* like consistency attained [Fig. 4]. *Malahara* was stored in airtight container.

Patient was treated with local application of *Thumari malahara* daily and observed for improvement at regular intervals. The wound was cleaned with normal saline and *Thumari Malahara* was applied in adequate quantity. Changes in

symptoms like tenderness, colour, inflammation, slough, discharge, size of wound were observed daily. After 7th day, of application of *Thumari Malahara* wound was free from pus discharge, swelling and tenderness. On 15th day, there was fresh granulation tissue with contracting margins observed as a sign of wound healing. Filling of the wound base with fresh and well-vascularized tissues was formed with decreased wound size [Fig. 7]. On 21st day, wound was half of the first consultation healed. After 30 days of treatment wound was completely healed with white scars [Fig. 10].



Fig. 1: Siktha & Tila Taila



Fig. 2: Siktha Taila



Fig. 3: Thumari plant & powder



Fig. 4: Thumari malahara



Fig. 7: Healthy wound on 15th day

Observations & Results



Fig. 5: wound status on 1st day



Fig. 8: Wound status on 21st day



Fig. 6: wound status on 8th day



Fig. 9: Wound status on 25th day



Fig. 10: Healed wound on 30th day

Table 1: Laboratory investigations

Investigations	Before treatment	After treatment
Hb %	14.2 gms%	12.0 gms%
TC	6100/Cumm	4400/Cumm
DC: N/L/E/M/B	56/31/04/09/00%	50/37/08/05/00%
FBS	86 mg/dl	81 mg/dl
PPBS	106 mg/dl	108 mg/dl
B. Urea	41 mg/dl	31 mg/dl
S. Creatinine	1.6 mg/dl	1.1 mg/dl

Discussion

Acharya Sushruta describe two types of Vrana, *Neeja* and *Aagantuja*. [10] This ulcer can consider as a *Neeja Vrana* due to insect bite. *Katupila* has *Kashaya Rasa* which provides *Lekhana* (scraping) that helps in sloughing out necrosed tissue and preparing the wound for healing. It has *Sandhankara* properties means it helps in wound contraction, *Ropana* properties that helps in healing, and *Stambhana* properties which helped to stop discharge from the wound. *Tikta Rasa* also having *Lekhana*, *Shoshana* properties that dries up the pus, *Shodhana* which helps in purification of wound. *Thumari* leaf powder having large amount of tannin and oil that is helpful in the wound healing [11]. *Sikthaas* well as *Tila Taila* acts as drug penetration enhancer [12].

Katupila leaves possess antibacterial, [13] anti-inflammatory and immune-modulatory activities [14]. *Katupila* not only scavenges off the free radicals, but also inhibits the generation of free radicals [15]. These properties are helpful for proper disinfection of ulcer and also promote healthy granulation tissues. pH value of *Katupila* leaves is 4.5 [16] which is Acidic. Acidic pH supports wound healing process. Such as it suppresses bacterial growth, reduces proteolytic activity, enhance fibroblast growth in

vitro, leads to more oxygen supply and it leads to successful self-healing of chronic wounds [17]. So, we can reveal that acidic environment helps in wound healing by reducing toxicity of bacterial end products, controlling wound infection, increasing antimicrobial activity, altering protease activity, releasing oxygen and enhancing epithelization and angiogenesis. The *Malahara* formulation is easy to apply, very safe and tolerable to the patient without any side effect.

Conclusion

A single case study concluded that *thumari malahara* has potential in the management of chronic non-healing ulcer even in patients of the old age. This observation needs to be studied in more patients to explore better options for management of chronic non-healing ulcer.

Acknowledgement

The authors would like to thank Dr. Sarika M. Makwana, PG Scholar of RSBK Department, IPGT and RA, Jamnagar for helping to prepare *Thumari Malahara*.

Support/Funding: None

Conflicts of interest: Nil

Permissions: None

References

1. Snyder RJ, Treatment of nonhealing ulcers with allograft. *Clinics in Dermatology*. 2005;23(4):388-395.
2. Gist S, Iris TM, Falzgraf S, Cameron S, Beebe M. Wound care in the geriatric client. *Clinical Interventions in Aging*. 2009;4:269-287.
3. Augustin M, Maier K, Psychosomatic Aspects of Chronic Wounds, *Dermatology and Psychosomatics*. 2003;4:5-13.
4. Thomas AM. Understanding chronic wounds: A unifying hypothesis on their pathogenesis and implications for therapy. *The American Journal of Surgery*. 2004;187(5A):65-70
5. Santhapu H. *Humari (Securinega leucopyrus)*. *Plants of Saurashtra a Preliminary List*. Rajkot: S.J.F.N.I. Saurashtra Research Society; 1953.
6. Ajmeer AS, Dudhamal TS, Gupta SK. Management of Madhumehajanya Vrana (diabetic wound) with *Katupila (Securinega leucopyrus [Willd] Muell.) Kalka*. *AYU*. 2015;36(3):353-55.,

7. Ghodela NK, Dudhamal TS, Clinical efficacy of thumari oil (*Securinega leucopyrus*) in the management of diabetic foot ulcer: A case report, J. Ayurveda, 2017;11:100-103.
 8. Ghodela NK, & Dudhamal TS, Management of Bed Sores with Thumari Gel [*Securinega leucopyrus* (Willd.) Muell.]-An Extra-pharmacopeal Drug- A Case Study. International Journal of AYUSH Case Reports, 2018;2(1):20-25.
 9. Shastri K, editor of Rasa tarangini Ch.1 ver. 34, 8th edition, motilala banarasi das New delhi; reprint 2014.p.17.
 10. Srikanthamurthy KR, translator of *susruta Samhita chikitsasthana*, ch.1, ver.3, vol. 2, Chaukhambha Orientalia, Varanasi; 2016.p.3.
 11. Ajmeer AS, Harisha CR, Dudhamal TS, Gupta SK, micromorphological and micrometric evaluation of *Securinega leucopyrus* (WILLD) MUELL. Leaf and stem-unexplored drug, IJSIT. 2013;2(2):140-49.
 12. Perween S. et al. Preparation of *Dadruvidravana malahara* and its standardization. international journal of research in ayurvedic medicine, 2017;3(1):1-4.
 13. Dondaa MR, Kudlea KR, Alwalaa J, Miryalaa A, Sreedharb B, Pratap Rudra MP, Synthesis of silver nanoparticles using extracts of *Securinega leucopyrus* and evaluation of its antibacterial activity. Int J Curr Sci, 2013;7:1-8. 10
 14. Gopal TK, Investigation of In-Vitro Anti-Oxidant, Anti-Inflammatory and Anti-Arthritic Activity of Aerial Parts of *Securinega leucopyrus* (Willd.) Muell, Indian Journal of Research in Pharmacy and Biotechnology. 2013;1(3):371-378.
 15. Vidyadhar S, Sheela T, Reddy LSK, Gopa TK, Chamundeeswari D, Saidulu A, Maheswarareddy CU, In vitro antioxidant activity of chloroform extract of aerial parts of *Securinega leucopyrus* (willd.) Muell-Scholars Research Library, Der Pharmacia Lettre, 2010;2(6):252-256.
 16. Ghodela NK, Vijay K, Dudhamal TS, Naria MK, A wonderful medicinal plant: *securinega leucopyrus* (willd) muell- a brief review, IJSIT. 2016;5(6):472-84.
 17. Schneider LR et al. influence of pH on wound-healing: a new perspective for wound-therapy? Arch Dermatol Res. 2007;298:413-20.
-

Red Flower Publication Pvt. Ltd.

CAPTURE YOUR MARKET

For advertising in this journal

Please contact:

International print and online display advertising sales

Advertisement Manager

Phone: 91-11-22756995, 22754205, 45796900, Cell: +91-9821671871

E-mail: sales@rfppl.co.in

Recruitment and Classified Advertising

Advertisement Manager

Phone: 91-11-22756995, 22754205, 45796900, Cell: +91-9821671871

E-mail: sales@rfppl.co.in

REDKART.NET

(A product of RF Library Services (P) Limited)

(Publications available for purchase: Journals, Books, Articles and Single issues)

(Date range: 1967 to till date)

The Red Kart is an e-commerce and is a product of RF Library Services (P) Ltd. It covers a broad range of journals, Books, Articles, Single issues (print & Online-PDF) in English and Hindi languages. All these publications are in stock for immediate shipping and online access in case of online.

Benefits of shopping online are better than conventional way of buying.

1. Convenience.
2. Better prices.
3. More variety.
4. Fewer expenses.
5. No crowds.
6. Less compulsive shopping.
7. Buying old or unused items at lower prices.
8. Discreet purchases are easier.

URL: www.redkart.net

Instructions to Authors

Submission to the journal must comply with the Guidelines for Authors.
Non-compliant submission will be returned to the author for correction.

To access the online submission system and for the most up-to-date version of the Guide for Authors please visit:

<http://www.rfppl.co.in>

Technical problems or general questions on publishing with **IJAMY** are supported by Red Flower Publication Pvt. Ltd's Author Support team (http://rfppl.co.in/article_submission_system.php?mid=5#)

Alternatively, please contact the Journal's Editorial Office for further assistance.

Editorial Manager
Red Flower Publication Pvt. Ltd.
48/41-42, DSIDC, Pocket-II
Mayur Vihar Phase-I
Delhi - 110 091(India)
Mobile: 9821671871, Phone: 91-11-22754205, 45796900, 22756995
E-mail: author@rfppl.co.in

Manuscripts must be prepared in accordance with “Uniform requirements for Manuscripts submitted to Biomedical Journal” developed by international committee of medical Journal Editors

Types of Manuscripts and Limits

Original articles: Up to 3000 words excluding references and abstract and up to 10 references.

Review articles: Up to 2500 words excluding references and abstract and up to 10 references.

Case reports: Up to 1000 words excluding references and abstract and up to 10 references.

Online Submission of the Manuscripts

Articles can also be submitted online from http://rfppl.co.in/customer_index.php.

1) First Page File: Prepare the title page, covering letter, acknowledgement, etc. using a word processor program. All information which can reveal your identity should be here. use text/rtf/doc/PDF files. Do not zip the files.

2) Article file: The main text of the article, beginning from Abstract till References (including tables) should be in this file. Do not include any information (such as acknowledgement, your name in page headers, etc.) in this file. Use text/rtf/doc/PDF files. Do not zip the files. Limit the file size to 400 Kb. Do not incorporate images in the file. If file size is large, graphs can be submitted as images separately without incorporating them in the article file to reduce the size of the file.

3) Images: Submit good quality color images. Each image should be less than 100 Kb in size. Size of the image can be reduced by decreasing the actual height and width of the images (keep up to 400 pixels or 3 inches). All image formats (jpeg, tiff, gif, bmp, png, eps etc.) are acceptable; jpeg is most suitable.

Legends: Legends for the figures/images should be included at the end of the article file.

If the manuscript is submitted online, the contributors' form and copyright transfer form has to be submitted in original with the signatures of all the contributors within two weeks from submission. Hard copies of the images (3 sets), for articles submitted online, should be sent to the journal office at the time of submission of a revised manuscript. Editorial office: Red Flower Publication Pvt. Ltd., 48/41-42, DSIDC, Pocket-II, Mayur Vihar Phase-I, Delhi - 110 091, India, Phone: 91-11-22754205, 45796900, 22756995. E-mail: author@rfppl.co.in. Submission page: http://rfppl.co.in/article_submission_system.php?mid=5.

Preparation of the Manuscript

The text of observational and experimental articles should be divided into sections with the headings: Introduction, Methods, Results, Discussion, References, Tables, Figures, Figure legends, and Acknowledgment. Do not make subheadings in these sections.

Title Page

The title page should carry

- 1) Type of manuscript (e.g. Original article, Review article, Case Report)
- 2) The title of the article, should be concise and informative;
- 3) Running title or short title not more than 50 characters;
- 4) The name by which each contributor is known (Last name, First name and initials of middle name), with his or her highest academic degree(s) and institutional affiliation;
- 5) The name of the department(s) and institution(s) to which the work should be attributed;
- 6) The name, address, phone numbers, facsimile numbers and e-mail address of the contributor responsible for correspondence about the manuscript; should be mentioned.
- 7) The total number of pages, total number of photographs and word counts separately for abstract and for the text (excluding the references and abstract);
- 8) Source(s) of support in the form of grants, equipment, drugs, or all of these;
- 9) Acknowledgement, if any; and
- 10) If the manuscript was presented as part at a meeting, the organization, place, and exact date on which it was read.

Abstract Page

The second page should carry the full title of the manuscript and an abstract (of no more than 150 words for case reports, brief reports and 250 words for original articles). The abstract should be structured and state the Context (Background), Aims, Settings and Design, Methods and Materials, Statistical analysis used, Results and Conclusions. Below the abstract should provide 3 to 10 keywords.

Introduction

State the background of the study and purpose of the study and summarize the rationale for the study or observation.

Methods

The methods section should include only information that was available at the time the plan or protocol for the study was written such as study approach, design, type of sample, sample size, sampling technique, setting of the study, description of data collection tools and methods; all information obtained during the conduct of the study belongs in the Results section.

Reports of randomized clinical trials should be based on the CONSORT Statement (<http://www.consort-statement.org>). When reporting experiments on human subjects, indicate whether the procedures followed were in accordance with the ethical standards of the responsible committee on human experimentation (institutional or regional) and with the Helsinki Declaration of 1975, as revised in 2000 (available at http://www.wma.net/e/policy/17-c_e.html).

Results

Present your results in logical sequence in the text, tables, and illustrations, giving the main or most important findings first. Do not repeat in the text all the data in the tables or illustrations; emphasize or summarize only important observations. Extra or supplementary materials and technical details can be placed in an appendix where it will be accessible but will not interrupt the flow of the text; alternatively, it can be published only in the electronic version of the journal.

Discussion

Include summary of key findings (primary outcome measures, secondary outcome measures, results as they relate to a prior hypothesis); Strengths and limitations of the study (study question, study design, data collection, analysis and interpretation); Interpretation and implications in the context of the totality of evidence (is there a systematic review to refer to, if not, could one be reasonably done here and now?, What this study adds to the available evidence, effects on patient care and health policy, possible mechanisms)? Controversies raised by this study; and Future research directions (for this particular research collaboration, underlying mechanisms, clinical research). Do not repeat in detail data or other

material given in the Introduction or the Results section.

References

List references in alphabetical order. Each listed reference should be cited in text (not in alphabetic order), and each text citation should be listed in the References section. Identify references in text, tables, and legends by Arabic numerals in square bracket (e.g. [10]). Please refer to ICMJE Guidelines (http://www.nlm.nih.gov/bsd/uniform_requirements.html) for more examples.

Standard journal article

[1] Flink H, Tegelberg Å, Thörn M, Lagerlöf F. Effect of oral iron supplementation on unstimulated salivary flow rate: A randomized, double-blind, placebo-controlled trial. *J Oral Pathol Med* 2006; 35: 540-7.

[2] Twetman S, Axelsson S, Dahlgren H, Holm AK, Källestål C, Lagerlöf F, et al. Caries-preventive effect of fluoride toothpaste: A systematic review. *Acta Odontol Scand* 2003; 61: 347-55.

Article in supplement or special issue

[3] Fleischer W, Reimer K. Povidone iodine antiseptics. State of the art. *Dermatology* 1997; 195 Suppl 2: 3-9.

Corporate (collective) author

[4] American Academy of Periodontology. Sonic and ultrasonic scalers in periodontics. *J Periodontol* 2000; 71: 1792-801.

Unpublished article

[5] Garoushi S, Lassila LV, Tezvergil A, Vallittu PK. Static and fatigue compression test for particulate filler composite resin with fiber-reinforced composite substructure. *Dent Mater* 2006.

Personal author(s)

[6] Hosmer D, Lemeshow S. Applied logistic regression, 2nd edn. New York: Wiley-Interscience; 2000.

Chapter in book

[7] Nauntofte B, Tenovou J, Lagerlöf F. Secretion and composition of saliva. In: Fejerskov O,

Kidd EAM, editors. Dental caries: The disease and its clinical management. Oxford: Blackwell Munksgaard; 2003. p. 7-27.

No author given

[8] World Health Organization. Oral health surveys - basic methods, 4th edn. Geneva: World Health Organization; 1997.

Reference from electronic media

[9] National Statistics Online – Trends in suicide by method in England and Wales, 1979-2001. www.statistics.gov.uk/downloads/theme_health/HSQ20.pdf (accessed Jan 24, 2005): 7-18. Only verified references against the original documents should be cited. Authors are responsible for the accuracy and completeness of their references and for correct text citation. The number of reference should be kept limited to 20 in case of major communications and 10 for short communications.

More information about other reference types is available at www.nlm.nih.gov/bsd/uniform_requirements.html, but observes some minor deviations (no full stop after journal title, no issue or date after volume, etc).

Tables

Tables should be self-explanatory and should not duplicate textual material.

Tables with more than 10 columns and 25 rows are not acceptable.

Table numbers should be in Arabic numerals, consecutively in the order of their first citation in the text and supply a brief title for each.

Explain in footnotes all non-standard abbreviations that are used in each table.

For footnotes use the following symbols, in this sequence: *, †, ‡, §.

Illustrations (Figures)

Graphics files are welcome if supplied as Tiff, EPS, or PowerPoint files of minimum 1200x1600 pixel size. The minimum line weight for line art is 0.5 point for optimal printing.

When possible, please place symbol legends below the figure instead of to the side.

Original color figures can be printed in color at the editor's and publisher's discretion provided the author agrees to pay.

Type or print out legends (maximum 40 words, excluding the credit line) for illustrations using double spacing, with Arabic numerals corresponding to the illustrations.

Sending a revised manuscript

While submitting a revised manuscript, contributors are requested to include, along with single copy of the final revised manuscript, a photocopy of the revised manuscript with the changes underlined in red and copy of the comments with the point to point clarification to each comment. The manuscript number should be written on each of these documents. If the manuscript is submitted online, the contributors' form and copyright transfer form has to be submitted in original with the signatures of all the contributors within two weeks of submission. Hard copies of images should be sent to the office of the journal. There is no need to send printed manuscript for articles submitted online.

Reprints

Journal provides no free printed reprints, however a author copy is sent to the main author and additional copies are available on payment (ask to the journal office).

Copyrights

The whole of the literary matter in the journal is copyright and cannot be reproduced without the written permission.

Declaration

A declaration should be submitted stating that the manuscript represents valid work and that neither this manuscript nor one with substantially similar content under the present authorship has been published or is being considered for publication elsewhere and the authorship of this article will not be contested by any one whose name (s) is/are not listed here, and that the order of authorship as placed in the manuscript is final and accepted by the co-authors. Declarations should be signed by all the authors in the order in which they are mentioned in the original manuscript. Matters appearing in the Journal are covered by copyright but no objection will be made to their reproduction provided permission is obtained from the Editor prior to publication and due acknowledgment of the source is made.

Approval of Ethics Committee

We need the Ethics committee approval letter from an Institutional ethical committee (IEC) or an institutional review board (IRB) to publish your Research article or author should submit a statement that the study does not require ethics approval along with evidence. The evidence could either be consent from patients is available and there are no ethics issues in the paper or a letter from an IRB stating that the study in question does not require ethics approval.

Abbreviations

Standard abbreviations should be used and be spelt out when first used in the text. Abbreviations should not be used in the title or abstract.

Checklist

- Manuscript Title
- Covering letter: Signed by all contributors
- Previous publication/ presentations mentioned, Source of funding mentioned
- Conflicts of interest disclosed

Authors

- Middle name initials provided.
- Author for correspondence, with e-mail address provided.
- Number of contributors restricted as per the instructions.
- Identity not revealed in paper except title page (e.g.name of the institute in Methods, citing previous study as 'our study')

Presentation and Format

- Double spacing
- Margins 2.5 cm from all four sides
- Title page contains all the desired information. Running title provided (not more than 50 characters)
- Abstract page contains the full title of the manuscript
- Abstract provided: Structured abstract provided for an original article.
- Key words provided (three or more)
- Introduction of 75-100 words
- Headings in title case (not ALL CAPITALS).

References cited in square brackets

- References according to the journal's instructions

Language and grammar

- Uniformly American English
- Abbreviations spelt out in full for the first time. Numerals from 1 to 10 spelt out
- Numerals at the beginning of the sentence spelt out

Tables and figures

- No repetition of data in tables and graphs and in text.
- Actual numbers from which graphs drawn, provided.
- Figures necessary and of good quality (color)
- Table and figure numbers in Arabic letters (not Roman).
- Labels pasted on back of the photographs (no names written)
- Figure legends provided (not more than 40 words)
- Patients' privacy maintained, (if not permission taken)
- Credit note for borrowed figures/tables provided
- Manuscript provided on a CDROM (with double spacing)

Submitting the Manuscript

- Is the journal editor's contact information current?
- Is the cover letter included with the manuscript? Does the letter:
 1. Include the author's postal address, e-mail address, telephone number, and fax number for future correspondence?
 2. State that the manuscript is original, not previously published, and not under concurrent consideration elsewhere?
 3. Inform the journal editor of the existence of any similar published manuscripts written by the author?
 4. Mention any supplemental material you are submitting for the online version of your article. Contributors' Form (to be modified as applicable and one signed copy attached with the manuscript)