

**Author Affiliation:**  
P.hd. Scholar,  
Shri Jagdishprasad Jhabarmal  
Tibrewala University,  
Vidyanagari, Dist Jhunjhunu,  
Churela, Rajasthan 333001, India.

**Reprint Request:**  
Priyesh Jain (Bhanawara)  
Principal, Kamdar College of  
Nursing, Rajkot,  
Gujarat 360007, India.

**Received on** 04.10.2017  
**Accepted on** 16.01.2018

## Knowledge of Swine Flu among People

Priyesh Jain

### Abstract

In the present study A Quasi Experimental Study a research design was used to achieve the objectives of the study.

The study was conducted in selected slums of Rajkot city. In the present study the sample comprised of 60 people. A structured questionnaire knowledge regarding swine flu was prepared to study the sample.

Descriptive and inferential statistics had been used to analyze the data obtained through interviews. This study indicates that the planned teaching is effective in increasing the knowledge of people regarding swine flu.

**Keywords:** Swine Flu; Influenza A.

### Problem Statement

“A study to assess the effect of planned health teaching regarding knowledge of swine flu among people residing in selected slums of rajkot city.”

### Incidence in India

State	Reported cases	Number of deaths
Rajasthan	6,559	415
Gujarat	6,495	428
Delhi	4,137	12
Maharashtra	4000+	394
Madhya Pradesh	2,185	299
Telangana	2,140+	75
Tamil Nadu	320	14

### Introduction

Swine influenza is a highly contagious respiratory disease of pigs caused by one of several swine influenza viruses. Outbreaks are common in pigs all the year round, and infection in humans is a result of close contact with infected animals. This virus is a new subtype of influenza A (H1N1) that was not previously detected in swines or humans.

### Global Scenario

H1N1 was first reported in Mexico on 18<sup>th</sup> March, 2009 and then spread to neighboring United States and Canada. As on 21<sup>st</sup> June 2009, World Health Organization has reported 44,287 laboratory-confirmed cases of influenza- A H1N1 infection with 180 deaths from 94 countries spread over America, Europe, Asia and Australian continent.

The 2009 flu pandemic was a global outbreak of a new strain of influenza A virus subtype H1N1, identified in April 2009 and commonly referred to as swine flu. According to the World Health Organization (WHO), about 52,160 laboratory confirmed cases of swine flu have been reported from 99 countries till June 25.

Karnataka	2,733	82
Punjab	227	53
Andhra Pradesh	72	22
Uttar Pradesh	165	36
Goa	7	1
Jammu And Kashmir	109	16
Himachal Pradesh		20
Kerala	25	12
Uttarakhand		11
Odisha	22	5
West Bengal	58	24
Assam	10	1
Manipur	5	2
<b>Total</b>		

### In Gujarat

Five more persons have succumbed to the deadly swine flu virus in Gujarat, pushing the overall death toll in the state to 347. At least 92 fresh cases of swine flu infections were reported, taking the total number of persons affected by the virus since January to 5,715, said a statement by the health department.

### Objectives of the Study

1. To identify the existing knowledge related to swine flu among people.
2. To assess effectiveness of planned health teaching regarding knowledge of swine flu among people.
3. To find a relationship between the level of knowledge people with selected demographic variables.

### Hypothesis/ Research Question

$H_0$ - There will be no significant difference between pre-test and post-test knowledge score.

$H_1$ - There will be significant difference between pre-test and post-test knowledge score.

### Research Methodology

A quasi experimental research design was used to achieve the objectives of the study. The study was conducted in selected slums of Rajkot city. The samples were peoples all the people (male and female) above 12 years of age.

Sample size was 60. A non probability convenient purposive sampling technique uses convenient sampling method.

### Tools and Techniques

The tool for the study was prepared by referring to books, internet and related researches. Blue print for the sections was prepared and then the items were finalized. For each section a separate criteria checklist was prepared.

Section I: This section included items seeking information on demographic profile of sample.

In Section II- This section comprised 2 knowledge items with a maximum score 20, categorized under two broad areas one score was given for each correct response and zero for wrong response. The maximum score was minimum was zero.

*Health teaching was prepared in Marathi language which is local language of the people, the language of the teaching was kept as simple as possible. The health teaching titled 'Health Teaching on Swine flu'.*

### Data Gathering Process

The investigator herself administered the Structured Questionnaire for the pre-test. Everyday 20 samples were taken the duration of data collection for pre-test was 30 minutes. Health teaching was given to these study groups . After seventh day of the pretest; the post-test was conducted .Based upon the findings the researcher has prepared the master data sheet as per suggestion given by the statistician.

### Major Findings of Study and Discussion

The collected data was analyzed under various sections. The analysis was done by using descriptive and inferential statistics. The important findings were as follows:


*Section I:* most of the samples (55%) were in the age group 18-28 yrs and very few (0.8.33%) were in the age group 49-58yrs. Most of the samples who participated in study were females (53.33%). Majority

of the people (51%) were graduates and few (21%) were primary educated. Most of the samples (43.33%) were in service and very few (.8%) were earning daily wages. Most of the samples (76.66%) were having monthly income of above Rs. 2,500 per month and very few (5%) earn below Rs. 500 per month. Almost

same percentage of the people came to know the details about swine flu through newspapers and television.

*Section II: Analysis of data related to effect of planned health teaching on the knowledge based on the correct answers in study group*

### Pre-test Post-test Knowledge score



The researcher applied paired 't' test to know the difference between average scoring of before and after planned teaching to respondents. Since P value is less than 0.05 (P value = 0.00) there is a significant difference in the average score. The researcher can conclude at 5% level of significance and 59 degrees of freedom that planned teaching provided by them is really increasing the average score. It means planned teaching was effective.

The calculated 'P' value is 0.000 at 0.05 level of significance, which means that  $H_0$  is rejected and  $H_1$  is accepted. There is a significant difference between the average values of pre and post related to the knowledge of swine flu, which gives an interpretation, that there is a significant gain in knowledge score of the samples in the post-test phase. This indicates that the planned teaching is effective in increasing the knowledge of people regarding swine flu.

*Section III: The findings on relationship of the selected variable of people show that, there is a significant association between age, educational qualification.*

### Conclusion

The health teaching on knowledge of swine flu found to be effective in increasing the knowledge in people. The samples had a highly significant gain in knowledge after the planned teaching program.

In the age group of 18-28yrs showed a gain in knowledge in all the content areas of planned teaching.

The planned teaching on knowledge of swine flu was found to be effective in enhancing to take the preventive measures for swine flu.

### References

1. Annee, weekly epidemiological record, 2009;21(84):185-196.
2. Basavantappa, "Nursing Research", first edition, Jaypee publications, New Delhi, 2006.p.217-218.
3. Basavantappa, "Nursing Theories", Jaypee brothers, first edition p.190-199.

4. Bir Singh, Indian Journal of Public Health,' 2009 July- September;53(3):190-191.
  5. Dapannita Das, H1N1 Mortality Rate Higher in India, Times of India 01-10-2009.
  6. Ellen White, Herald of Health Issue, 0018-0491, July 2009.p.4-5.
  7. Jaya Prakash. Pandemic Influenza exposes gap between India's Health System, Indian Journal of medical research, 2009 Aug;130(2):101-104.
  8. Jeetender Singh, Swine flu a New Threat', Nightingale Nursing times' 2009 June;5(6):9-11.
  9. K.loga Priya, Swine flu: a big Threat to World', Nightingale Nursing times' 2009 July;5(4):21-23.
  10. Keith East Wood, et all, Bulletins of WHO, 2009 Aug;87(8):588-591.
  11. Laxman, H1N1 claims toll 68 in Rajkot, Times of India 19-10-2009.
  12. N. Gayathri Priya, Swine flu in Pregnancy, Nightingale Nursing times' 2009 Sep;5(6):21-23.
  13. National Portal Content Management Team, Reviewed on: 25-08-2009.
  14. Nicole e. basta et all, am j epidermal 2009;170:679-686 Oxford English Dictionary, New Delhi, Oxford University press, 1991.
  15. Patidar, A study to assess effectiveness of health teaching regarding the knowledge of aids among auto rikshaw drivers in selected slums of Rajkot City, 2007.p.65-67.
  16. Polit D. and Hugnler B, Nursing Research: Principles and methods, 2<sup>nd</sup> ed. Philadelphia: Lippincot, 1999, p.42.
  17. Prasad, A study to assess effectiveness of planned health teaching programme on the knowledge on antioxidant diet among cardiac patient of selected hospital, Banglore, 2009.p.23-26.
  18. R. Suseela Effectiveness of Teaching Programme on Prevention and control of HIV/Aids, 'Nightingale Nursing times'. 2009 Sep;5(6).p.24-28.
  19. Sajan, A study to assess effect of planned health teaching regarding antenatal exercise among antenatal mothers attending antenatal clinic in the selected hospitals Pimpri, Rajkot city, 2008.p.80-82.
  20. Seale, Posted by Journal Watch Editors • December 9th, 2009.
  21. <http://indianexpress.com/article/cities/ahmedabad/gujarat-swine-flu-toll-rises-to-347/>.
-