

Mar 26, 2024

Mr. Manashree Mane Assistant Professor  
Department of Forensic Science  
JAIN (Deemed to be University),  
Bangalore, Bangalore, Bangalore - 56002

48/41-42, DSIDC, Pocket-II  
Mayur Vihar Phase-I, Delhi - 110 091(India)  
Mob: 91-9821671871  
Tel: 91-11-45796900, 22756995, 22754205  
Email: author@rfppl.co.in, sales@rfppl.co.in  
Website: www.rfppl.co.in

**CIN:U22110D2009PTC193331**

ARTICLE ACCEPTANCE LETTER

Dear [Manashree Mane Assistant Professor Department of Forensic Science](#),

Thank you very much for your submission to our journal. We are pleased to inform you that your paper has been reviewed, and accepted for publication. In case you have not submitted copyright form; please send scanned copy shortly through e-mail.

Title of the journal : [Indian Journal of Forensic Medicine and Pathology](#)

Article Title : [DETECTION OF GUNSHOT RESIDUE ON GLASS FIRED USING AIRGUNS AND INSAS LMG 5.56mm](#)

Article Reference Number : [IJFMP\\_16009\\_2024](#)

All Authors : [Manashree Mane, Asha Rajiv](#)

Corresponding Authors : [Mr. Asha Rajiv Professor Department of Physics](#)

Article Type : [Original Article](#)

Thank you for making the journal a vehicle for your research interests.

Best wishes,

Editor-in-Chief

([Indian Journal of Forensic Medicine and Pathology](#) )

- System generated letter, hence no signature required.