

Lotus Birth: An Impact on Newborn Health

S. Jayashree¹, Rajathisakthivel², Hemamalini M.³

How to cite this article:

S. Jayashree, Rajathisakthivel, Hemamalini M./Lotus Birth: An Impact on Newborn Health/Int J Pediatr Nurs. 2023;9(2):83–86.

Abstract

The term “Lotus Birth” is the practice of not detaching the umbilical cord and of leaving the placenta attached to the newborn after its expulsion until it naturally falls off. It is also considered to be a religious ritual that soothes the baby. Lotus birth and delayed cord clamping are contradictory to each other. Delayed cord clamping is where the midwife cuts the umbilical cord after the pulsation stops whereas in lotus birth the cord is left by not cutting and leaving with the baby until it falls off. The reasons the mothers choose the lotus birth are that it favors less stress to a newborn, serves as immunity, creates a soldering attachment towards the mother and her baby, enhances nourishment from the placenta, and is a religious custom to honor the mutual life between baby and placenta.

Keywords: Lotus birth; Impact; Newborn; Placenta and Umbilical cord.

INTRODUCTION

Lotus birth is an alternative childbirth technique where the umbilical cord remains uncut, and the newborn stays connected to the placenta. The natural separation usually occurs three to 10 days after birth.¹ The mothers prefer to have a lotus birth approach because of their sacred beliefs. They believe that the placenta and the umbilical cord are the parts of the baby's body and not medical waste material. When incorporating lotus birth during the third stage of labor, it is treated

passively with no use of either oxytocic drugs or controlled cord traction. Therefore, the baby has the control of letting go of the placenta.² The placenta will be preserved for a minimum of two days up to a maximum of two weeks, during which it will be treated with sea salt, ginger, and essential oils for its preservation and, moreover to reduce the unpleasant odor that a decomposing human organ will unavoidably produce.³ Fig. 1 portrays the baby with a placenta in lotus birth.



Fig. 1: Newborn with Placenta in lotus birth

Author Affiliation: ¹Assistant Professor, ²Vice Principal, ³Principal, Hindu Mission College of Nursing, West Tambaram, Chennai 600045, Tamil Nadu, India.

Corresponding Author: Rajathisakthivel, Vice Principal, ³Principal, Hindu Mission College of Nursing, West Tambaram, Chennai 600045, Tamil Nadu, India.

E-mail: rajathisakthi80@gmail.com

Received on: 24.04.2023

Accepted on: 31.05.2023

(Source: https://www.facebook.com/the_herban_doula/posts/beautiful-lotus-birth-how-peaceful-of-an-entrance-into-this-new-world-this-must-808756059803729/)

HISTORY OF LOTUS BIRTH

The unearthly significance of the lotus flower is Renaissance and revitalization, as the daily activities of the lotus are connected to the resurrection of life. In Eastern cultures, the lotus is considered for adoration. It is a sacred symbol because it depicts the ways of life, especially; the lotus is called the "Flower of Life" due to its association with purity, rebirth, strength, spiritual enlightenment, beauty, fertility, prosperity, and infinity.⁴ The idea of lotus birth came forth in 1974 in the U.S. and Australia, according to the book written by Dr. Sarah Buckley "Gentle Birth, Gentle Mothering: The Wisdom and Science of gentle choices in Pregnancy, birth and Parenting" published on the website Pregnancy, Birth and Beyond.⁵ The activity of lotus birth was instigated by a woman Clair Lotus Day in 1974. She ascertained that a chimpanzee retained her baby's placenta until it dried up and detached naturally. After that, she adopted this method in humans, presuming it could improve bonding and attachment post-birth.⁶ Subsequently, lotus birth was outspread by midwife and yoga practitioner Jeannine Parvati Baker in the United States, and by Shivam Rachana, founder of the International College of Spiritual Midwifery, and Dr. Sarah Buckley in Australia. This practice has also been observed in many countries, including the US, Australia, the United Kingdom, Italy, and Turkey.⁷

Difference between Delayed Cord Clamping and Lotus Birth

Delayed cord clamping is in contrary with lotus birthing. Delayed cord clamping (DCC) is a universally advisable practice in which the umbilical cord is not severed until it stops pulsating. The World Health Organization (WHO) confides the wait time up to three minutes before clinching the umbilical cord.⁸ On the other hand, in lotus birth, the umbilical cord is left still where the mother delivers the placenta naturally, without Pitocin. The natural separation happens between three to 10 days.⁹

PROCESS OF LOTUS BIRTH

The guidelines of preliminary & post measures of lotus birth are illustrated in fig. 2. The process of lotus birth is carried out in the following manner,

- ✓ The appropriate gestational age baby as soon as delivered is kept on the mother's chest, and the placenta is allowed to deliver naturally without using oxytocic medicines.
- ✓ The umbilical cord is not clamped, so the veins naturally constrict, by which blood circulation stops in the placenta within five minutes.
- ✓ The placenta is then washed, salted, and covered in an absorbent soft cloth. At last, a mixture of herbs is used to dry the placenta and to prevent foul odor and infection.
- ✓ The placenta is then held up in an airy bag until the umbilical cord winds up from the baby.¹⁰
- ✓ Lotus birth cannot be practiced if the baby is born premature or needs NICU admission. In such cases, the neonatologist would prefer to keep the environment around the baby sterile. Hence, it is desirable to cut the umbilical cord.¹¹

The following articles support the lotus birth in the current trends. *Kyejo W, Davis R, Mwalo C, Moshi L, (2022)* conducted a similar study on the Lotus birth case series which recorded two women who opted to deliver without detachment of placenta. It revealed that lotus delivery poses a challenge in safety, but despite its rarity, an encounter is indispensable. With WHO advocating shared decisions for delivery, a clear pathway for attending such cases is of paramount importance as far as safety for the mother and her newborn is considered. Lotus birth is a new way of delivery despite the low prevalence; it is indispensable for all cadres that deal with delivering mothers to be aware of better outcomes.¹² Another qualitative study was conducted on the experience of lotus birth by nine women who experienced lotus birth in Turkey. The results revealed that the themes extracted were reflective of the desire for a natural and healthy birth that is experienced as positive and beneficial. It also contributed to a deeper and more subtle understanding of lotus birth providing all women and health care providers, especially maternity nurses, with valuable information and increased awareness of lotus birth.²




Fig. 2: The Guidelines on before and after lotus birth

Care of the Placenta

The Mothers should keep in mind the following points while the placenta is still attached to baby.

- ✓ Dress baby in open clothes that don't affect the umbilical cord or fit too snugly.
- ✓ Make sure that the placenta is near the baby at all times so that it doesn't pull or cause tension.
- ✓ When feeding, holding and touching baby she should remember to look out for the umbilical cord.
- ✓ If she decides to remove the umbilical cord before it's ready to fall off, call the pediatrician for safe removal.¹¹

Follow-up Care

The mothers should be watchful in taking medical advice if the baby has:

- ✓ Redness, warmth, swelling at or around the umbilical area.
- ✓ Temperature greater than 100.4°F.
- ✓ Pus or fluid filled lump near the umbilical cord area.
- ✓ Cloudy, foul smelling discharge or blood coming from the umbilical cord or navel area.
- ✓ Irritability, lethargy, trouble feeding, or decreased activity.
- ✓ Irregular feeding (less than 8-12 feedings with three stools) within the first three days after birth.
- ✓ Irregular sleeping patterns or difficulty in waking the baby.

- ✓ Any damage to the placenta.¹³

Benefits & Minor risk of Lotus Birth

Lotus birth claims the practice to have the following benefits:

- ✓ A gentle, less invasive transition for the baby from womb to the world.
- ✓ Increased blood and nourishment from the placenta thereby reduces the risk of anemia.
- ✓ Decreased injury to the belly button.
- ✓ A spiritual ritual to honor the shared life between baby and placenta.
- ✓ Prioritize natural and non-interventional approach.
- ✓ Helps in better mother child bonding.
- ✓ Mothers and babies can have a better breastfeeding experience.¹⁴

The lotus birth is associated with minor risks such as:

- ✓ Daily placenta cleaning and maintenance.
- ✓ Low mobility for the mother and the baby.
- ✓ Injury to the navel.
- ✓ Infection as the umbilical cord and the placenta essentially become dead tissue after childbirth. But the benefits outweigh the risk towards carrying out lotus birth.¹⁵

CONCLUSION

A Lotus Birth is keeping the placenta inherent

and attached to the baby for the first few days of the baby's life. While this is not widely practiced, it's vital for birthing people to know that it exists as an option, as well as for health care providers to be able to know that families may choose to have a lotus birth, and to discuss the risks and benefits of lotus birth, provide an informed consent, answer questions and facilitate this practice. It is the period for babies to be born in integrity. It's time to practice the parturition that supports the naive radiance of babies and protects their inborn identity. Lotus Birth is a choice, a natural endowment from parents who recognize its significance.

REFERENCES

1. What is lotus birth and is it safe November 15, 2018 Available in: <https://www.healthline.com/health/pregnancy/lotus-birth>.
2. Gönenç İM, Aker MN, Ay E. Qualitative Study on the Experience of Lotus Birth. *J Obstet Gynecol Neonatal Nurs*. 2019 Nov;48(6):645-653. doi: 10.1016/j.jogn.2019.08.005.
3. Lotus Birth: How It Works, Its Safety, Benefits And Risks Apr 11, 2023, Available in: <https://www.momjunction.com/articles/lotus-birth-safety-benefits-risks001050210>.
4. Burns E. More than clinical waste Placenta rituals among Australian home-birthing women. *J Perinat Educ*. 2014;23:41-49. doi: 10.1891/1058-1243.23.1.41.
5. The lotus flower: Meanings, images and insights Available in: <https://www.floraly.com.au/blogs/news/lotus-flower-meanings>.
6. Lotus Birth - Leaving Umbilical Cord Uncut Updated 2023 Available in: <https://www.pregnancy.com.au/lotus-birth-leaving-umbilical-cord-uncut/>
7. Lotus birth, a holistic approach on physiological cord clamping April 31, 2018. Available in : <https://pubmed.ncbi.nlm.nih.gov/28882580/>
8. Lotus Birth -A Ritual for our times Updated 2022 Available in: https://www.academia.edu/5274082/Lotus_Birth_A_Ritual_for_our_times.
9. Delayed Umbilical Cord Clamping After Birth December 2020. Available in : <https://www.acog.org/clinical/clinical-guidance/committee-opinion/articles/2020/12/delayed-umbilical-cord-clamping-after-birth>.
10. Lotus Birth / Umbilical Non Severance: What to Expect Revised April 2016. Available in: <https://www.med.umich.edu/1libr/Pediatrics/LotusBirthHandout.pdf>.
11. Is Lotus Birth Safe Updated November 27, 2021 Available in: <https://www.webmd.com/baby/is-lotus-birth-safe>.
12. Kyejo W, Rubagumya D, Mwalo C, Moshi L, Kaguta M, Mgonja M, Jaiswal S. "Do not detach the placenta from my baby's cord" - Lotus birth case series from Tanzania tertiary hospital. *Int J Surg Case Rep*. 2022 Oct; 99: 107630. doi: 10.1016/j.ijscr.2022.107630.
13. Lotus Birth: Is it Safe, Beneficial, Too Extreme Updated May 2019 Available in: <https://www.mamanatural.com/lotus-birth/>
14. What is a Lotus Birth and Is It Safe December 10, 2021 Available in: <https://www.whattoexpect.com/news/pregnancy/are-lotus-births-safe>.
15. What is a Lotus Birth Also Known as Umbilical Cord Non-Severance Updated on November 02,2022 Available in: <https://www.verywellhealth.com/lotus-birth-5182471>.

Guidelines for Authors

Manuscripts must be prepared in accordance with "Uniform requirements for Manuscripts submitted to Biomedical Journal" developed by international committee of medical Journal Editors

Types of Manuscripts and Limits

Original articles: Up to 3000 words excluding references and abstract and up to 10 references.

Review articles: Up to 2500 words excluding references and abstract and up to 10 references.

Case reports: Up to 1000 words excluding references and abstract and up to 10 references.

Online Submission of the Manuscripts

Articles can also be submitted online from http://rfppl.co.in/customer_index.php.

1) First Page File: Prepare the title page, covering letter, acknowledgement, etc. using a word processor program. All information which can reveal your identity should be here. use text/rtf/doc/PDF files. Do not zip the files.

2) Article file: The main text of the article, beginning from Abstract till References (including tables) should be in this file. Do not include any information (such as acknowledgement, your name in page headers, etc.) in this file. Use text/rtf/doc/PDF files. Do not zip the files. Limit the file size to 400 Kb. Do not incorporate images in the file. If file size is large, graphs can be submitted as images separately without incorporating them in the article file to reduce the size of the file.

3) Images: Submit good quality color images. Each image should be less than 100 Kb in size. Size of the image can be reduced by decreasing the actual height and width of the images (keep up to 400 pixels or 3 inches). All image formats (jpeg, tiff, gif, bmp, png, eps etc.) are acceptable; jpeg is most suitable.

Legends: Legends for the figures/images should be included at the end of the article file.

If the manuscript is submitted online, the contributors' form and copyright transfer form has to be submitted in original with the signatures of all the contributors within two weeks from submission. Hard copies of the images (3 sets), for articles submitted online, should be sent to the journal office at the time of submission of a revised manuscript. Editorial office: Red Flower Publication Pvt. Ltd., 48/41-42, DSIDC, Pocket-II, Mayur Vihar Phase-I, Delhi - 110 091, India, Phone: 91-11-79695648, Cell: +91-9821671871. E-mail: author@rfppl.co.in. Submission page: http://rfppl.co.in/article_submission_system.php?mid=5.

Preparation of the Manuscript

The text of observational and experimental articles should be divided into sections with the headings: Introduction, Methods, Results, Discussion, References, Tables, Figures, Figure legends, and Acknowledgment. Do not make subheadings in these sections.

Title Page

The title page should carry

- 1) Type of manuscript (e.g. Original article, Review article, Case Report)
- 2) The title of the article should be concise and informative;
- 3) Running title or short title not more than 50 characters;
- 4) The name by which each contributor is known (Last name, First name and initials of middle name), with his or her highest academic degree(s) and institutional affiliation;
- 5) The name of the department(s) and institution(s) to which the work should be attributed;
- 6) The name, address, phone numbers, facsimile numbers and e-mail address of the contributor responsible for correspondence about the manuscript; should be mentioned.
- 7) The total number of pages, total number of photographs and word counts separately for abstract and for the text (excluding the references and abstract);
- 8) Source(s) of support in the form of grants, equipment, drugs, or all of these;
- 9) Acknowledgement, if any; and
- 10) If the manuscript was presented as part at a meeting, the organization, place, and exact date on which it was read.

Abstract Page

The second page should carry the full title of the manuscript and an abstract (of no more than 150 words for case reports, brief reports and 250 words for original articles). The abstract should be structured and state the Context (Background), Aims, Settings and Design, Methods and Materials, Statistical analysis used, Results and Conclusions. Below the abstract should provide 3 to 10 keywords.

Introduction

State the background of the study and purpose of the study and summarize the rationale for the study or observation.

Methods

The methods section should include only information that was available at the time the plan or protocol for the study was written such as study approach, design, type of sample, sample size, sampling technique, setting of the study, description of data collection tools and methods; all information obtained during the conduct of the study belongs in the Results section.

Reports of randomized clinical trials should be based on the CONSORT Statement (<http://www.consort-statement.org>). When reporting experiments on human subjects, indicate whether the procedures followed were in accordance with the ethical standards of the responsible committee on human experimentation (institutional or regional) and with the Helsinki Declaration of 1975, as revised in 2000 (available at http://www.wma.net/e/policy/17-c_e.html).

Results

Present your results in logical sequence in the text, tables, and illustrations, giving the main or most important findings first. Do not repeat in the text all the data in the tables or illustrations; emphasize or summarize only important observations. Extra or supplementary materials and technical details can be placed in an appendix where it will be accessible but will not interrupt the flow of the text; alternatively, it can be published only in the electronic version of the journal.

Discussion

Include summary of key findings (primary outcome measures, secondary outcome measures, results as they relate to a prior hypothesis); Strengths and limitations of the study (study question, study design, data collection, analysis and interpretation); Interpretation and implications in the context of the totality of evidence (is there a systematic review to refer to, if not, could one be reasonably done here and now?, What this study adds to the available evidence, effects on patient care and health policy, possible mechanisms)? Controversies raised by this study; and Future research directions (for this particular research collaboration, underlying mechanisms, clinical

research). Do not repeat in detail data or other material given in the Introduction or the Results section.

References

List references in alphabetical order. Each listed reference should be cited in text (not in alphabetic order), and each text citation should be listed in the References section. Identify references in text, tables, and legends by Arabic numerals in square bracket (e.g. [10]). Please refer to ICMJE Guidelines (http://www.nlm.nih.gov/bsd/uniform_requirements.html) for more examples.

Standard journal article

[1] Flink H, Tegelberg Å, Thörn M, Lagerlöf F. Effect of oral iron supplementation on unstimulated salivary flow rate: A randomized, double-blind, placebo-controlled trial. *J Oral Pathol Med* 2006; 35: 540-7.

[2] Twetman S, Axelsson S, Dahlgren H, Holm AK, Källestål C, Lagerlöf F, et al. Caries-preventive effect of fluoride toothpaste: A systematic review. *Acta Odontol Scand* 2003; 61: 347-55.

Article in supplement or special issue

[3] Fleischer W, Reimer K. Povidone-iodine antiseptics. State of the art. *Dermatology* 1997; 195 Suppl 2: 3-9.

Corporate (collective) author

[4] American Academy of Periodontology. Sonic and ultrasonic scalers in periodontics. *J Periodontol* 2000; 71: 1792-801.

Unpublished article

[5] Garoushi S, Lassila LV, Tezvergil A, Vallittu PK. Static and fatigue compression test for particulate filler composite resin with fiber-reinforced composite substructure. *Dent Mater* 2006.

Personal author(s)

[6] Hosmer D, Lemeshow S. Applied logistic regression, 2nd edn. New York: Wiley-Interscience; 2000.

Chapter in book

[7] Nauntofte B, Tenovuo J, Lagerlöf F. Secretion and composition of saliva. In: Fejerskov O,

Kidd EAM, editors. *Dental caries: The disease and its clinical management*. Oxford: Blackwell Munksgaard; 2003. pp 7-27.

No author given

[8] World Health Organization. *Oral health surveys - basic methods*, 4th edn. Geneva: World Health Organization; 1997.

Reference from electronic media

[9] National Statistics Online—Trends in suicide by method in England and Wales, 1979-2001. www.statistics.gov.uk/downloads/theme_health/HSQ20.pdf (accessed Jan 24, 2005): 7-18. Only verified references against the original documents should be cited. Authors are responsible for the accuracy and completeness of their references and for correct text citation. The number of reference should be kept limited to 20 in case of major communications and 10 for short communications.

More information about other reference types is available at www.nlm.nih.gov/bsd/uniform_requirements.html, but observes some minor deviations (no full stop after journal title, no issue or date after volume, etc.).

Tables

Tables should be self-explanatory and should not duplicate textual material.

Tables with more than 10 columns and 25 rows are not acceptable.

Table numbers should be in Arabic numerals, consecutively in the order of their first citation in the text and supply a brief title for each.

Explain in footnotes all non-standard abbreviations that are used in each table.

For footnotes use the following symbols, in this sequence: *, ¶, †, ‡.

Illustrations (Figures)

Graphics files are welcome if supplied as Tiff, EPS, or PowerPoint files of minimum 1200x1600 pixel size. The minimum line weight for line art is 0.5 point for optimal printing.

When possible, please place symbol legends below the figure instead of the side.

Original color figures can be printed in color at the editor's and publisher's discretion provided the author agrees to pay.

Type or print out legends (maximum 40 words, excluding the credit line) for illustrations using double spacing, with Arabic numerals corresponding to the illustrations.

Sending a revised manuscript

While submitting a revised manuscript, contributors are requested to include, along with single copy of the final revised manuscript, a photocopy of the revised manuscript with the changes underlined in red and copy of the comments with the point-to-point clarification to each comment. The manuscript number should be written on each of these documents. If the manuscript is submitted online, the contributors' form and copyright transfer form has to be submitted in original with the signatures of all the contributors within two weeks of submission. Hard copies of images should be sent to the office of the journal. There is no need to send printed manuscript for articles submitted online.

Reprints

Journal provides no free printed, reprints, however a author copy is sent to the main author and additional copies are available on payment (ask to the journal office).

Copyrights

The whole of the literary matter in the journal is copyright and cannot be reproduced without the written permission.

Declaration

A declaration should be submitted stating that the manuscript represents valid work and that neither this manuscript nor one with substantially similar content under the present authorship has been published or is being considered for publication elsewhere and the authorship of this article will not be contested by any one whose name(s) is/are not listed here, and that the order of authorship as placed in the manuscript is final and accepted by the co-authors. Declarations should be signed by all the authors in the order in which they are mentioned in the original manuscript. Matters appearing in the Journal are covered by copyright but no objection will be made to their reproduction provided permission is obtained from the Editor prior to publication and due acknowledgment of the source is made.

Approval of Ethics Committee

We need the Ethics committee approval letter from an Institutional ethical committee (IEC) or an institutional review board (IRB) to publish your Research article or author should submit a statement that the study does not require ethics approval along with evidence. The evidence could either be consent from patients is available and there are no ethics issues in the paper or a letter from an IRB stating that the study in question does not require ethics approval.

Abbreviations

Standard abbreviations should be used and be spelt out when first used in the text. Abbreviations should not be used in the title or abstract.

Checklist

- Manuscript Title
- Covering letter: Signed by all contributors
- Previous publication/ presentations mentioned, Source of funding mentioned
- Conflicts of interest disclosed

Authors

- Middle name initials provided.
- Author for correspondence, with e-mail address provided.
- Number of contributors restricted as per the instructions.
- Identity not revealed in paper except title page (e.g. name of the institute in Methods, citing previous study as 'our study')

Presentation and Format

- Double spacing
- Margins 2.5 cm from all four sides
- Title page contains all the desired information. Running title provided (not more than 50 characters)
- Abstract page contains the full title of the manuscript
- Abstract provided: Structured abstract provided for an original article.
- Keywords provided (three or more)
- Introduction of 75-100 words

- Headings in title case (not ALL CAPITALS). References cited in square brackets
- References according to the journal's instructions

Language and grammar

- Uniformly American English
- Abbreviations spelt out in full for the first time. Numerals from 1 to 10 spelt out
- Numerals at the beginning of the sentence spelt out

Tables and figures

- No repetition of data in tables and graphs and in text.
- Actual numbers from which graphs drawn, provided.
- Figures necessary and of good quality (color)
- Table and figure numbers in Arabic letters (not Roman).
- Labels pasted on back of the photographs (no names written)
- Figure legends provided (not more than 40 words)
- Patients' privacy maintained, (if not permission taken)
- Credit note for borrowed figures/tables provided
- Manuscript provided on a CDRom (with double spacing)

Submitting the Manuscript

- Is the journal editor's contact information current?
- Is the cover letter included with the manuscript? Does the letter:
 1. Include the author's postal address, e-mail address, telephone number, and fax number for future correspondence?
 2. State that the manuscript is original, not previously published, and not under concurrent consideration elsewhere?
 3. Inform the journal editor of the existence of any similar published manuscripts written by the author?
 4. Mention any supplemental material you are submitting for the online version of your article. Contributors' Form (to be modified as applicable and one signed copy attached with the manuscript)