

Spirulina: A Miraculous alga with Pharmaco-nutraceutical Potential as Future Food

Acharya Balkrishna¹, Swami Narsingh C. Dev², Bhasker Joshi³, Rajesh Kumar Mishra⁴

How to cite this article:

Acharya Balkrishna, Swami Narsingh C. Dev, Bhasker Joshi, *et al.*/Spirulina: A Miraculous alga with Pharmaco-nutraceutical Potential as Future Food/Int J Food Nutr Diet. 2023;11(3):127–136.

Abstract

Current projections indicate that the world is not on track to accomplish the global nutrition targets, because the Global Nutrition Report says malnutrition in every country on earth. In order to address this malnutrition issue, spirulina can be a better choice as a supplement diet that also fulfills India's protein consumption gap. Spirulina is microalgae that thrive in saline water and gained popularity as one of the "superfoods" due to a range of nutrient content such as proteins, minerals, carbohydrates, and many phytopigments. Medicinal use of the algae has been also mentioned in some ancient texts and formulations of Ayurveda. It is highly sought after in the food industry for coloration and food fortification purposes. The current review aims to provide a pharmaco-nutraceutical approach with all the information on its various characteristics such as nutraceuticals, cosmeceuticals, and pharmacological importance including possible advantages of Spirulina's potential to enhance healthcare.

Keywords: (a18) Algae; Microalgae; Bioactivity; Nutritional; Pharmacological activity; Spirulina; Superfood

Key Messages: As befits a Journal devoted to food, nutrition & dietetics information, for well being and is committed to improving quality of life. This article provides a bag of information for researchers & Health professionals, about Spirulina's high content of macro-micronutrients, and active compounds with their pharmacological properties. As proven by its long history of food uses and recent scientific findings, spirulina is considered safe for human consumption and also considered a future meal to combat malnutrition.

Author Affiliation: ¹Vice Chancellor, ²Scientist-C, ³Scientist-D, Department of Patanjali Herbal Research, Research Institute, ⁴Assistant Professor, Patanjali Bhartiya Ayurvedigyan Evam Anuushandhan Sansthan, University of Patanjali, Haridwar 249405, Uttarakhand, India.

Corresponding Author: Swami Narsingh C. Dev, Scientist-C, Department of Patanjali Herbal Research, Patanjali research Institute, Haridwar 249405, Uttarakhand, India.

E-mail: swami.narsingh@prft.co.in

Received on: 08.08.2023

Accepted on: 31.09.2023

INTRODUCTION

Nutritional deficiency is increasing in the world becomes a major challenge for mankind. This concern has led to an increase in the popularity of alternative, unconventional aquaculture diets, which include spirulina as a source of protein, vitamins, and minerals supplements. Spirulina is multicellular, photosynthetic prokaryote, filamentous blue-green algae, that prefers to grow in an alkaline aquatic ecosystem. It is one of the first photosynthetic creatures in nature, able to use light

directly for intricate metabolic processes.¹ It has a long history as a dietary supplement. As more and more health conscious consumers and researchers consistently appreciate its exceptional nutritional features and pharmacological characteristics, its popularity is growing on a global scale today. Interestingly, the UF/IFAS from NASA Settles an experiment for the suitability to grow Spirulina in space in 2021 as a bountiful and nutritious food crop for astronauts on long-term space missions and they found that Spirulina behaves in space exactly as it does on Earth.²

History of Spirulina

The nutrition from diet plays a major part in Ayurveda since it nourishes the mind, body, and spirit. Therefore, Ayurveda texts (Sanhitas & Nighantu) have been found about to uses of algae, mentioned as Jalmastu or Shaivaal (type spirulina). It is also used in ancient formulations by owing astringent, bitter, sweet, antipyretic, and digestive characteristics (Bhavprash & Dhanvantari Nighantu). Thus, Spirulina has been consumed as food for ages by various populations and has only recently been rediscovered. It was eaten by the Mayas, Toltecs, and Kanembu in Mexico during the Aztec civilization as early as over 400 years ago. Spirulina from Lake Texcoco was collected, dried, and made into a cake for consumption called "Diha" or "Die".³ In Central Africa, the Chadians (Chad residents) have been consuming spirulina for millennia. When spirulina from Lake Kossorom (Chat) is harvested, it is also sold on the market and used to produce cakes or broths for meals. Moreover, it was also found by French researchers in Lake, trait within the 1960s, it is used as a daily food source after the 16th century. Early in the 1970s, the first large scale production was facilitated, garnering interest on a global scale. Millions of people across the world consume it today, and exploring more in addition to its nutritional worth. Surprisingly, it appears to have discovered a niche in Indian cuisine.^{4,5}

Scientific Description

A genus of blue-green algae in the Oscillatoriaceae family is called Spirulina. Blue-green algae are among the most primitive life forms on earth with their cellular structure as a simple prokaryote and have the ability to do photosynthesis like a plant. However, they share features with primitive bacteria because they lack a plant cell wall. Spirulina, the name comes from a Latin word meaning tiny spiral. It is microscopic, spiral shaped,

which belongs to photosynthetic bacteria that cover the groups Cyanobacteria and Prochlorophyta. Spirulina as a cyanobacteria typically carries out oxygenic photosynthesis with water as an electron donor and uses carbon dioxide as a carbon source. Spirulina is filamentous, helicoidal trichomes, performs oxygenic photosynthesis, and reproduces by binary fission. It is especially found in tropical and subtropical areas, which have warm bodies of water with high carbonate/bicarbonate concentration, increased pH, and salinity, that are ideal for its growth. Additionally, it can be found in soil, brackish water, freshwater, lakes, marshes, ponds, seawater, and thermal springs.¹ Spirulina grows best in water that is alkaline, salty (>30 g/L), high in pH (8.5-11.0), and temperature between 30 to 35°C, where there is a lot of solar radiation at altitude. Since spirulina is an obligate photoautotroph, it cannot thrive on substrates containing organic carbon molecules in the dark. It mostly assimilates nitrates and decreases carbon dioxide in the presence of light. Spirulina is an obligate photoautotroph thus it cannot grow in the dark on media containing organic carbon compounds. Among the different species of Spirulina genus, mainly two species i.e. *Spirulina platensis* (*Arthrospira platensis*), *Spirulina maxima* (*Arthrospira maxima*), are the most intensively investigated as edible with high nutritional as well as potential therapeutic values. Spirulina refers to the dried biomass of *S. platensis*, occurs in Africa, Asia, and South America, whereas *Arthrospira maxima* are confined to Central America.^{6,5} In India, Spirulina cultivation is now being most popular.

Spirulina as a Food Source

The diet or "Aahar" has a specific significance in human health as a way of the good life, health, and well being, according to Ayurveda doctrine. As per Ayurveda texts, the diet known as Mahabhaisjaya, this Sanskrit term that merits consideration for "medicine," refers to the substances that have the ability to have healthy effects on the body, therefore a diet is believed to have health effects beyond just satisfying hunger. Acharya Charak argued that a diet should be followed in order to prevent sickness from developing and to provide the body with the essential nutrients it needs.⁷ That's why the idea that prevention is preferable to cure has long been promoted in India. The conclusion is "Tat cha nityam prayunjeet svasthyam yen anuvartate, Ajaatanam vikaranam anuttapattikaram cha yat." (5th Sutra Sthana in Charaka Samhita). This scripture also supported the above Acharya Charaka theory. Another verse reads, "Pathye sati gadaartasya

kim aushadh nishavane." Gadaartasya pathye kim aushadh nishavane, which emphasizes the value of a healthy diet. According to this phrase, if whole some food is consumed in a planned manner, there is no need to administer medications. because, in the absence of a healthy diet, this will not be able to cure the sickness.⁸

Based on these principles, a promising nutritional supplement for improving meals is spirulina due to its great supply of proteins, vitamins, minerals, -carotene, fatty acids, and other essential nutrients, making it an ideal food & fodder.⁹ It has also an advantage for food security because it can generate protein and energy with less land and water than animals. Spirulina's body has a weak cell wall and a smooth texture, which facilitates easy digestion. Moreover, a protein known as Phycocyanin is a pigment binding, light harvesting pigment obtained from the *S. platensis*, and used extensively as a colorant, food additive, fluorescent dye, cosmetics, and medication.^{10,11} Spirulina is consumed in tablet and powder form, and it tastes like grass. Its powder is an extremely adaptable ingredient that may be used in anything that can think of, such as smoothies, baked goods, omelets, and muffins.¹² Likewise, to fortify green tea powder qualities, a mixture of tea and microalgae provide all the essential nutrients.

According to NASA, one kilogram of Spirulina has an equivalent nutritional value to 1,000 kilograms of fruits and vegetables. Scientists in Spain & Japan demonstrated that spirulina extract contains this phycocyanin is a potent water soluble antioxidant. Because of its ecologically sustainable and nutrient rich dietary supplement qualities, spirulina rose to fame after NASA utilized it effectively as a food supplement for astronauts on space missions. Spirulina is being researched as a possible solution for long duration space missions as well as food security and hunger issues. Additionally, it is successfully employed in the fight against malnutrition by WHO, UNICEF, and many African governments. Spirulina has recently been included in the Odisha State Government's Child Nutrition Program in India. Because it is nutrient dense and associated with numerous health advantages, it is regarded as a superfood.

Industrial Application of Spirulina

By industrial application, different varieties of this microalgae (spirulina) are commercially utilized in a variety of industries, including nutraceuticals, food & beverage production, animal feed, cosmetics, perfumery, and agriculture. Moreover,

Spirulina is formulated as pharmaceutical products like powder, tablet, capsules, liquid, granules, and gelling agents, etc. Likewise, it is extensively used in the food, beverage, and cosmetic or personal care industries, because it is a huge source of natural edible dye (pigments) that give products their blue colour and can be blended with other colours to create unique new hues. For the production of finished goods, carotenoids, lipids, algal proteins, hydrocolloids, and others are beneficial and in great demand. Therefore, the main factors driving market expansion are a surge in demand for natural ingredients and R & D investments in commercial spirulina products. The government's promotion of spirulina production also promotes market expansion. The initiatives/programs of the Government and/or NGOs to combat malnutrition in undeveloped areas. Further, the global Spirulina market was estimated to be valued at \$393.6 million in 2019 and is expected to grow to \$897.61 million by 2027 at a CAGR of 10.5%. The major market players by geography are the nations of North America, Europe, Asia-Pacific, and LAMEA. According to Data Bridge Market Research, in the projection period of 2022–2028, the spirulina powder market is projected to increase at a CAGR of 7.90%, from a value of USD 1024.91 million in 2021 to reach USD 1883.03 million by 2029.^{13,4,14}

Nutritional value of Spirulina

Nutraceuticals are edibles or food additives that provide supplements to regulate biological functions of living, categorized into nutrients, herbals, dietary supplements, and dietary fibers. Spirulina is nature's gift as a superfood to mankind and is long held as a highly nutritious food for some decades. The World Health Organization referred to spirulina as "a very suitable food" in 1974 and described it as an interesting food for multiple reasons, is high in protein & iron, and can be given to children without any harm. *Spirulina platensis* has received increasing attention due to its rich source of macro and micronutrients including high quality protein demonstrated by its 70% content and the inclusion of minerals, vitamins, amino acids, and important fatty acids, among other nutrients.⁹ So, this rich biomass as well as its primary or secondary metabolites produced by it can be employed as feed and food additives in many industries, science, and medicine.¹⁵ Further, *Spirulina platensis* is the ultimate source for the production of SCP (Single cell protein) and plant based protein. Dried spirulina comprises (see Fig. 1 & Table 1) 60-76% protein, 6-24% carbs, and 4-24% fat, according to the USDA Food Composition Database.⁹ It's a complete

protein source meaning it has all the essential & non-essential amino acids, and essential fatty acids like Alpha-linoleic acid, Gamma-linoleic acid, stearidonic acid, eicosapentaenoic acid arachidonic acid In accordance with the Recommended Dietary Allowance (RDA) one tablespoon of spirulina has Omega-3 and Omega-6 fatty acids, vitamins

B1 (thiamin, 11% of RDA), copper (21% RDA), B2 (riboflavin, 15% of RDA), and B3 (niacin, 4% of RDA), iron (11% of RDA), manganese (Mn), potassium (K), and magnesium (Mg). Moreover, simple sugars like glucose, fructose, and sucrose are also minutely present, along with polyols like glycerol, mannitol, and sorbitol.¹⁶




Fig. 1: Chemical composition of Spirulina (100g of dry wt.).

Table 1: Nutritional composition of Spirulina (powder dried weight)

Vitamins Component Content (per 1g dry wt.)		Minerals Content (per 1g dry wt.)	
Vitamin B1 (Thiamine)	48 µg	Phycocyanin	180 mg
Vitamin B2 (riboflavin)	55 µg	Chlorophyll	11 mg
Vitamin B3 (Niacin)	0.15 mg	Carotenoids	6 mg
Vitamin B6 (Pyridoxine)	8 µg	Zeaxanthin	1.01 mg
Vitamin B12 (Cyanocobalamin)	2 µg	Pigments	
Tocopherol (Vitamin E)	0.41 mg	Phycocyanin	180 mg
Vitamin A (<i>source</i> Beta-carotene)	55 µg	Chlorophyll	11 mg
Pantothenic acid	0.71 mg	Carotenoids	6 mg
Biotin, Folic acid	0.55 mg	Total carbohydrate content per 100g	
Inositol acid	0.7mg	Dietary fiber	7.7 gram
Bioflavonoids	10 mg	Sugars	1.3 gram
Vitamin K	2.2 µg	Lactose	< 0.1 gram
Minerals (per 1g dry wt.)		Essential amino acids (mg/100 g)	
Potassium (K)	16 mg	Histidine	1000
Calcium (Ca)	15 mg	Isoleucine	3500

table cont...

Phosphorus (P)	10 mg	Leucine	5380
Manganese (Mn)	3 mg	Lysine	2960
Zinc (Zn)	70 mg	Methionine	1170
Magnesium (Mg)	3.7 mg	Phenylalanine	2750
Sodium (Na)	2.5 mg	Threonine	2860
Iron (Fe)	1.7 mg	Tryptophan	1090
Iodine	3.9 mg	Valine	3940

Abbreviations: µg-Micro gram; mg-Milligram; wt.-Weight

Health benefits

As a super food due to its nutrient rich profile, it improves muscle strength & endurance and boosts brain energy as it increases Ribonucleic acid. Scientific studies revealed its capacity of lowering blood sugar levels. Spirulina improves digestive system health. It is good for the heart as it can lower LDL and triglyceride levels as well as inhibition of LDL cholesterol levels in serum.^{17,18} Spirulina contains β-carotene as a vitamin A source, important in preventing eye diseases, while iron and vitamin B12 of this useful in treating hypoferric anemia and pernicious anemia. It is effective in the treatment of atopic child eczema therapy because it contains γ-linolenic acid, additionally used in premenstrual syndrome and in immune system stimulation as well as anti-allergic effects by inhibiting the release of histamine.¹⁹ Spirulina was found to be beneficial for eyesight by increasing the serum zeaxanthin level and inhibiting corneal

neovascularization. Thus spirulina is a reservoir of active secondary metabolites revealing positive effects against different ailments such as diabetes, hyperlipidemia, inflammatory allergic reactions, metal/chemical induced toxicity, malnutrition, obesity, and anemia. Moreover, a paste of Spirulina is utilized as a face pack, due to its anti-aging characteristics.^{20,15}

Pharmacological Activity & their Mechanism

A range of Spirulina derived natural compounds have been shown to portray crucial biological functions, revealed from numerous *in vitro* and *in vivo* studies. This has been accomplished through the use of phytochemical compounds and their bioactivity in drug discovery. The different pharmacological properties of *S. platensis* are critically summarized (see Table 2), which are adapted from a number of cited Scientific Journals.

Table 2: Pharmacological potential & mechanism of Spirulina

Properties	Study Type	Mechanism
Anti-anemic activity	<i>In vivo</i> <i>Clinical</i>	By elevating Hb level and RBC count in Pb and Cd induced anemia of rats. ²¹ Moreover, by raising the level of mean capsular hemoglobin (MCH), corpuscular volume (MCV), and MCHC in rabbits. It ameliorates anemia in subjects. ²²
Antibacterial activity	<i>In vitro</i>	A predominant fatty acid compound from the extract inhibited <i>Staphylococcus aureus</i> MTCC-96, and <i>Salmonella typhimurium</i> MTCC-98. ²³ Similar activity was observed against human food borne pathogens. ²⁴
Anti-cancer effects	<i>In vivo</i> <i>In vitro</i>	The C-phycocyanin pigment from Spirulina was found to be a selective inhibitor against cyclooxygenase-2 (Cox-1), Cox-2, and MCF-7 human breast cancer cells. ¹⁵ Additionally, it enhanced the cell nucleus enzyme activity, apoptosis enzymes, DNA repair synthesis, and inhibited the growth of human colon & hepatocellular carcinoma cells (HCC), proliferations etc. ²⁰
Anti-diabetic/ Hypoglycemic properties	<i>In vivo</i> <i>Clinical</i>	It increased in concentrations of active cretin hormones, glucagon like peptide1, and glucose dependent insulinotropic polypeptide against streptozocin induced diabetic rats. ²⁵ Similarly, it enhances insulin resistance to reduce blood glucose levels. ²⁶ Spirulina polysaccharides inhibited α-glucosidase for activity. ²⁷ An oral supplementation to 45-60 Yrs. old male diabetic patients showed a significant reduction (P<0.001) in pre-post glucose levels. ¹⁸

table cont...

Antifungal activity	<i>In vitro</i>	The different solvent extract inhibited the growth of skin disease-causing pathogens like <i>Candida albicans</i> , <i>trichophyton rubrum</i> , and <i>Malassezia furfur</i> . ²⁸
Anti-genotoxicity	<i>In vivo</i>	Spirulina extract was effective against arsenic-induced genotoxicity in <i>Oreochromis niloticus</i> . ²⁹ Also, accelerated the DNA repair, reduced DNA fragmentation, and had protective effects against cyclophosphamide, cisplatin & urethane. ²⁰
Anti-inflammatory property	<i>In vivo</i>	Reduced beta-glucuronidase activity and increased anti-oxidant enzyme activity in rheumatoid arthritis model of mice. ³⁰ Moreover, it suppressed inflammatory cytokines, by decreasing IL-6, TNF- α , MDA and IL-1 β relative to the LPS group. ³¹
Anti-oxidant property	<i>In vitro</i>	Its C-phycocyanin showed DPPH radical-scavenging activities, similarly in FRAP & Fe ²⁺ chelating potential. ³² Polysaccharides and different products from spirulina showed same capacity. ³³
Antiviral activity	<i>In vitro</i>	A pigment allophycocyanin and a sulfated polysaccharide inhibited the replication of numerous viruses such as enterovirus 71, HIV-1, HSV-1, HSV-2, HCMV, 20 and influenza, human cytomegalovirus, herpes simplex, influenza A, measles, mumps respectively. ^{15, 34}
Anti-nephrotoxicity	<i>In vivo</i>	Provide protection against Cd & Cr-induced renal toxicity in Wistar rats. ³⁵ Similarly, against nephrotoxicity induced by cyclosporine A/gamma radiation in rats, on blood markers as and histopathological observations. ³⁶
Anti-obesity and Weight loss effects	<i>Clinical</i>	Inhibited NADPH oxidase and induces insulin resistance, suppresses adipocyte oxidative stress in clinical and preclinical trials. ^{37, 38}
Heavy Metal Removal potential	<i>In vivo</i>	An oral administration of the extract with zinc in patients of chronic arsenic poisoning protected from lead toxicity, and lipid peroxidation serve as an endogenous antioxidant in rats. ³⁹
Hypolipidemic effects	<i>In vivo</i> <i>Clinical</i>	The extract regulated the cholesterol and triglyceride levels in rat models. ⁴⁰ Phycocyanins from this algae showed similar effects. ²⁶ Oral supplementation to 45-60 yrs. old male diabetic patients, increased HDL level. ¹⁸
Hepatoprotective property	<i>In vivo</i>	Phycocyanin-rich extract revealed significant protection against paracetamol-induced toxicity in rats. ¹⁸ Similar results showed against d-galactosamine-induced model of rats. ⁴²
Immunomodulatory effects	<i>In vivo</i>	Gamma-linolenic acid and phycocyanin from spirulina modulated the immune system, Inhibiting the release of histamine and modulating CD3 & CD20. ⁴³ Moreover, in response to Con A, increased spleen cell development as well as IL-1 and antibody production. ⁴⁴
Cytotoxicity	<i>In vitro</i>	Spirulina extract had strong cytotoxicity against the HepG2 cell line (IC ₅₀ 20.56 $\pm$ 1.7 μ g/mL) followed by MCF7 & Hela cell in a MTT assay. ²⁸
Neuroprotective property	<i>In vivo</i>	Decreases the level of ROS, nitric oxide and lipid peroxidation Improves locomotor activity. ⁴⁵ Moreover, in an AICl ₃ -induced Alzheimer's disease rat model, it significantly increased AChE genes, restored the reduced brain neurotransmitters, and improved brain oxidative status. ⁴⁶
Probiotic property	<i>In vitro</i>	Spirulina promotes the growth of lactic acid-producing bacteria such as <i>Lactococcus lactis</i> , <i>L. casei</i> , <i>L. bulgaricus</i> , <i>L. acidophilus</i> and <i>Streptococcus thermophilus</i> , as well as the extension of vitamin B1. ^{47, 48}
Wound healing activity	<i>In vitro</i>	The extract incorporated in a skin cream, exhibited wound healing effects on the HS2 keratinocyte cell line with the highest cell viability and significant proliferation. ⁴⁹

ABBREVIATIONS

HDL - high density lipoprotein; **AChE** - Acetylcholinesterase; **Cd** - Cadmium; **Cox** - Cyclooxygenase; **Cr** - Chromium; **DPPH**; 2,2-diphenyl-1-picrylhydrazyl; **Hb** - Hemoglobin; **HIV** - human immunodeficiency virus, **HSV** - Herpes Simplex Virus; **HS2** - Hepatic Stem cell type 2; **IL-1 β** - Interleukin-1 β ; **INF- α** - interferon alpha; **LPS** - Lipopolysaccharide; **MCF** - Michigan Cancer Foundation-7; **MCH** - Mean Corpuscular Volume; **MCV** - Mean Corpuscular Hemoglobin; **MDA** - Mass Drug Administration; **MTCC** - Microbial Type Culture Collection & Gene Bank; **MTT** - 3-(4,5-dimethylthiazol-2-yl)-2,5-diphenyl-2H-tetrazolium bromide; **NADPH** - Nicotinamide Adenine Dinucleotide Phosphate; **Pb** - Lead; **RBC** - Red Blood Cell; **ROS** - Reactive Oxygen Species.




Fig. 2: Graphical illustration of nutraceutical profile & biological properties of Spirulina.

Cosmeceutical Importance

Uses of natural ingredients in the cosmetic industry have been noticed over the last years and similar trends were also observed for marine origin products like spirulina pigments and its metabolites enrich nutra-cosmetic formulations.⁵⁰ It is used to fortify the hair, nails, and skin in the form of cream, gel, and mask. Several reports and market claims supported the algae as an anti-aging product for antioxidant, brightening, and anti-acne properties, as well as the natural moisturizing capacity of the amino acids and proteins of algae, is used to the natural moisturizing ability which protects skin cells from drying out. Likewise, other by-products from the algae including terpenoids, pigments, phycobiliproteins (phycocyanin), and lipids (carotenoids, sterols), revealed antioxidant, wound healing, anti-inflammatory, and stabilizing properties in emollients. Moreover, Spirulina is enriched with vitamins that also aid in skin toning, healing dark circles, purifying skin, and encouraging hair growth by inhibiting dandruff.^{51,52}

Toxicological Aspects

It is commonly recognized that any organisms or substance must be considered in the safety assessment. For this, it is revealed from *in vivo* experiments that when spirulina or phycocyanin

compound was orally given to rats for 14 weeks at a concentration of up to 5% in the diet, the rats did not exhibit any harmful effects. Interestingly, Spirulina has not yet demonstrated any toxicity on the liver, kidney, reproductive system, and body physiology, during and after acute or chronic doses, at higher doses than any anticipated human consumption.^{53,54} Although, even at high doses, it seems to be safe, so, it may be used as a source of single cell protein for humans without risk. However, it might also be contaminated through other chemical hazards or metals as per their source of origin. Therefore, it is important to have assurance about the spirulina source or marketed brands. Furthermore, women who are expecting or nursing should follow their doctor's recommendations about the same.

CONCLUSION

Spirulina is already a well known nutritional supplement to fulfill the nutritional requirement of the increasing population. This is supported by information on Spirulina's nutritional worth and biological processes, making it a healthy choice for diet planning, fighting malnutrition, and/or therapeutic uses. Preclinical and post-clinical research is continuously being conducted to determine the bioactive potentials of spirulina. However, these studies appear to show that Spirulina has potent pharmacological effects, which

has increased interest in it as a therapeutic diet. This review provides updated detailed information about the bioactive constituents and nutraceutical importance along with the scientifically claimed medicinal uses of Spirulina. Moreover, given everything stated above, can be concluded that Spirulina has a variety of benefits, including high biological importance, availability of nutrients, ease of cultivation due to minimal growth requirements, and safety in terms of consumption (no toxicities), to mention a few. More studies are hardly needed to support its claimed benefits. Additional prospects for the growth of the spirulina market will arise from the expansion of public and private efforts supporting aquaculture research and development as well as consumer well being awareness.

Acknowledgement: (a20) The authors are grateful to Param Puja Swami Ramdev Ji, Patanjali Yogpeeth, Haridwar for providing research and infrastructure facilities at Patanjali Research Institute, Haridwar, Uttarakhand.

Conflict of Interest: (a21) No any conflict

REFERENCES

- Singh J, Saxena RC. An introduction to microalgae: diversity and significance. In Handbook of marine microalgae 2015 Jan 1 (pp. 11-24). Academic Press.
- Maddiboyina B, Vanamamalai HK, Roy H, Ramaiah, Gandhi S, Kavisri M, Moovendhan M. Food and drug industry applications of microalgae *Spirulina platensis*: A review. J. of Basic Microbiol. 2023 Jan 31.
- Moorhead Kelly DG. Spirulina nature's superfood. Cyanotech Corporation; 2008.
- Fortune Business Insight, (2022). Market research Report on Food beverages, domain Spirulina market. Retrieved on Jul 2023 from <https://www.fortunebusinessinsights.com/spirulina-market-102479>.
- Rosario JC, Josephine RM. Mineral profile of edible algae *Spirulina platensis*. Int J Curr Microbiol App Sci. 2015;4(1):478-83.
- Volkman H, Imianovsky U, Oliveira JLB, Sant'Anna ES. Cultivation of *Arthrospira* (*spirulina*) *platensis* in desalinator wastewater and salinated synthetic medium: protein content and amino-acid profile. Braz J Microbiol. 2008;39(1):98-101.
- Junjarwad AV, Savalgi PB, Vyas MK. Critical review on Bhaishajya Kaala (time of drug administration) in Ayurveda. Ayu. 2013 Jan;34(1):6.
- Kiani L. Natural miracles: What functional foods can do for you?. ProQuest Discovery Guides. from <http://www.csa.com/discoveryguides/discoveryguides-main.php>. 2007.
- Campanella L, Crescentini G, Avino P. Chemical composition and nutritional evaluation of some natural and commercial food products based on Spirulina. Analysis. 1999 Jul 1;27(6):533-40.
- Soni RA, Sudhakar K, Rana RS, Baredar P. Food supplements formulated with Spirulina. Algae: Multifarious Applications for a Sustainable World. 2021:201-26.
- Gershwin ME, Belay A, editors. Spirulina in human nutrition and health. CRC press; 2007 Oct 8.
- Shahbazizadeh S, Khosravi-Darani K, Sohrabvandi S. Fortification of Iranian traditional cookies with spirulina *platensis*. Annu. Res. Rev. Biol. 2015 May 23:144-54.
- Santo ED, Ishii M, Pinto UM, Matsudo MC, Carvalho JC. Obtaining bioproducts from the studies of signals and interactions between microalgae and bacteria. Microorganisms. 2022 Oct 14;10(10):2029.
- Rahman KM, Melville L. Global market opportunities for food and feed products from microalgae. In Handbook of Food and Feed from Microalgae. 2023 Jan 1 (pp. 593-602). Academic Press.
- Marzieh Hosseini S, Shahbazizadeh S, Khosravi-Darani K, Reza Mozafari M. Spirulina *platensis*: Food and function. Curr Nutr Food Sci. 2013 Aug 1;9(3):189-93.
- Tokuşoglu Ö, Ünal MK. Biomass nutrient profiles of three microalgae: *Spirulina platensis*, *Chlorella vulgaris*, and *Isochrysis galbana*. J. Food Sci. 2003 May;68(4):1144-8.
- Ramamoorthy A, Premakumari S. Effect of supplementation of Spirulina on hypercholesterolemic patients. J. Food Sci. Technol. 1996;33:124-7.
- Anitha L, Chandralekha K. Effect of supplementation of spirulina on blood glucose, glycosylated hemoglobin and lipid profile of male non-insulin dependent diabetics. Asian J. Exp. Biol. Sci. 2010;1(1):36-46.
- Kim HM, Lee EH, Cho HH, Moon YH. Inhibitory effect of mast cell-mediated immediate-type allergic reactions in rats by Spirulina. Biochem. Pharmacol. 1998 Apr 1;55(7):1071-6.
- Anvar AA, Nowruzi B. Bioactive properties of spirulina: A review. Microb. Bioact. 2021;4:134-42.
- Simsek N, Karadeniz A, Kalkan Y, Keles ON, Unal B. *Spirulina platensis* feeding inhibited the anemia-and leucopenia-induced lead and

- cadmium in rats. J. Hazard. Mater. 2009 May 30;164(2-3):1304-9.
22. Kambou SP, Bléyéré NM, Attéméné DS, Tiahou GG, Dembele A, Sess DE. Antianaemic effect of spirulina in rabbits (*Oryctolagus cuniculus*), a made and used food supplement in Côte d'Ivoire. Sch. Acad. J. Biosci. 2015;3(9):725-32.
23. Bancalari E, Martelli F, Bernini V, Neviani E, Gatti M. Bacteriostatic or bactericidal? Impedometric measurements to test the antimicrobial activity of *Arthrospira platensis* extract. Food Control. 2020 Dec 1;118:107380.
24. Kumar V, Bhatnagar AK, Srivastava JN. Antibacterial activity of crude extracts of *Spirulina platensis* and its structural elucidation of bioactive compound. J. Med. Plant Res. 2011 Dec 30;5(32):7043-8.
25. Okechukwu PN, Ekeuku SO, Sharma M, Nee CP, Chan HK, Mohamed N, Froemming GR. In vivo and in vitro antidiabetic and antioxidant activity of spirulina. Pharmacog. Mag. 2019 Apr 1;15(Suppl 1):S17-29.
26. El-Sayed ES, Hikal MS, Abo El-Khair BE, El-Ghobashy RE, El-Assar AM. Hypoglycemic and hypolipidemic effects of spirulina platensis, phycocyanin, phycocyanopeptide and phycocyanobilin on male diabetic rats. Arab Univ J Agric Sci. 2018 Oct 1;26(Special issue (2A)):1121-34.
27. Liu J, Zhu X, Sun L, Gao Y. Characterization and anti-diabetic evaluation of sulfated polysaccharide from *Spirulina platensis*. J. Funct. Foods. 2022 Aug 1;95:105155.
28. Gheda S, Abd El-Zaher EH, Abou-Zeid AM, Bedair NA, Pereira L. Potential Activity of *Arthrospira platensis* as Antioxidant, Cytotoxic and Antifungal against Some Skin Diseases: Topical Cream Application. Mar. Drugs. 2023 Feb 27;21(3):160.
29. Sayed AE, Elbaghdady HA, Zahran E. Arsenic-induced genotoxicity in Nile tilapia (*Oreochromis niloticus*); the role of *Spirulina platensis* extract. Environ. Monit. Assess. 2015 Dec;187:1-0.
30. Nowruzi B, Sarvari G, Blanco S. The cosmetic application of cyanobacterial secondary metabolites. Algal Res. 2020 Aug 1;49:101959.
31. Jiang P, Meng J, Zhang L, Huang L, Wei L, Bai Y, Liu X, Li S. Purification and anti-inflammatory effect of selenium-containing protein fraction from selenium-enriched *Spirulina platensis*. Food Biosci. 2022 Feb 1;45:101469.
32. Safari R, Raftani Amiri Z, Esmaeilzadeh Kenari R. Antioxidant and antibacterial activities of C-phycocyanin from common name *Spirulina platensis*. Iran. J. Fish. Sci. 2020 Jul 1;19(4):1911-27.
33. Wu HL, Wang GH, Xiang WZ, Li T, He H. Stability and antioxidant activity of food-grade phycocyanin isolated from *Spirulina platensis*. Int. J. Food Prop. 2016 Oct 2;19(10):2349-62.
34. Chen YH, Chang GK, Kuo SM, Huang SY, Hu IC, Lo YL, Shih SR. Well-tolerated *Spirulina* extract inhibits influenza virus replication and reduces virus-induced mortality. Sci. Rep. 2016 Apr 12;6(1):24253.
35. Abdel-Daim MM, Ahmed A, Ijaz H, Abushouk AI, Ahmed H, Negida A, Aleya L, Bungau SG. Influence of *Spirulina platensis* and ascorbic acid on amikacin-induced nephrotoxicity in rabbits. Environmental Sc. & Pollution Res. 2019 Mar 20;26:8080-6.
36. Aziz MM, Eid NI, Nada AS, Amin NE, Ain-Shoka AA. Possible protective effect of the algae spirulina against nephrotoxicity induced by cyclosporine A and/or gamma radiation in rats. Environmental Sc. & Pollution Res. 2018 Mar;25:9060-70.
37. DiNicolantonio JJ, Bhat AG, OKeefe J. Effects of spirulina on weight loss and blood lipids: a review. Open heart. 2020 Mar 1;7(1):e001003.
38. Hussein MM, Samy M, Arisha AH, Saadeldin IM, Alshammari GM. Anti-obesity effects of individual or combination treatment with *Spirulina platensis* and green coffee bean aqueous extracts in high-fat diet-induced obese rats. All Life. 2020 Jan 1;13(1):328-38.
39. Misbahuddin M, Maidul Islam AZ, Khandker S, Ifthaker-Al-Mahmud, Islam N, Anjumanara. Efficacy of spirulina extract plus zinc in patients of chronic arsenic poisoning: a randomized placebo-controlled study. Clin. Toxicol. 2006 Jan 1;44(2):135-41.
40. Mazo VK, Biryulina NA, Sidorova YS. *Arthrospira platensis*: antioxidant, hypoglycemic and hypolipidemic effects in vitro and in vivo (brief review). Voprosy Pitaniia. 2022 Jul 1;91(4):19-25.
41. Madrigal-Santillán E, Madrigal-Bujaidar E, Álvarez-González I, Sumaya-Martínez MT, Gutiérrez-Salinas J, Bautista M, Morales-González Á, y González-Rubio MG, Aguilar-Faisal JL, Morales-González JA. Review of natural products with hepatoprotective effects. World J. Gastroenterol.: WJG. 2014 Oct 10;20(40):14787.
42. Al-Qahtani WH, Binobead MA. Anti-inflammatory, antioxidant and antihepatotoxic effects of *Spirulina platensis* against D-galactosamine induced hepatotoxicity in rats. Saudi J. Biol. Sci. 2019 May 1;26(4):647-52.
43. Chia SR, Chew KW, Show PL, Xia A, Ho SH, Lim JW. *Spirulina platensis* based biorefinery for the production of value-added products for food and pharmaceutical applications.

- Bioresour. Technol. 2019 Oct 1;289:121727.
44. El-Araby DA, Amer SA, Attia GA, Osman A, Fahmy EM, Altohamy DE, Alkafafy M, Elakkad HA, Tolba SA. Dietary *Spirulina platensis* phycocyanin improves growth, tissue histoarchitecture, and immune responses, with modulating immunoexpression of CD3 and CD20 in Nile tilapia, *Oreochromis niloticus*. *Aquaculture*. 2022 Jan 15;546:737413.
 45. Sinha S, Patro N, Patro IK. Maternal protein malnutrition: Current and future perspectives of spirulina supplementation in neuroprotection. *Front. Neurosci*. 2018 Dec 18;12:966.
 46. Abdelghany AK, Gamal A, Abdel-Wahab A, Abdel-Razik AR, El-Samannoudy SI, Ibrahim MA, Hassan WH, El-Ela FI. Evaluating the neuroprotective effect of *Spirulina platensis*-loaded niosomes against Alzheimer's disease induced in rats. *Drug Deliv. Transl. Res*. 2023 Feb 15:1-3.
 47. Golmakani MT, Soleimani-Zad S, Alavi N, Nazari E, Eskandari MH. Effect of *Spirulina* (*Arthrospira platensis*) powder on probiotic bacteriologically acidified feta-type cheese. *J Appl Psychol*. 2019 Apr 15;31:1085-94.
 48. Gupta S, Gupta C, Garg AP, Prakash D. Prebiotic efficiency of blue green algae on probiotics microorganisms. *J. Microbiol. Exp*. 2017;4(4):4-7.
 49. Gunes S, Tamburaci S, Dalay MC, Deliloglu Gurhan I. In vitro evaluation of *Spirulina platensis* extract incorporated skin cream with its wound healing and antioxidant activities. *Pharm. Biol*. 2017 Jan 1;55(1):1824-32.
 50. Costa JA, Barbieri Moro GM, de Moraes Vaz Batista Filgueira D, Corsini E, Bertolin TE. The potential of spirulina and its bioactive metabolites as ingested agents for skin care. *Ind. Biotechnol*. 2017 Oct 1;13(5):244-52.
 51. Ariede MB, Candido TM, Jacome AL, Velasco MV, de Carvalho JC, Baby AR. Cosmetic attributes of algae-A review. *Algal Res*. 2017 Jul 1;25:483-7.
 52. Daniel S. UV-A sunscreen from red algae for protection against premature skin aging. *Cosmetic and Toiletries Manufacture worldwide*. 2004.
 53. Salmeán GG, Castillo LH, Chamorro-Cevallos G. Nutritional and toxicological aspects of *Spirulina* (*Arthrospira*). *Nutrición hospitalaria: Organo oficial de la Sociedad española de nutrición parenteral y enteral*. 2015;32(1):34-40.
 54. Salazar M, Chamorro GA, Salazar S, Steele CE. Effect of *Spirulina maxima* consumption on reproduction and peri-and postnatal development in rats. *Food Chem. Toxicol*. 1996 Apr 1;34(4):353-9.

Subject Index

Title	Page No
Anesthetic Management of Esophagectomy Using One Lung Ventilation	29
Body Composition Analysis is an Integral Part of the Nutrition Process: A Comparative study	97
Bupivacaine for Postoperative Analgesia in Lower Abdominal Surgeries	9
Ganglion Impar Chemical Neurolysis in Advanced Carcinoma Prostate	23
Impact of Late Night Eating Habits on Health: An Illumination	49
Intrathecal Catheterisation after an Accidental Dural Puncture: A Measure to Decrease the Incidence of Post Dural Puncture Headache	33
National Nutrition Week: A Implement to Reduce Malnutrition	117
Spirulina: A Miraculous alga with Pharmaco-nutraceutical Potential as Future Food	127
The Role of Pulses in Building a Suitable & Sustainable Future	67
To assess the Knowledge regarding Food Labelling among Youth of Indore city	113
To Assess the Knowledge Regarding Food Safety and Hygienic Practices Among Dairy Plant Worker in Indore, MP	123
To Compare Isobaric Thoracic Spinal Anesthesia Versus General Anesthesia in Laparoscopy Cholecystectomy	15
Training Needs of Hortipreneurs in UK	57
Type of Fats and Oils used, Physical activity levels, Dietary habit and Lipid profile of Coronary Artery Subjects	89
Waste Utilization of farm Produce for Nutritional Improvement:A Tomato Pomace Powder Biscuit	105

Author Index

Name	Page No	Name	Page No
Acharya Balkrishna	127	Nivedika Kumbhare	15
Anamika Chauhan	117	Nupur Chakravarty	15
Anuj Dubey	15	Pritisha Ghosh	97
Arefa Khan	123	R. L. Rajput	105
Arpita S. Kandpal	57	Rajesh Kumar Mishra	127
Bhasker Joshi	127	Ravi Madhusudhana	29
Chandra Sekhar Mishra	15	Sai Yashaswini Gorle	29
Devesh H. Patel	105	Sarbari Dasgupta	97
Dipali Saxena	113	Shweatha H.E.	89
Dipali Saxena	123	Shweta Keswani	113
Firoz Khan N	23	Shweta Keswani	123
Gundala Shashidar Rao	33	Sneha Pandey	49
Indresh Kumar	117	Suhaima Sultana	89
Keshav B. Kamaliya	105	Sulagna Ray Pal	97
Kiran Kumar Suggala	33	Swami Narsingh C. Dev	127
Kirti Verma	113	Swapan Banerjee	97
Kritika Pant	57	Swathi Mallikarjuna	9
Madhu	67	Vinay Yadav	15
Madhulika Gautam	49	Vinayak Sirsat	9
Navita Purohit	23	Yugandhar Kandula	33

Guidelines for Authors

Manuscripts must be prepared in accordance with "Uniform requirements for Manuscripts submitted to Biomedical Journal" developed by international committee of medical Journal Editors

Types of Manuscripts and Limits

Original articles: Up to 3000 words excluding references and abstract and up to 10 references.

Review articles: Up to 2500 words excluding references and abstract and up to 10 references.

Case reports: Up to 1000 words excluding references and abstract and up to 10 references.

Online Submission of the Manuscripts

Articles can also be submitted online from http://rfppl.co.in/customer_index.php.

1) First Page File: Prepare the title page, covering letter, acknowledgement, etc. using a word processor program. All information which can reveal your identity should be here. use text/rtf/doc/PDF files. Do not zip the files.

2) Article file: The main text of the article, beginning from Abstract till References (including tables) should be in this file. Do not include any information (such as acknowledgement, your name in page headers, etc.) in this file. Use text/rtf/doc/PDF files. Do not zip the files. Limit the file size to 400 Kb. Do not incorporate images in the file. If file size is large, graphs can be submitted as images separately without incorporating them in the article file to reduce the size of the file.

3) Images: Submit good quality color images. Each image should be less than 100 Kb in size. Size of the image can be reduced by decreasing the actual height and width of the images (keep up to 400 pixels or 3 inches). All image formats (jpeg, tiff, gif, bmp, png, eps etc.) are acceptable; jpeg is most suitable.

Legends: Legends for the figures/images should be included at the end of the article file.

If the manuscript is submitted online, the contributors' form and copyright transfer form has to be submitted in original with the signatures of all the contributors within two weeks from submission. Hard copies of the images (3 sets), for articles submitted online, should be sent to the journal office at the time of submission of a revised manuscript. Editorial office: Red Flower Publication Pvt. Ltd., 48/41-42, DSIDC, Pocket-II, Mayur Vihar Phase-I, Delhi - 110 091, India, Phone: 91-11-79695648, Cell: +91-9821671871. E-mail: author@rfppl.co.in. Submission page: http://rfppl.co.in/article_submission_system.php?mid=5.

Preparation of the Manuscript

The text of observational and experimental articles should be divided into sections with the headings: Introduction, Methods, Results, Discussion, References, Tables, Figures, Figure legends, and Acknowledgment. Do not make subheadings in these sections.

Title Page

The title page should carry

- 1) Type of manuscript (e.g. Original article, Review article, Case Report)
- 2) The title of the article should be concise and informative;
- 3) Running title or short title not more than 50 characters;
- 4) The name by which each contributor is known (Last name, First name and initials of middle name), with his or her highest academic degree(s) and institutional affiliation;
- 5) The name of the department(s) and institution(s) to which the work should be attributed;
- 6) The name, address, phone numbers, facsimile numbers and e-mail address of the contributor responsible for correspondence about the manuscript; should be mentioned.
- 7) The total number of pages, total number of photographs and word counts separately for abstract and for the text (excluding the references and abstract);
- 8) Source(s) of support in the form of grants, equipment, drugs, or all of these;
- 9) Acknowledgement, if any; and
- 10) If the manuscript was presented as part at a meeting, the organization, place, and exact date on which it was read.

Abstract Page

The second page should carry the full title of the manuscript and an abstract (of no more than 150 words for case reports, brief reports and 250 words for original articles). The abstract should be structured and state the Context (Background), Aims, Settings and Design, Methods and Materials, Statistical analysis used, Results and Conclusions. Below the abstract should provide 3 to 10 keywords.

Introduction

State the background of the study and purpose of the study and summarize the rationale for the study or observation.

Methods

The methods section should include only information that was available at the time the plan or protocol for the study was written such as study approach, design, type of sample, sample size, sampling technique, setting of the study, description of data collection tools and methods; all information obtained during the conduct of the study belongs in the Results section.

Reports of randomized clinical trials should be based on the CONSORT Statement (<http://www.consort-statement.org>). When reporting experiments on human subjects, indicate whether the procedures followed were in accordance with the ethical standards of the responsible committee on human experimentation (institutional or regional) and with the Helsinki Declaration of 1975, as revised in 2000 (available at http://www.wma.net/e/policy/17-c_e.html).

Results

Present your results in logical sequence in the text, tables, and illustrations, giving the main or most important findings first. Do not repeat in the text all the data in the tables or illustrations; emphasize or summarize only important observations. Extra or supplementary materials and technical details can be placed in an appendix where it will be accessible but will not interrupt the flow of the text; alternatively, it can be published only in the electronic version of the journal.

Discussion

Include summary of key findings (primary outcome measures, secondary outcome measures, results as they relate to a prior hypothesis); Strengths and limitations of the study (study question, study design, data collection, analysis and interpretation); Interpretation and implications in the context of the totality of evidence (is there a systematic review to refer to, if not, could one be reasonably done here and now?, What this study adds to the available evidence, effects on patient care and health policy, possible mechanisms)? Controversies raised by this study; and Future research directions (for this particular research collaboration, underlying mechanisms, clinical

research). Do not repeat in detail data or other material given in the Introduction or the Results section.

References

List references in alphabetical order. Each listed reference should be cited in text (not in alphabetic order), and each text citation should be listed in the References section. Identify references in text, tables, and legends by Arabic numerals in square bracket (e.g. [10]). Please refer to ICMJE Guidelines (http://www.nlm.nih.gov/bsd/uniform_requirements.html) for more examples.

Standard journal article

[1] Flink H, Tegelberg Å, Thörn M, Lagerlöf F. Effect of oral iron supplementation on unstimulated salivary flow rate: A randomized, double-blind, placebo-controlled trial. *J Oral Pathol Med* 2006; 35: 540–7.

[2] Twetman S, Axelsson S, Dahlgren H, Holm AK, Källestål C, Lagerlöf F, *et al.* Caries-preventive effect of fluoride toothpaste: A systematic review. *Acta Odontol Scand* 2003; 61: 347–55.

Article in supplement or special issue

[3] Fleischer W, Reimer K. Povidone-iodine antiseptics. State of the art. *Dermatology* 1997; 195 Suppl 2: 3–9.

Corporate (collective) author

[4] American Academy of Periodontology. Sonic and ultrasonic scalers in periodontics. *J Periodontol* 2000; 71: 1792–801.

Unpublished article

[5] Garoushi S, Lassila LV, Tezvergil A, Vallittu PK. Static and fatigue compression test for particulate filler composite resin with fiber-reinforced composite substructure. *Dent Mater* 2006.

Personal author(s)

[6] Hosmer D, Lemeshow S. Applied logistic regression, 2nd edn. New York: Wiley-Interscience; 2000.

Chapter in book

[7] Nauntofte B, Tenovou J, Lagerlöf F. Secretion and composition of saliva. In: Fejerskov O,

Kidd EAM, editors. Dental caries: The disease and its clinical management. Oxford: Blackwell Munksgaard; 2003. pp 7–27.

No author given

[8] World Health Organization. Oral health surveys - basic methods, 4th edn. Geneva: World Health Organization; 1997.

Reference from electronic media

[9] National Statistics Online – Trends in suicide by method in England and Wales, 1979–2001. www.statistics.gov.uk/downloads/theme_health/HSQ20.pdf (accessed Jan 24, 2005): 7–18. Only verified references against the original documents should be cited. Authors are responsible for the accuracy and completeness of their references and for correct text citation. The number of reference should be kept limited to 20 in case of major communications and 10 for short communications.

More information about other reference types is available at www.nlm.nih.gov/bsd/uniform_requirements.html, but observes some minor deviations (no full stop after journal title, no issue or date after volume, etc.).

Tables

Tables should be self-explanatory and should not duplicate textual material.

Tables with more than 10 columns and 25 rows are not acceptable.

Table numbers should be in Arabic numerals, consecutively in the order of their first citation in the text and supply a brief title for each.

Explain in footnotes all non-standard abbreviations that are used in each table.

For footnotes use the following symbols, in this sequence: *, †, ‡, §§.

Illustrations (Figures)

Graphics files are welcome if supplied as Tiff, EPS, or PowerPoint files of minimum 1200x1600 pixel size. The minimum line weight for line art is 0.5 point for optimal printing.

When possible, please place symbol legends below the figure instead of the side.

Original color figures can be printed in color at the editor's and publisher's discretion provided the author agrees to pay.

Type or print out legends (maximum 40 words, excluding the credit line) for illustrations using double spacing, with Arabic numerals corresponding to the illustrations.

Sending a revised manuscript

While submitting a revised manuscript, contributors are requested to include, along with single copy of the final revised manuscript, a photocopy of the revised manuscript with the changes underlined in red and copy of the comments with the point-to-point clarification to each comment. The manuscript number should be written on each of these documents. If the manuscript is submitted online, the contributors' form and copyright transfer form has to be submitted in original with the signatures of all the contributors within two weeks of submission. Hard copies of images should be sent to the office of the journal. There is no need to send printed manuscript for articles submitted online.

Reprints

Journal provides no free printed, reprints, however a author copy is sent to the main author and additional copies are available on payment (ask to the journal office).

Copyrights

The whole of the literary matter in the journal is copyright and cannot be reproduced without the written permission.

Declaration

A declaration should be submitted stating that the manuscript represents valid work and that neither this manuscript nor one with substantially similar content under the present authorship has been published or is being considered for publication elsewhere and the authorship of this article will not be contested by any one whose name(s) is/are not listed here, and that the order of authorship as placed in the manuscript is final and accepted by the co-authors. Declarations should be signed by all the authors in the order in which they are mentioned in the original manuscript. Matters appearing in the Journal are covered by copyright but no objection will be made to their reproduction provided permission is obtained from the Editor prior to publication and due acknowledgment of the source is made.