

Joint Forces: Orthopedics and General Medicine in Tackling Musculoskeletal Manifestations of Systemic Diseases

Jeff Walter Rajadurai OR¹, Prathish Kumar²

How to cite this article:

Jeff Walter Rajadurai OR, Prathish Kumar. Joint Forces: Orthopedics and General Medicine in Tackling Musculoskeletal Manifestations of Systemic Diseases. *Jr. Orth. Edu.* 2024;10(2):67-69.

Abstract

Systemic diseases such as diabetes mellitus, rheumatoid arthritis (RA), and chronic kidney disease (CKD) often have musculoskeletal complications that significantly impact patients' quality of life. These complications necessitate a multidisciplinary approach involving orthopedic surgeons and other specialists to ensure early recognition, intervention, and optimized patient care. An interdisciplinary approach enables the integration of systemic and musculoskeletal health strategies, leading to better patient outcomes. For instance, diabetes-related Charcot arthropathy and osteomyelitis require both orthopedic and endocrinology care, while RA demands immunosuppressive therapies alongside orthopedic interventions. CKD, due to disruptions in calcium and phosphate metabolism, increases fracture risks and requires nephrology and orthopedic collaboration. Emerging technologies such as telemedicine and precision medicine further support collaborative care. This article underscores the importance of interdisciplinary teamwork in addressing the musculoskeletal manifestations of systemic diseases.

Keywords: Musculoskeletal Diseases; Diabetes Mellitus; Rheumatoid Arthritis; Chronic Kidney Disease; Interdisciplinary Communication.

Author Affiliation: ¹Assistant Professor, Department of Orthopedics, ²Associate Professor, Department of General Medicine, Madha Medical College & Research Institute, Chennai 600128, India.

Corresponding Author: Jeff Walter Rajadurai OR, Assistant Professor, Department of Orthopedics, Madha Medical College & Research Institute, Chennai 600128, India.

E-mail: jeffy.walter@gmail.com

Received on: 16.05.2024

Accepted on: 01.07.2024

INTRODUCTION

Systemic diseases often extend beyond their primary organs and impact the musculoskeletal system, creating significant challenges for patient care. For instance, diabetes mellitus can result in severe complications such as diabetic foot ulcers, Charcot arthropathy, and osteomyelitis. These conditions lead to tissue damage and progressive joint destruction, necessitating comprehensive management that involves not only orthopedic surgeons but also endocrinologists and infectious disease specialists to address the full scope of care



This work is licensed under a Creative Commons Attribution-NonCommercial-ShareAlike 4.0.

required.^{1,5} Rheumatoid arthritis (RA) presents its own set of challenges, including chronic joint inflammation and deformities, which, if left untreated, can result in significant disability. This underscores the need for close collaboration between rheumatologists and orthopedic surgeons to integrate both pharmacological and surgical treatments effectively.^{2,6} Additionally, chronic kidney disease (CKD) frequently leads to mineral and bone disorders due to disruptions in calcium and phosphate metabolism. These complications increase fracture risk and bone fragility, making it essential for nephrologists and orthopedists to work together to ensure early identification and appropriate management to mitigate long-term effects.^{3,7} Multidisciplinary approaches are thus essential to effectively address these complex and interrelated complications that can otherwise compromise patient outcomes.

Musculoskeletal Manifestations of Systemic Diseases

Diabetes Mellitus

Diabetes mellitus frequently results in various musculoskeletal complications, which significantly affect patient quality of life and mobility. Charcot arthropathy, for example, is characterized by joint destruction and deformity, often involving the foot and ankle, leading to instability and disability. Managing this condition requires an interdisciplinary approach, combining endocrinological management of blood glucose levels with orthopedic interventions to stabilize the affected joints.¹ Another common issue, limited joint mobility syndrome, manifests as stiffness, particularly in the hands and shoulders, limiting range of motion. These musculoskeletal complications underscore the importance of coordinated care between endocrinologists and orthopedic surgeons to provide comprehensive treatment and prevent long-term disability.⁵

Rheumatoid Arthritis (RA)

Rheumatoid arthritis is an autoimmune disorder that leads to chronic joint inflammation, significantly impairing joint function over time. Patients with RA often experience joint deformities and a higher risk of osteoporosis, which can exacerbate the severity of the disease. By utilizing disease-modifying antirheumatic drugs (DMARDs), rheumatologists work to control systemic inflammation, but orthopedic interventions are often necessary to address joint deformities and preserve function.² Such coordinated care helps improve patients'

mobility and overall quality of life, allowing for a more holistic approach that integrates medical and surgical treatment modalities.⁶

Chronic Kidney Disease (CKD)

CKD patients often face complications related to mineral and bone disorders (CKD-MBD), which result from imbalances in calcium and phosphate levels. These disturbances lead to weakened bones, increasing the likelihood of fractures and skeletal deformities. Regular orthopedic evaluations are necessary to monitor bone density and assess fracture risks, highlighting the importance of collaboration between nephrologists and orthopedic surgeons.³ This partnership ensures that patients receive comprehensive skeletal health management, including dietary modifications, medications, and surgical interventions when necessary, to reduce the risks associated with renal osteodystrophy and other CKD-related bone disorders.⁷

The Role of Emerging Technologies in Collaborative Care

Advancements in medical technology have significantly enhanced interdisciplinary care, making it more efficient and effective. Telemedicine, for example, allows for remote consultations among specialists, enabling continuous patient care without the need for frequent travel. This is particularly beneficial for managing chronic conditions like diabetes and CKD, where ongoing, coordinated care between multiple providers is essential.⁸ Moreover, precision medicine, which includes genetic profiling, has become increasingly relevant in managing systemic diseases such as RA. By understanding genetic predispositions, healthcare providers can tailor treatment plans to the individual, ensuring a more personalized and effective approach.^{4,10} Integrated electronic health record (EHR) systems further support this model by allowing seamless communication and data sharing among healthcare providers, thereby streamlining patient care and ensuring that all aspects of the patient's health are comprehensively managed.⁸

Interdisciplinary Approach to Improved Outcomes

The management of musculoskeletal complications from systemic diseases highlights the significant benefits of an interdisciplinary approach. In treating Charcot arthropathy, for example, it is essential to involve endocrinologists for blood glucose control, orthopedic surgeons for

structural stabilization, and wound care specialists to manage associated complications such as ulcers and infections. This collaborative model has been shown to improve outcomes by addressing the condition from multiple angles.^{1,5,7} Similarly, RA patients benefit from a coordinated strategy involving rheumatologists to control systemic inflammation and orthopedic surgeons to address structural damage and maintain joint function. This comprehensive approach significantly enhances long-term mobility and quality of life for RA patients.^{2,6} CKD patients also benefit from regular assessments by nephrologists and orthopedic surgeons to monitor bone health and prevent fractures, exemplifying the critical role of interdisciplinary care in managing systemic diseases.^{3,9} Multidisciplinary clinics, particularly for RA and CKD, have proven effective in integrating the expertise of various specialists, allowing for better patient care and more effective management of complex cases.⁸

CONCLUSION

The intricate relationship between systemic diseases and musculoskeletal health emphasizes the necessity for an interdisciplinary approach to care. Through collaboration across specialties, healthcare providers can ensure early detection and comprehensive treatment, ultimately leading to better patient outcomes and a higher quality of life. As medical technologies continue to evolve, they further reinforce the importance of these collaborative efforts, facilitating more precise, personalized, and patient-centered treatment plans. This approach is essential for effectively managing the musculoskeletal manifestations of systemic diseases, making interdisciplinary care a cornerstone of modern healthcare.

REFERENCES

1. Lipsky BA, Berendt AR, Cornia PB, *et al.* Infectious Diseases Society of America Clinical Practice Guideline for the Diagnosis and Treatment of Diabetic Foot Infections. *Clin Infect Dis.* 2012;54(12).
2. Smolen JS, Aletaha D, McInnes IB. Rheumatoid arthritis. *Lancet.* 2016;388(10055):2023-2038.
3. Ketteler M, Block GA, Evenepoel P, *et al.* Executive summary of the 2017 KDIGO Chronic Kidney Disease-Mineral and Bone Disorder (CKD-MBD) Guideline Update: what's changed and why it matters. *Kidney Int.* 2017; 92(1):26-36.
4. Silva MJ, Brodt MD, Lynch JA. Bone loss and recovery in chronic kidney disease: Pathophysiology, treatment, and new insights. *J Bone Miner Res.* 2018; 33(4):663-679.
5. Jeffcoate WJ, Lipsky BA, Berendt AR, *et al.* Management of diabetic foot infections. *JAMA.* 2008; 299(7):785-795.
6. Firestein GS, McInnes IB. Immunopathogenesis of rheumatoid arthritis. *Immunity.* 2017;46(2):183-196.
7. Moe SM, Drüeke TB. CKD-mineral and bone disorder: core curriculum 2016. *Am J Kidney Dis.* 2016;68(6):1251-1260.
8. Sikka RS, Cammisa FP, Purtill JJ. Orthopaedic Surgery and Kidney Disease. *ClinOrthopRelat Res.* 2013;471(2):541-548.
9. Brown EA, Johansson L, Farrington K, *et al.* CKD and Musculoskeletal Health: A Growing Concern. *Kidney Int.* 2015;88(5):1008-1016.
10. Takayama Y, Ikari K, Hirano Y, *et al.* Joint Damage and Long-term Outcomes in Rheumatoid Arthritis. *Rheumatology.* 2014;53(2):227-234.