

CASE REPORT

Case of Cleft Palate and Hyperthyroidism for Abdominal Hysterectomy

Varsha Kuntala¹, Ravi Madhusudhana², Shreya CH³, Janani Priya⁴

HOW TO CITE THIS ARTICLE:

Varsha Kuntala, Ravi Madhusudhana, Shreya CH et. al, Case of Cleft palate and hyperthyroidism for Abdominal Hysterectomy. Ind J Anesth Analg. 2026; 13(3): 151-153.

ABSTRACT

Access of airway can pose a problem with cleft palate. Patient was hyperthyroid also on medications posted for Abdominal hysterectomy. Her T4 was high, anxious and with tachycardia. Planned for General anaesthesia with Endotracheal intubation.

Premedicated with Inj Glycopyrrolate, Inj Midazolam, Inj Fentanyl; induced with Inj Propofol and Intubated with Inj Suxamethonium with Video Laryngoscope. Intraoperative tachycardia was treated with Ing Lignocaine and Extubated uneventfully after reversing neuromuscular blockade. Proper planning for airway management and treating hyperthyroidism for our patient with cleft palate and hyperthyroidism turned out with a successful anaesthesia management.

KEYWORDS:

• Anaesthesia Management • Cleft Palate • Hyperthyroidism • Hysterectomy

INTRODUCTION

Adult patient with cleft palate may pose a problem for airway instrumentation and patient may present with oropharyngeal infections. Hyperthyroidism.¹ The patient with cleft palate when not treated will have a persistent nasal tone to their voice.²

These patients may have conductive deafness and psychosocial problems also.³

Hyperthyroidism may also contribute for gynaecological problem in terms of irregular cycles and bleeding. Patient may be on antithyroid drugs and symptomatic.

CASE REPORT

A 45 year old female with cleft palate (Figure 1) and retro-positive status presented with irregular menstrual bleeding, posted for

AUTHOR'S AFFILIATION:

¹ Junior Resident, Department of Anaesthesia, SDUMC, Kolar, Karnataka, India.

² Professor, Department of Anaesthesia, SDUMC, Kolar, Karnataka, India.

³ Junior Resident, Department of Anaesthesia, SDUMC, Kolar, Karnataka, India.

⁴ Junior Resident, Department of Anaesthesia, SDUMC, Kolar, Karnataka, India.

CORRESPONDING AUTHOR:

Ravi Madhusudana, Professor, Department of Anaesthesia, SDUMC, Kolar, Karnataka, India.

E-mail: ravijaggu@gmail.com



Accepted: 05-05-2026
This article is distributed under the terms of the creative commons attribution non-commercial 4.0 License (<http://www.creativecommons.org/licenses/by-nc/4.0/>) which permits non-commercial use, reproduction and distribution of the work without further permission provided the original work is attributed as specified on the Red Flower Publication and Open Access pages (<https://rfppl.co.in>)

total abdominal hysterectomy under General Anaesthesia as the uterus was big. Incidentally

she was Hyperthyroid also with high T4 (9.79 mic gm/dl) and anaemic with Hb of 8gm%.



Figure 1: Showing cleft palate

She was apprehensive with tachycardia and tremors of hands. She was on anti-thyroid medications (Carbimazole and Propranolol). Other Investigations were within normal limits.

She was premedicated with Tab Alprazolam 0.25 mg and Tab Ranitidine 150 mg in the night and morning of surgery. Basal Vitals were HR of 100 and BP of 130/90. Premedicated with Inj Glycopyrrolate 0.2 mg, Inj Midazolam 1mg and Inj Fentanyl 100 mic gm.

Induced with Inj Propofol 150 mg intubated and under Inj Suxamethonium 100 mg. We used a Video-laryngoscope and we were successful without any problems from the cleft palate. Intraoperatively patient had tachycardia and hypertension, responded to Inj Lignocaine 100mg. Intraoperative blood loss was around 500ml and one PCV was transfused. Reversed with Inj Neostigmine and Inj Glycopyrrolate and extubated uneventfully.

DISCUSSION

Anatomical defects and Genetic factors are involved in Cleft lip and Palate incidence.⁴ Endotracheal tube is the standard and safe technique in case of oral defects for anaesthesia.⁵

Adults with cleft lip or palate may pose difficult laryngoscopy and intubation. In our patient laryngoscopy was done by Video-laryngoscope and intubation was successful. Hyperthyroidism can cause gynaecological problems, anxiety; may have tachycardia, tremors and on antithyroid drugs.

Thyrotoxicosis Symptoms are caused by an excess of beta-adrenergic activity and may include agitation, tremor, weight loss, sweating, tachycardia, fever, arrhythmia, and heart failure.⁶

Atrial fibrillation, congestive cardiac failure, and ischemic heart disease due to thyrotoxicosis, are the most important conditions requiring monitoring by the

anaesthesiologist.⁷ During the perioperative periods, the patient's cardiac status should be closely monitored along with the potential development of arrhythmias, cardiac ischemia, and congestive heart failure.⁸

Patients presenting for surgery with thyrotoxicosis should ideally be made euthyroid before surgery, in order to reduce the risk of perioperative thyroid storm. 6 Our patient was hyperthyroid with anxiety and tachycardia and on medications with increased T4; responded with Inj Midazolam and Inj Lignocaine perioperatively for anxiety and tachycardia.

CONCLUSION

Proper planning for airway management and treating hyperthyroidism for our patient with cleft palate and hyperthyroidism turned out with a successful anaesthesia management.

Conflict of Interest: Nil

REFERENCES

1. David J. Steward. Anesthesia for patients with cleft lip and palate. *SAPM* 2007;26:126-32.
2. Sahoo SR. An incidental finding of untreated cleft palate in an adult. *Int J Otorhinolaryngol Head Neck Surg* 2025;11:607-8.
3. Murthy J. Management of cleft lip and palate in adults. *Indian J Plast Surg.* 2009;42:S116-22.
4. Maskoen AM, Nasroen SL, Fauziah PN, Soemantri ES, Gani BA. Expression of transforming growth factor alpha Bamhi and Rsai gene variants associated with non-syndromic cleft palate of Indonesian subjects using polymerase chain reaction method. *Asian J Pharm Clin Res* 2018;11:351-4.
5. Law RC, de Klerk C. Anaesthesia for Cleft and Palate Surgery. UK: Update in Anaesthesia; 2002.
6. Farling P. A. Thyroid disease. *British Journal of Anaesthesia.* 2000;85(1):15-28.
7. Donangelo I., Braunstein G. D. Update on subclinical hyperthyroidism. *American Family Physician.* 2011;83(8):933-938.
8. Woeber K. A. Thyrotoxicosis and the heart. *The New England Journal of Medicine.* 1992; 327(2):94-98.