

REVIEW ARTICLE

Artificial Intelligence in Pain Management: Current Applications and Clinical Perspectives

Shivani Fotedar¹, Agrima Sundriyal², Sowmya KR³, Bhagyesh Kame⁴,
Arpit Gupta⁵, Archana Gautam⁶, Mannat Narang⁷, Dhruvad Patel⁸,
Shyam Singh Chauhan⁹, Ganesh Kumar¹⁰

HOW TO CITE THIS ARTICLE:

Shivani Fotedar, Agrima Sundriyal, Sowmya KR et. al, Artificial Intelligence in Pain Management: Current Applications and Clinical Perspectives. Ind J Anesth Analg. 2026; 13(1): 33-39.

ABSTRACT

Artificial intelligence (AI) and machine learning technologies are revolutionizing the landscape of pain management through enhanced diagnostic accuracy, prognostic prediction, and personalized treatment strategies. This comprehensive review examines the current applications of AI in pain medicine, including pain diagnosis and classification, prognosis and chronicity prediction, personalized pharmacological and non-pharmacological management, and real-time monitoring systems. We explore the integration of AI-driven decision support systems in perioperative care, the role of wearable devices and telemedicine platforms, and address the challenges related to data privacy, algorithm bias, and clinical implementation. While AI demonstrates significant promise in improving patient outcomes and reducing healthcare burden, substantial barriers to clinical integration remain. This review highlights the need for rigorous validation studies, diverse population representation, and development of clinician-friendly interpretable AI models to facilitate adoption in Indian healthcare settings.

KEYWORDS

• Artificial Intelligence • Machine Learning • Pain Management • Diagnosis
• Prognosis • Personalized Treatment • Chronic Pain • Postoperative Pain

AUTHOR'S AFFILIATION:

- ¹ DNB Trainee, Department of Neuroanesthesia and Critical Care, Artemis Health Institute, Gurugram, India.
- ² Associate Consultant, Department of Neuroanesthesia and Critical Care, Artemis Health Institute, Gurugram, India.
- ³ Associate Consultant, Department of Neuroanesthesia and Critical Care, Artemis Health Institute, Gurugram, India.
- ⁴ Attending Consultant, Department of Neuroanesthesia and Critical Care, Artemis Health Institute, Gurugram, India.
- ⁵ ISNACC Fellow, Department of Neuroanesthesia and Critical Care, Artemis Health Institute, Gurugram, India.
- ⁶ DNB Trainee, Department of Neuroanesthesia and Critical Care, Artemis Health Institute, Gurugram, India.
- ⁷ DNB Trainee, Department of Critical Care Medicine, Artemis Health Institute, Gurugram, India.
- ⁸ DNB Trainee, Department of Neuroanesthesia and Critical Care, Artemis Health Institute, Gurugram, India.
- ⁹ Technical head, Department of Neuroanesthesia and Critical Care, Artemis Health Institute, Gurugram, India.
- ¹⁰ Technical head, Department of Neuroanesthesia and Critical Care, Artemis Health Institute, Gurugram, India.

CORRESPONDING AUTHOR:

Shivani Fotedar, DNB Trainee, Department of Neuroanesthesia and Critical Care, Artemis Health Institute, Gurugram, India.

E-mail: dr.shivani.fotedar@gmail.com

➤ Received: 25-11-2025 ➤ Accepted: 20-12-2025



Creative commons non-commercial CC BY-NC: This article is distributed under the terms of the creative commons attribution non-commercial 4.0 License (<http://www.creativecommons.org/licenses/by-nc/4.0/>) which permits non-commercial use, reproduction and distribution of the work without further permission provided the original work is attributed as specified on the Red Flower Publication and Open Access pages (<https://rfppl.co.in>)

INTRODUCTION

Pain remains one of the most prevalent healthcare challenges globally, affecting millions of patients and imposing substantial burden on healthcare systems.¹ The subjective nature of pain, combined with the heterogeneity of pain conditions and individual patient variability in treatment response, has historically limited the precision of pain diagnosis and management.² Traditional approaches to pain assessment rely heavily on clinical judgment, patient self-reporting, and conventional imaging modalities, which may miss subtle pathological markers and fail to identify patients at risk for pain chronicity.

Artificial intelligence, defined as the simulation of human intelligence through computational systems, offers unprecedented opportunities to address these limitations. AI technologies, particularly machine learning and deep learning algorithms, can analyze complex, multidimensional datasets encompassing clinical, imaging, genetic, and psychosocial variables to provide objective, evidence-based insights for pain management.³ Recent systematic reviews have identified over 197 distinct applications of AI in acute and chronic pain management, demonstrating growing clinical interest and validation in diverse pain conditions.¹

This review synthesizes current evidence on AI applications in pain medicine, with particular focus on diagnostic accuracy, prognostic capability, treatment personalization, and perioperative applications relevant to anesthesiologists and pain specialists practicing in India.

AI IN PAIN DIAGNOSIS AND CLASSIFICATION: PRECISION IN UNDERSTANDING PAIN

AI-Assisted Imaging in Pain Diagnosis

Diagnostic imaging including MRI, CT, and ultrasound constitutes a cornerstone of pain evaluation for conditions such as herniated discs, spinal stenosis, and musculoskeletal injuries. However, interpretation variability between radiologists and potential for missed subtle pathology represent significant clinical limitations.⁴

AI algorithms have demonstrated remarkable capability in automated image analysis and abnormality detection. Recent studies report

that AI models achieve up to 95% accuracy in diagnosing spinal degenerative disease and sciatica from MRI imaging alone.⁴ These systems utilize convolutional neural networks (CNNs) to detect morphological abnormalities including disc herniation, nerve compression, and degenerative changes that might be overlooked on standard radiological interpretation.

Ultrasound-guided regional anesthesia represents another domain where AI is making significant contributions. AI-based computer vision systems have achieved 93.5% anatomical recognition accuracy across nine regional block regions in 720 clinical videos, with clinical experts noting that AI image enhancement reduces nerve injury risk and block failure rates.⁵ For musculoskeletal ultrasound applications, including bursitis and tendinopathy evaluation, AI has improved diagnostic sensitivity while reducing false negatives, enabling earlier intervention and more precise treatment planning.

The clinical advantage of AI-assisted imaging extends beyond diagnostic accuracy. These systems can process imaging studies rapidly, reducing radiologist workload and enabling faster clinical decision-making, which is particularly valuable in resource-constrained healthcare settings common in India.

Electrophysiological Data Analysis and Neuropathic Pain Classification

Electrophysiological studies including electromyography (EMG) and nerve conduction studies are essential for diagnosing neuropathic pain conditions, yet interpretation requires specialized expertise. Machine learning algorithms have demonstrated capability in analyzing these electrophysiological patterns to classify pain phenotypes with high accuracy.

AI-based systems have achieved over 90% accuracy in diagnosing peripheral neuropathies from electrophysiological data alone,⁴ enabling more precise differentiation between neuropathic and nociceptive pain mechanisms. This distinction is clinically crucial, as neuropathic pain typically requires different pharmacological approaches (gabapentinoids, serotonin-noradrenaline reuptake inhibitors) compared to nociceptive pain (NSAIDs, opioids).

Machine learning algorithms employed for this purpose include support vector machines

(SVMs) for pattern classification and random forests for feature importance analysis, which identify electrophysiological markers most predictive of neuropathic pain phenotypes.

AI IN PAIN PROGNOSIS: PREDICTING OUTCOMES AND CHRONICITY

Machine Learning Models for Chronic Pain Prediction

One of the most clinically significant applications of AI in pain medicine is predicting which patients will develop chronic pain from an acute pain episode. Chronic pain affects approximately 10-15% of the global population, representing a major cause of disability and healthcare expenditure.⁵

Machine learning models for chronic pain prediction integrate multiple data modalities: demographic information, detailed clinical history, preoperative pain levels, genetic profiles, psychological assessments (including anxiety and depression screening), and surgical factors. Advanced algorithms including random forests, support vector machines, and neural networks identify complex interactions between these risk factors to generate individualized chronicity predictions.

The prediction of chronic postoperative pain represents a particularly well-validated application. Studies have demonstrated that machine learning algorithms predict chronic post-surgical pain with 85% accuracy when trained on preoperative clinical data.⁵ A landmark study demonstrated that AI-driven prediction models could identify patients at high risk for chronic pain following knee replacement surgery, enabling targeted interventions including enhanced perioperative analgesia and psychological counseling that potentially reduce chronic pain incidence.⁵

Similarly, machine learning models have been applied to predict chronicity risk following breast surgery and other procedures, with AUROC (Area Under the Receiver Operating Characteristic Curve) values ranging from 0.81-0.98, substantially outperforming standard clinical assessment tools.⁶ These models facilitate proactive prevention strategies, such as regional anesthesia techniques, that may reduce post-surgical pain progression.

Deep Learning Approaches for Acute Postoperative Pain Prediction

Recent advances in deep learning have introduced novel architectures for real-time postoperative pain prediction. Graph neural networks, attention mechanisms, and transformer-based models have been developed to process both static patient characteristics and dynamic intraoperative vital sign data for acute postoperative pain prediction.⁶

A recent study developing the DoseFormer system, a graph transformer network-based model, demonstrated superior performance compared to traditional machine learning approaches, with higher F1 scores and better generalization to unseen data.⁶ This system can predict acute postoperative pain in the post-anesthesia care unit (PACU) using automatically extractable, objective intraoperative variables, potentially enabling proactive analgesic titration by anesthesiologists.

AI IN PERSONALIZED PAIN MANAGEMENT

Pharmacogenomic Analysis and Opioid Response Prediction

One of the most clinically relevant applications of AI is predicting individual patient responses to analgesic medications, particularly opioids. Genetic polymorphisms affecting opioid metabolism, psychological factors, and prior medication exposure create substantial variability in opioid efficacy and risk for adverse effects including opioid-induced hyperalgesia and misuse.

AI models integrate genetic data (particularly cytochrome P450 polymorphisms affecting opioid metabolism), clinical history, pain phenotype data, and patient psychosocial profiles to predict opioid efficacy, optimal dosing, and risk for adverse outcomes. This pharmacogenomic approach enables precision opioid prescribing that maximizes analgesia while minimizing risks a critical application given the global opioid epidemic.⁷

For chronic pain management, AI algorithms can recommend optimal medication selection from multiple analgesic classes (NSAIDs, anticonvulsants, serotonin-noradrenaline reuptake inhibitors, opioids) based on individual patient profiles and predicted treatment response.

AI in Neuromodulation Therapy Optimization

Spinal cord stimulation (SCS) and peripheral nerve stimulation represent important interventional pain management modalities for chronic pain syndromes. However, achieving optimal clinical outcomes requires individualized stimulation parameter adjustment a process traditionally dependent on patient feedback.

AI-powered closed-loop neuromodulation systems represent a major advancement, continuously monitoring patient feedback, physiological responses, and pain scores to automatically adjust stimulation parameters in real-time.⁴ These adaptive systems learn patient-specific response patterns, enabling personalized stimulation configurations that maximize pain relief while minimizing side effects. This technology exemplifies the potential for AI to enhance precision in interventional pain management.

AI IN PERIOPERATIVE PAIN MANAGEMENT

AI-Driven Decision Support Systems for Intraoperative and Postoperative Analgesia

Decision support systems (DSS) powered by AI are increasingly integrated into anesthesia workstations to guide perioperative analgesia management. These systems process real-time patient data including vital signs, pain scores, and anesthetic agent concentrations to recommend optimal analgesic titration strategies.

A landmark study demonstrated that AI-guided DSS reduced the incidence of severe postoperative pain by 30% in patients undergoing major abdominal surgery.⁸ The system identified high-risk patients preoperatively and recommended intensified multimodal analgesia and regional anesthesia techniques.

AI-driven closed-loop anesthesia delivery systems have demonstrated particularly strong evidence for intraoperative precision. These systems maintain target indices of hypnosis (Bispectral Index/Patient State Index) within narrow ranges more effectively than manual administration, with pooled improvements in target maintenance of approximately 25%.³ Additionally, AI-guided opioid titration reduces total intraoperative opioid consumption while maintaining adequate analgesia and hemodynamic stability.³

Postoperatively, AI systems can predict complications including opioid-induced respiratory depression and inadequate pain control, alerting clinicians to enable prompt interventions and prevent adverse outcomes.⁸

AI IN REAL-TIME PAIN MONITORING AND REMOTE CARE

Wearable Devices and Continuous Pain Monitoring

Wearable technology integrated with AI algorithms represents a transformative approach to chronic pain management. These devices continuously monitor physiological parameters correlated with pain including heart rate variability, skin conductance, movement patterns, and activity levels, providing objective surrogate markers of pain experience beyond subjective patient reporting.⁹

AI algorithms analyze wearable-derived data in real-time, generating personalized pain management recommendations based on daily activity patterns and pain trends. In fibromyalgia management, wearable AI systems have provided individualized activity recommendations and pain predictions that enhance patient self-management.⁹

Postoperatively, wearable devices with embedded AI algorithms have enabled early detection of pain and activity deviations from expected recovery trajectories, prompting timely clinical interventions. A recent study demonstrated that wearable-guided rehabilitation improved postoperative step counts (standardized mean difference 0.67) and reduced dyspnea at early and late follow-up, supporting faster functional recovery.⁹

Telemedicine and AI-Enhanced Remote Pain Management

The integration of AI with telemedicine platforms has expanded access to pain management expertise, particularly valuable for geographically remote and underserved populations in India. AI-powered chatbots and virtual assistants can conduct automated pain assessments, provide patient education on pain management strategies, and offer personalized recommendations for lifestyle modifications functionalities that extend limited specialist availability.

Remote monitoring systems powered by AI enable asynchronous assessment of pain trends, allowing specialists to adjust treatment plans without requiring in-person visits. These technologies particularly benefit patients with chronic pain requiring long-term follow-up and frequent therapeutic adjustments, reducing healthcare burden while maintaining treatment efficacy.¹⁰

AI IN MODEL DEVELOPMENT FOR PAIN MANAGEMENT

Data Collection and Preprocessing

Developing robust AI models for pain applications requires comprehensive, high-quality datasets encompassing multiple data modalities: clinical records (demographics, medical history, comorbidities), imaging data (MRI, CT, X-rays), electrophysiological signals (EMG, nerve conduction studies), patient-reported outcomes (pain intensity scales, functional disability scores), genetic information (pain-related polymorphisms, drug metabolism genes), and pharmacological data.

The preprocessing phase is critical for data quality. This includes data cleaning (removing duplicates and errors), handling missing values, normalizing variables across different scales, and converting categorical data into numerical formats suitable for machine learning algorithms.

Feature Selection and Engineering

Feature selection identifies which variables are most predictive of clinical outcomes, reducing dimensionality and improving model interpretability. Techniques including Recursive Feature Elimination (RFE) and Principal Component Analysis (PCA) are commonly employed.

Feature engineering involves creating novel variables from existing data to enhance model performance. For example, interaction terms combining age and pain history can create composite "pain risk" variables, or time-series features can track pain trajectory changes over time, providing enhanced predictive power.

Model Selection and Training

Multiple machine learning approaches are suitable for pain management applications:

- Supervised learning models (Random Forests, Support Vector Machines, Neural

Networks) are employed when outcomes are known

- Unsupervised learning models (K-means clustering, autoencoders) identify hidden patterns in unlabeled data, potentially revealing novel pain subtypes
- Reinforcement learning approaches enable real-time decision optimization, such as dynamic neuromodulation parameter adjustment

Model training involves splitting data into training sets (70-80%), validation sets (10-15%), and test sets (10-15%), with the model learning patterns from training data and performance validated on held-out test data never seen during training.

MODEL VALIDATION AND PERFORMANCE METRICS

Model performance is evaluated using appropriate metrics depending on the application:

Table 1: Machine learning performance metrics commonly applied to pain management models

Performance Metric	Application	Interpretation
Accuracy	Classification tasks	Overall correctness of predictions
Sensitivity/ Recall	Identifying high-risk patients	Ability to detect true positive cases
Specificity	Avoiding false alarms	Ability to correctly identify true negatives
AUROC	Diagnostic discrimination	Overall discriminative ability (0.5-1.0)
F1 Score	Balanced assessment	Harmonic mean of precision and recall

CHALLENGES AND ETHICAL CONSIDERATIONS

Data Privacy and Security

AI systems for pain management require access to sensitive personal health information including genetic data, mental health records, and detailed medical histories. Ensuring compliance with privacy regulations including India's Health Data Protection Bill is essential for maintaining patient confidentiality and public trust.¹¹

Data anonymization and encryption represent fundamental requirements, though re-identification risks persist. Federated learning approaches, where models are trained

locally without centralizing sensitive data, represent promising solutions for privacy-preserving AI development.

Algorithmic Bias and Fairness

AI models trained on historically biased datasets or developed using populations unrepresentative of broader demographics can perpetuate health disparities. For example, if chronic pain prediction models are trained primarily on data from wealthy urban populations, their accuracy may be substantially reduced when applied to rural or underserved communities in India.¹¹

Addressing algorithmic bias requires diverse dataset collection, bias auditing during model development, and external validation across diverse populations.

Clinical Interpretability and “Black Box” Problem

Complex deep learning models, while potentially superior in predictive accuracy, often lack clinical interpretability the “black box” phenomenon where clinicians cannot understand how the model arrived at specific recommendations. This substantially limits clinical adoption, as physicians understandably resist implementing recommendations they cannot understand or validate.¹²

Techniques including SHAP (SHapley Additive exPlanations) values, LIME (Local Interpretable Model-agnostic Explanations), and attention mechanisms can improve model interpretability by highlighting which input variables most influenced specific predictions.

Regulatory and Implementation Barriers

The regulatory landscape for AI medical devices remains underdeveloped in many jurisdictions including India. Establishing clear regulatory pathways, clinical validation standards, and liability frameworks is essential for responsible AI deployment in clinical practice.¹²

Additionally, infrastructure limitations, inadequate digital literacy among healthcare providers, limited technical support resources, and financial constraints represent substantial barriers to AI implementation in Indian healthcare settings.

CLINICAL INTEGRATION AND FUTURE DIRECTIONS

Requirements for Clinical Implementation

Successful integration of AI into clinical pain management requires:

1. Rigorous validation through multicenter randomized controlled trials demonstrating superiority over standard clinical care.
2. External validation across diverse patient populations ensuring generalization beyond development datasets.
3. Clinician education and training programs addressing AI literacy and appropriate implementation.
4. Integration with existing electronic health records and clinical workflow systems.
5. Establishment of clear clinical governance frameworks and liability structures.
6. Continuous monitoring and feedback mechanisms enabling model performance optimization.

Emerging Technologies and Applications

Upcoming advances include integration of natural language processing to extract pain-related information from unstructured clinical notes, federated learning approaches enabling collaborative model development without centralizing sensitive data, explainable AI techniques improving clinical interpretability, and reinforcement learning systems enabling adaptive, patient-specific treatment optimization.

CONCLUSION

Artificial intelligence represents a transformative technology for pain management, offering enhanced diagnostic accuracy, improved prognostic capability, personalized treatment strategies, and novel remote monitoring approaches. Current evidence demonstrates substantial clinical promise, particularly for pain diagnosis, chronic pain prediction, perioperative analgesia optimization, and real-time patient monitoring.

However, significant barriers to clinical implementation remain, including limited external validation in diverse populations, missing infrastructure, provider knowledge gaps, and unclear regulatory pathways.

Addressing these barriers requires collaborative efforts involving healthcare providers, researchers, technology developers, policymakers, and patient communities.

For Indian pain specialists and anesthesiologists, engagement with AI implementation represents an opportunity to enhance care quality, optimize resource utilization, and potentially reduce opioid-related harms. However, this engagement must be accompanied by critical evaluation of available evidence, attention to ethical considerations including data privacy and algorithmic bias, and commitment to rigorous clinical validation before widespread adoption.

Future research priorities should include: (1) development of diverse, representative datasets including Indian population data; (2) rigorous multicenter clinical trials establishing superiority of AI-guided management; (3) exploration of explainable AI techniques improving clinical interpretability; (4) evaluation of cost-effectiveness and implementation feasibility in resource-limited settings; and (5) establishment of clear ethical and regulatory frameworks guiding responsible AI deployment in Indian healthcare.

REFERENCES

1. Antel R, Wangwiwatrachai R, Bray A, et al. Moving towards the use of artificial intelligence in pain management: A systematic review of applications in acute and chronic pain. *European Journal of Pain*. 2024;28(4):e1-e29. <https://doi.org/10.1002/ejp.4748>.
2. Casarin S, Buonocore A, Casari E, et al. Transforming personalized chronic pain management with machine learning and explainable AI: A comprehensive review. *Science Direct: Health Policy*. 2024;28(3):445-465.
3. Srinivasan B, Kumar A, Johnson P. Artificial intelligence and pain management: Cautiously optimistic perspectives. *Journal of Pain Research*. 2024;17(3):891-912. <https://doi.org/10.1080/17581869.2024.2392483>.
4. Hagedorn JM, Williams ME, Chen L, et al. Artificial intelligence and pain medicine: An introduction to machine learning applications in pain diagnosis and management. *Journal of Pain Research*. 2024;17(2):456-489. <https://doi.org/10.2147/JPR.S412458>.
5. Zhang X, Liu Y, Parikh R, et al. Artificial intelligence in anesthesia: Computer vision applications for regional anesthesia guidance. *Anesthesiology*. 2024;141(3):567-580.
6. Wang J, Patel R, Li S, et al. Deep learning models for the prediction of acute postoperative pain and perioperative analgesia optimization. *BMC Medical Research Methodology*. 2024;24(1):256. <https://doi.org/10.1186/s12874-024-02357-5>.
7. Lee SH, Park J, Kim M, et al. AI-guided decision support systems in perioperative anesthesia: A systematic review of clinical outcomes. *European Journal of Anesthesia*. 2024;41(2):123-145.
8. Tan E, Carvalho B, Navalgund A. Machine learning prediction of breakthrough pain during labor epidural analgesia. *Anesthesia & Analgesia*. 2021;132(5):1388-1396. <https://doi.org/10.1213/ANE.0000000000005354>.
9. Sun X, Kang L, Zhang Y, et al. Predicting chronic post-surgical pain following breast surgery using machine learning. *Pain Medicine*. 2023;24(6):689-701.
10. Buus N, Andersen KG, Jensen TS, et al. Machine learning predictions of chronic post-surgical pain in knee arthroplasty patients. *Journal of Pain*. 2022;23(8):1337-1350.
11. Borges J, Martinez C, Singh R. Artificial intelligence in pain management: Advancing precision medicine through translational science. *Translational Medicine Reviews*. 2024;19(4):234-256.
12. Akhtar ZB, Khan R, Patel S. Exploring artificial intelligence for pain research and management: Chronic pain applications and clinical perspectives. *International Journal of Research in Medical Sciences*. 2025;13(1):45-67.