DOI: 10.21088/ijnns.0975.0223.17125.4

International Journal of Neurology and Neurosurgery
Volume 17, Number 1 January-April 2025

REVIEW ARTICLE

Palliative Care Approaches to Improve Quality of Life in Neuro-Oncology: A Comprehensive Review

Shafqat Naseema[1], Swabir SF[2],Sam Jose[3], Satyam Wada[4], Amit Agrawal[5]

How to cite this article:

Shafqat Naseema, Swabir SF, Sam Jose et. al, Palliative Care Approaches to Improve Quality of Life in Neuro-Oncology: A Comprehensive Review. Int Jr of Neuro and Neurosurgery. 2025; 17(1): 23-29.

ABSTRACT

Palliative care has emerged as a critical component in the holistic care of patients grappling with advanced or life-limiting illnesses like neuro-oncological conditions. It holds profound significance for both the medical community and patients and their families, as it addresses the pressing need to enhance patient well-being in the face of debilitating symptoms and offers potential for improved comfort during the challenging journey. Neuro-oncological disorders, including brain tumours, pose distinct challenges due to their intricate impact on cognitive and physical functioning. Despite the availability of treatments that may temporarily alleviate symptoms and extend life expectancy, brain tumours often culminate tragically, necessitating specialized palliative care Physical immobility, cognitive changes, motor function impairments, seizures, and delirium pose significant hurdles and are intricately influenced by the characteristics and progression of the underlying tumour. This comprehensive review aims to systematically examine the existing literature to illuminate the multifaceted dimensions of palliative care tailored to neuro-oncology patients.it also intends to provides an insightful overview of pivotal themes in palliative care such as symptomatic management, psychosocial support, advance care planning, and end-of-life care. It highlights the importance of embracing a multidisciplinary approach and early integration of palliative care into the patient's journey. It also ventures into unexplored territories within the realm of neuro-oncology, exploring critical aspects like effectiveness of

AUTHOR'S AFFILIATION:

[1] Assistant Professor, College of Nursing, Department of Obstetrics and Gynecological Nursing, All India Institute of Medical Sciences, Bhopal, Madhya Pradesh, India.

[2] Tutor , Department of Community Health Nursing, Bhopal Memorial Hospital and Research Centre, Bhopal, Madhya Pradesh, India.

[3] Tutor, Department of Mental Health Nursing, All India Institute of Medical Sciences, Bhubaneswar, Odisha, India.

[4] Tutor, Amrita Institute of Nursing, Faridabad, Haryana 121002, India.

[5] Professor & HOD, Department of Neurosurgery, All India Institute of Medical Sciences, Bhopal, Madhya Pradesh, India.

CORRESPONDING AUTHOR:

Shafqat Naseema, Assistant Professor, College of Nursing, Department of Obstetrics and Gynecological Nursing, All India Institute of Medical Sciences, Bhopal, Madhya Pradesh, India.
E-mail: naseema.nursing@aiimsbhopal.edu.in

➢ **Received:** 06-02-2025 ➢ **Accepted:** 21-03-2025

Creative commons non-commercial CC BY-NC: This article is distributed under the terms of the creative commons attribution non-commercial 4.0 License (http://www.creativecommons.org/licenses/by-nc/4.0/) which permits non-commercial use, reproduction and distribution of the work without further permission provided the original work is attributed as specified on the Red Flower Publication and Open Access pages (https://www.rfppl.co.in)

interventions, advance care planning, and often-overlooked needs of caregivers who play an indispensable role in the patient's care trajectory. In conclusion, this review amplifies the vital significance of a comprehensive palliative care approach, emphasizing the need for sustained research endeavours and collaborative partnerships among healthcare providers, researchers, and stakeholders. Through these collective efforts, the aim is to substantially enhance the quality of care and support extended to patients and their families, offering a glimmer of hope, comfort, and dignity amid the challenges posed by these complex conditions.

KEYWORDS

• Palliative care • Neuro-oncology • Gliomas • Brain tumours • Symptom management • Caregivers • Advance care planning • Psychological support • End-of-life care

INTRODUCTION

Palliative care has evolved into an indispensable facet of comprehensive cancer management, dedicated to enhancing the quality of life for individuals contending with advanced or life-limiting illnesses. Within this context, neuro-oncological conditions, particularly brain tumours, present a distinctive array of challenges due to their intricate influence on both cognitive and physical functionality. Among the spectrum of primary intracranial neoplasms, gliomas—encompassing astrocytoma's, oligodendrogliomas, and glioblastoma multiforme—emerge as the predominant category, constituting approximately 80% of primary malignant brain tumours in the adult population.[1,2] While therapeutic avenues offering symptom alleviation and life expectancy extension exist, the sobering reality remains that brain tumours frequently culminate in the patient's eventual demise. The intricate nature of brain tumours not only intersects with the challenges inherent in other forms of cancer but also introduces distinctive hurdles specific to the realm of neuro-oncology. The impending challenge, therefore, beckons us to explore these unique aspects more comprehensively.[3]

Palliative care, characterized by a multidisciplinary coalition of medical practitioners, nurses, social workers, and allied healthcare professionals, operates in synergy with the patient's core healthcare team to provide an additional layer of holistic support. Patients traversing the trajectory of progressive brain tumours encounter an array of symptoms, encompassing mobility difficulties, cognitive shifts, personality alterations, motor function impairments, seizures, and episodes of delirium. 3 The intensity and manifestation of these symptoms are entwined with factors such as the tumour's anatomical dimensions, location, developmental course, and associated cerebral oedema. Of particular note, high-grade gliomas (HGG) engender a constellation of physical, cognitive, and generalized cancer-related symptoms, underscoring the paramount need for intensified palliative and supportive measures for both patients and their families. The seamless integration of these interventions into the anticipated disease trajectory of HGG, within the backdrop of established healthcare frameworks, emerges as an imperative mandate.[4]

Key Strategies for Enhancing Quality of Life in Neuro-Oncology Palliative Care.

Neuro-oncology, specifically brain tumours, presents a complex landscape where palliative care interventions play a pivotal role in enhancing the quality of life for patients and their families. This comprehensive exploration elucidated key themes and interventions for optimizing care delivery and addressing the unique challenges posed by neuro-oncological conditions. The thematic analysis revealed several key themes that included:

- **Alleviating Pain and Enhancing Quality of Life:** Effective symptom management formsthe cornerstone of palliative care for neuro-oncology patients. Among the prominent symptoms, headaches emerge as a significant concern, affecting over 70% of brain tumour patients. Differentiating the underlying causes of headaches is crucial for tailoring appropriate

interventions. Corticosteroids prove effective in relieving headaches linked to oedema, while tension-type or migraine headaches necessitate specific strategies such as nonsteroidal anti-inflammatory drugs or prophylactic medications.[2,5,6] Fatigue, a prevalent symptom affecting up to 70% of patients, stems from a variety of sources, including the disease itself, treatments, and neurological impairments. Addressing fatigue through strategies like aerobic exercise and addressing underlying causes can significantly enhance patients' well-being.[2] Depression poses another challenge, impacting up to 20% of patients, particularly those with functional impairment or a history of depression. Psychotherapeutic and pharmacological interventions show promise in addressing this symptom, emphasizing the importance of early recognition and support.[2,7,8,9]

- **Cognitive Impairment: Navigating Challenges and Providing Support:** Cognitive impairment presents a significant hurdle for individuals affected by brain cancer, affecting both patients and survivors. The complexities of this condition necessitate tailored interventions, ranging from medications to specialized therapies offered by speech therapists, occupational therapists, and neuropsychologists. Acknowledging the impact of cognitive impairment on goals-of-care discussions, quality of life, disability, and caregiver burden underscores the importance of targeted interventions.[10-13]
- **Psychosocial Support: Nurturing Emotional Well-Being:** Psychosocial support holds a pivotal role in addressing emotional distress, providing coping strategies, and implementing interventions that enhance the psychological well-being of neuro-oncology patients and their families. Emotional distress, stemming from the challenges of living with a brain tumour diagnosis, underscores the need for empathetic environments and psychosocial interventions such as counselling, psychotherapy, and support groups. Coping strategies empower patients and families to manage the emotional stress tied to neuro-oncological diagnoses. Techniques like relaxation, mindfulness-based interventions, stress management, and problem-solving skills training equip individuals with tools to navigate emotional and practical aspects of their journey. A diverse range of psychosocial interventions encompass information provision, self-care guidance, decision-making support, and communication facilitation. Integrating complementary therapies like art therapy and music therapy further enrich emotional expression and support for patients and caregivers.[5,10,11]
- **Communication and Decision-Making: Empowering Patient Preferences:** Facilitating informed decision-making and advance care planning play pivotal roles in neuro-oncology palliative care. Advance care planning ensures patients' wishes are known and respected, even if they cannot communicate them later. Addressing this aspect earlier in the disease trajectory enables patients to actively participate in shaping their care preferences. [5,10,11]
- **Caregiver Burden: Recognizing and Supporting Caregivers:** Supporting caregivers through respite care, emotional aid, and addressing psychosocial impacts is a fundamental aspect of palliative care for neuro-oncology patients. Caregivers shoulder demanding responsibilities that include practical tasks, advocating for patients, and managing emotional tolls. Addressing the unique challenges caregivers face through tailored support, such as individual counselling, family therapy, or caregiver support groups, can significantly alleviate their burden and enhance both their well-being and the patient's quality of care.[5,10,14,15,16]
- **End-of-Life Care: Ensuring Dignity and Quality of Life** The terminal phase of neuro-oncological illnesses calls for specialized interventions to ensure dignity and quality of life. Initiating palliative care and hospice discussions earlier in the disease trajectory is essential, enabling patients to participate in end-of-life decisions. Advance care planning is a crucial component, associated with

lower readmission rates and decreased intensive care utilization.[17-21]

The Holistic Approach of Palliative Care in Neuro-Oncology

The holistic approach of palliative care in neuro-oncology encompasses a multifaceted landscape of symptom management, psychosocial support, effective communication, and end-of-life care. This comprehensive strategy profoundly impacts the lives of neuro-oncology patients and their families. Symptom management, addressing issues like pain and fatigue, significantly enhances patients' well-being. Psychosocial support, including counselling and support groups, provides critical emotional aid during their journey. Effective communication and advance care planning ensure patients' preferences are respected, enhancing their sense of control and dignity. Numerous studies and clinical experiences attest to the transformative power of a comprehensive palliative care approach.[7] Integrating current knowledge into clinical practice is vital, but it's essential to acknowledge that our understanding of neuro-oncology palliative care is still evolving, prompting the need for ongoing research efforts. Our vision for the future is one where compassionate, personalized care marks every patient's journey. Through a fusion of knowledge and research, we aspire to create a well-trodden path that not only improves care for neuro-oncology patients but also serves as a guiding light for compassionate healthcare in its truest form, fostering a future where compassionate care prevails.

Advancing Palliative Care in Neuro-Oncology: Integrating Research and Practice

Palliative care interventions directed towards neuro-oncology patients intricately navigate the multifaceted intricacies of symptomatology, emotional well-being, shared decision-making, and the provision of support to caregivers. This comprehensive approach, firmly grounded in established knowledge and pragmatic recommendations, serves as a guiding framework for healthcare practitioners.

As caregivers grow less tolerant and optimistic about recovery, professional support tends to dwindle for many reasons, which in turn yields a less optimal patient outcome. Studies have shown that the participation of a multidisciplinary team, including psychologists, neuropsychologists, social workers, and counsellors, in neuro-oncology care is essential to provide comprehensive and effective support for patients. Neuropsychological testing is also recommended in palliative care for neuro-oncology patients to assess disability and establish baseline cognitive functioning for future interventions. Furthermore, healthcare practitioners in the field of palliative care for neuro-oncology patients are increasingly recognizing the need for psychological and supportive care interventions to improve overall quality of life, patient and family satisfaction, healthcare costs, and even survival.[26] It is crucial for healthcare practitioners to receive further training in palliative care as part of their residency program in order to provide comprehensive support to neuro-oncology patients. Moreover, early integration of palliative care principles into the care of neuro-oncology patients has been advocated by leaders in the field[27]. As we reflect on the known practices and emerging gaps within this field, it becomes abundantly clear that the path forward is illuminated by both the expertise we possess and the uncharted territories that await exploration.

Unexplored Territories: Future Directions in Research for Palliative Care in Neuro-Oncology

While the existing knowledge underscores the significance of palliative care interventions for neuro-oncology patients, there is ample room for further research. Investigating the effectiveness of specific interventions, their impact on patient outcomes, and the efficacy of different strategies in addressing unique challenges is imperative. The multidisciplinary nature of neuro-oncology palliative care necessitates collaboration among healthcare providers, researchers, and stakeholders to continue innovating and improving patient care. The present review illuminated several gaps in the existing literature, presenting avenues for future research. Firstly, while interventions were explored, there was a notable lack of rigorous evaluation of their effectiveness on patient outcomes. Future research endeavours should focus on systematically assessing the impact of specific interventions on symptom management, psychosocial well-being, and overall quality of

life. Additionally, understanding the optimal timing for advance care planning interventions and their impact on patient care trajectories remains an underexplored area that warrants further investigation. The unique challenges posed by high-grade gliomas and their impact on caregivers call for in-depth exploration to develop tailored interventions to address their distinct needs. Furthermore, the integration of palliative care into the broader healthcare landscape requires further investigation, specifically in terms of how to seamlessly coordinate care, facilitate early engagement, and ensure equitable access to palliative care services for all patients.[28-30]

Scope and Opportunities: The Significance of Caregiver Support and End-of-Life Care

Within the realm of neuro-oncology, particularly for patients grappling with high-grade primary malignant glioma (PMG), the burden carried by individuals and their caregivers resonates deeply. The multifaceted challenges arising from the physical, cognitive, and behavioural transformations in these patients necessitate intensive caregiving. In navigating the complexities of end-of-life care, an aspect that has at times remained in the shadows of healthcare discourse, caregivers face extraordinary challenges. The intricate nature of prognostication in brain tumour patients introduces an element of uncertainty, where individuals may traverse extended periods of complete dependence, defying conventional timelines. In this context, the significance of supportive and palliative care services emerges as paramount, serving as a cornerstone for addressing the distinct needs of caregivers thrust into this demanding role. Recognizing these exigencies, our present review illuminates the pivotal role of palliative care interventions and strategies meticulously tailored to the landscape of neuro-oncology, with a particular focus on caregivers and end-of-life care.

CONCLUSION

In conclusion, this comprehensive review sheds light on the current state of palliative care interventions for neuro-oncology patients. It underscores the need for a multidisciplinary approach, early integration of palliative care, and individualized strategies to enhance the quality of life for these patients and their families. Future research endeavours should focus on evaluating interventions, addressing gaps in knowledge, and optimizing the delivery of palliative care in the context of neuro-oncology. The insights gained from this review will undoubtedly guide healthcare professionals, researchers, and policymakers. Central to this endeavour is the commitment to confront the unparalleled challenges faced by neuro-oncology patients, ultimately striving to elevate the quality of palliative care. This ambitious undertaking pivots around the premise that, by addressing the unique intricacies of neuro-oncology, it nurtures an environment where dignity, compassion, and support thrive throughout the entire care journey. In this regard, we envision a future where the burdens borne by patients and caregivers alike are lightened through a deepened understanding of their unique needs and the development of targeted interventions.

Conflicts of Interest of each author/ contributor: NIL

Source of support: NIL

REFERENCES

1. Ostrom QT, Gittleman H, Liao P, et al. CBTRUS Statistical Report: Primary brain and other central nervous system tumors diagnosed in the United States in 2010-2014. Neuro Oncol. 2017;19(suppl_5): v1-v88. https://doi.org/10.1093/neuonc/nox158.
2. Wen PY, Kesari S. Malignant gliomas in adults. N Engl J Med. 2008;359(5): 492-507. https://doi.org/10.1056/NEJMra0708126.
3. Armstrong T, Cohen MZ, Hess KR, et al. Complementary and alternative medicine use and quality of life in patients with primary brain tumors. J Pain Symptom Manage. 2006;32(2): 148-154. https://doi.org/10.1016/j.jpainsymman.2006.02.015.
4. Paraskevi T. Quality of life outcomes in patients with breast cancer. Oncol Rev. 2012;6(1): e2. https://doi.org/10.4081/oncol.2012.e2.
5. Bennett SR, Cruickshank G, Lindenmeyer A, Morris SR. Investigating the impact of headaches on the quality of life of patients with glioblastoma multiforme: a qualitative study. BMJ Open. 2016;6(11): e011616. https://doi.org/10.1136/bmjopen-2016-011616.
6. Siegel C, Armstrong TS. Nursing Guide to Management of Major Symptoms in Patients with Malignant Glioma. Semin Oncol Nurs. 2018;34(5): 513-527. https://doi.org/10.1016/j.soncn.2018.10.014.

7. Bhanja D, Ba D, Tuohy K, et al. Association of Low-Grade Glioma Diagnosis and Management Approach with Mental Health Disorders: A MarketScan Analysis 2005-2014. Cancers (Basel). 2022;14(6): 1376. https://doi.org/10.3390/cancers14061376.
8. Breivik H, Cherny N, Collett B, et al. Cancer-related pain: a pan-European survey of prevalence, treatment, and patient attitudes. Ann Oncol. 2009;20(8): 1420-1433. https://doi.org/10.1093/annonc/mdp001.
9. Pendergrass JC, Targum SD, Harrison JE. Cognitive Impairment Associated with Cancer: A Brief Review. Innov Clin Neurosci. 2018;15(1-2): 36-44.
10. Giammalva GR, Iacopino DG, Azzarello G, et al. End-of-Life Care in High-Grade Glioma Patients. The Palliative and Supportive Perspective. Brain Sci. 2018;8(7): 125. https://doi.org/10.3390/brainsci8070125.
11. Khan F, Amatya B, Ng L, Drummond K, Galea M. Multidisciplinary rehabilitation after primary brain tumour treatment. Cochrane Database Syst Rev. 2015;2015(8): CD009509. https://doi.org/10.1002/14651858.CD009509.pub3.
12. Rapp SR, Case LD, Peiffer A, et al. Donepezil for Irradiated Brain Tumor Survivors: A Phase III Randomized Placebo-Controlled Clinical Trial. J Clin Oncol. 2015;33(15): 1653-1659. https://doi.org/10.1200/JCO.2014.58.4508.
13. Vecht CJ, Wagner GL, Wilms EB. Interactions between antiepileptic and chemotherapeutic drugs. Lancet Neurol. 2003;2(7): 404-409. https://doi.org/10.1016/s1474-4422(03)00435-6.
14. Page MS, Chang SM. Creating a caregiver program in neuro-oncology. Neurooncol Pract. 2017;4(2): 116-122. https://doi.org/10.1093/nop/npw019.
15. Philip J, Collins A, Brand CA, et al. Health care professionals' perspectives of living and dying with primary malignant glioma: Implications for a unique cancer trajectory. Palliat Support Care. 2015;13(6): 1519-1527. https://doi.org/10.1017/S1478951513000576.
16. Sudore RL, Lum HD, You JJ, et al. Defining Advance Care Planning for Adults: A Consensus Definition From a Multidisciplinary Delphi Panel. J Pain Symptom Manage. 2017;53(5): 821-832 e821. https://doi.org/10.1016/j.jpainsymman.2016.12.331.
17. Diamond EL, Russell D, Kryza-Lacombe M, et al. Rates and risks for late referral to hospice in patients with primary malignant brain tumors. Neuro Oncol. 2016;18(1): 78-86. https://doi.org/10.1093/neuonc/nov156.
18. Fritz L, Dirven L, Reijneveld JC, et al. Advance Care Planning in Glioblastoma Patients. Cancers (Basel). 2016;8(11): 102. https://doi.org/10.3390/cancers8110102.
19. Lichtenthal WG, Breitbart W. The central role of meaning in adjustment to the loss of a child to cancer: implications for the development of meaning-centered grief therapy. Curr Opin Support Palliat Care. 2015;9(1): 46-51. https://doi.org/10.1097/SPC.0000000000000117.
20. Song K, Amatya B, Voutier C, Khan F. Advance Care Planning in Patients with Primary Malignant Brain Tumors: A Systematic Review. Front Oncol. 2016;6: 223. https://doi.org/10.3389/fonc.2016.00223.
21. Walbert T, Pace A. End-of-life care in patients with primary malignant brain tumors: early is better. Neuro Oncol. 2016;18(1): 7-8. https://doi.org/10.1093/neuonc/nov241.
22. Wong CY, Hui EP, Leung S, et al. Palliative care and end-of-life care in adults with malignant brain tumors. Neuro Oncol. 2023;25(4):619-633.
23. Rhee J, Soliman H, Vecht CJ, et al. Palliative care in neuro-oncology: an update. Ann Neurol. 2023;93(1):15-26.
24. Graber JJ, Soliman H. Palliative care in neuro-oncology. Ann Palliat Med. 2021;10(1):836-837.
25. Ellor V, Susan, et al. Glioblastoma: Background, Standard Treatment Paradigms, and Supportive Care Considerations. 1 Jan. 2014, https://scite.ai/reports/10.1111/jlme.12133.
26. Ownsworth, Tamara, et al. Editorial: Psychosocial Advances in Neuro-Oncology. 27 Oct. 2015, https://scite.ai/reports/10.3389/fonc.2015.00243
27. Kaye C, Erica, et al. Management of diffuse intrinsic pontine glioma in children: current and future strategies for improving prognosis. 1 Nov. 2014, https://scite.ai/reports/10.2217/cns.14.47.
28. Collins A, Sundararajan V, Brand CA, et al. Clinical presentation and patterns of care for short-term survivors of malignant glioma. J Neurooncol. 2014;119(2): 333-341. https://doi.org/10.1007/s11060-014-1483-5.

29. Moore G, Collins A, Brand C, et al. Palliative and supportive care needs of patients with high-grade glioma and their carers: a systematic review of qualitative literature. Patient Educ Couns. 2013;91(2): 141-153. https://doi.org/10.1016/j.pec.2012.11.002.

30. Philip J, Collins A, Brand CA, et al. "I'm just waiting...": an exploration of the experience of living and dying with primary malignant glioma. Support Care Cancer. 2014;22(2): 389-397. https://doi.org/10.1007/s00520-013-1986-1.