Development of a Food Frequency Questionnaire to Assess Dietary Intake for the Residents of the Northern Region of India

Shirley Telles*, Abhishek K. Bhardwaj**, Ram K. Gupta***, Ankur Kumar****, Acharya Balkrishna*****

Abstract

Background: Food frequency questionnaires (FFQ) are the most common dietary assessment tools across the world to evaluate the long-term customary dietary intake in a population. FFQ developed in India lack easy scoring standardized methods, correlating commonly used measures (e.g., a bowl) with the amount of nutrients in them. Objective: The objective of this study was to develop a quantitative, interviewer-administered, easily scored food frequency questionnaire (FFQ) to assess the nutrient intake of individuals in northern India except the north-east and upper most part of the northern region. Methods: The present FFQ was developed with a simplified scoring method specifically for use in the north Indian population. The nutrient value of the food items was calculated using standard food conversion tables for ingredients mentioned in the guidelines provided by the National Institute of Nutrition, Hyderabad, India. Conclusion: This study presents the development of a FFQ and the related nutrient composition for north Indian populations.

Keywords: Food Frequency Questionnaire; Dietary Intake; North India.

Introduction

Food frequency questionnaires (FFQs) are the most common dietary assessment tools used in epidemiological studies across the world to evaluate the long-term customary food intake in a population because they are relatively simple in construct and easy to administer [1, 2].

There has been an increase in the prevalence of obesity, type 2 diabetes, hypertension and cardiovascular disease in India [3,4,5,6] and it is widely recognized that an unhealthy diet is a major risk factor for many chronic non-communicable diseases [7]. Modifying the diet has an important role in the primary prevention of such diseases [8]. In epidemiological studies, when assessing the relationship between diet and disease, an accurate

Author's Affiliation: *Director of Research, **Scientist C ***Scientist B, ****Yoga Teacher ,*****Chairman, Patanjali Research Foundation, Patanjali Yogpeeth, Phase 1, Haridwar - 249405, Uttarakhand, India.

Reprint's Request: Shirley Telles, Director of Research, Patanjali Research Foundation, Patanjali Yogpeeth, Phase 1, Haridwar - 249405, Uttarakhand, India.

E-mail: shirleytelles@gmail.com researchfoundation@divyayoga.com

assessment of the dietary intake is essential. A tool that has been used extensively in epidemiological research to assess diet-disease relationships is the food frequency questionnaire (FFQ) [9].

National dietary surveys provide valuable information about dietary habits and the nutritional status [2]. Accurate assessment of the diet of any population is important for policy-making and planning regarding food, nutrition, health promotion and disease prevention activities for any country or a specific part of that country [9]. However, it is difficult to assess the dietary habits of a region because of variation in individual food preferences and availability, socio-economic factors, cultural considerations and knowledge about nutrition [10]. A number of reference methods such as multiple-day diet recall, food record and diet history have been employed for dietary assessment [11]. Diaries are not suitable all over India because the level of literacy varies. A FFQ was considered the most suitable method to use for a mixed population [12].

India is a land of varied foods and food habits. Packaging of food items with definite portion sizes is not a common practice in India and labels on food products are not always informative [9]. In India, wide variations in dietary habits make it necessary to use a separate FFQ validated for each region [9,13].

The Food Safety and Standards Authority of India (FSSAI) has been established under the Food Safety and Standards Act, 2006 which consolidates various acts and orders that have hitherto handled food related issues in various Ministries and Departments [www.fssai.gov.in]. FSSAI has been created for laying down science based standards for articles of food and to regulate their manufacture, storage, distribution, sale and import to ensure availability of safe and wholesome food for human consumption.

FFQs had been developed for specific regions of India [14-18], but to the best of our knowledge, no FFQ had been devised with a simplified scoring method specifically for use in the north Indian population. To evaluate the usual dietary intake of a population to be studied, the food items included in the FFQ should reflect the food consumption of the population [19].

A deficiency of most FFQ is that common measures (e.g., a cup or bowl) are not standardized and correlated with quantities (e.g., 100 g) given in standard manuals.

Keeping these points in mind, a FFQ consisting of 98 food items was developed for the north Indian population. The aim was to develop a quantitative, interviewer-administered, easily scored food frequency questionnaire to assess nutrient intakes of individuals in northern India except the north east and upper most part of the northern region. This questionnaire is intended to be easily filled in by a lay person. It has a scoring key developed with specific inputs (such as manuals of the National Institute of Nutrition, Hyderabad, India [www.ninindia.org].

Materials and Methods

Development of the FFQ

The development of the present FFQ is based on the list of foods mentioned in a FFQ [15]. In the original FFQ (15), there were a total of 92 items while the present food list contains 98 items commonly eaten by the majority of north Indians including most of the food items consumed in the target areas which are mentioned in Table 1. While developing the present FFQ fifteen items have been removed from the original FFQ [15], and twenty-one new items have been added. The reference period for the present FFQ is over the preceding/ past month on any typical day (excluding fasting, festivals and other 'special' days) while the reference period for the earlier FFQ was over the past year.

Categorizing the Items

The present food list has 17 categories (mentioned in alphabetical order) with 98 items: Alcoholic beverages = 2, Chutneys = 3, Fried snacks (all types) = 9, Fruits = 17, Leafy vegetable preparations = 4, Liquids = 4, Milk and milk products = 7, Miscellaneous = 5, Non-vegetarian cooked food preparations = 3, Other vegetable cooked preparations = 10, Pickles = 6, Pulse preparations = 4, Rice preparations = 5, Roots and tubers preparations = 3, Vegetables eaten in the raw form = 7, Wheat preparations = 8 and Water.

Quantifying Common Measures

To obtain an estimate of portion sizes/ utensils, we have taken commonly used glasses, bowls, and spoons of three different sizes. In the original FFQ [15] quantities were numbers or a specific utensil such as a spoon, bowl, or glass. However spoons, bowls, and glasses are of different sizes. Hence we took the weight of three sizes of spoons, three sizes of bowls and three sizes of glasses and then took the average of them. The utensils used for this study were obtained from a cafeteria where more than 1000 people are served every day. This was done for each of the 98 items separately. The weight of the utensils ranged between 56.5 and 105 g for glasses; 66 and 100 g for bowls; and 14 and 20 g for spoons.

For all items listed as raw ingredients in the food list, the edible portion of each was weighed separately on a balance whose minimum capacity was 5 g. For any item the three weights were noted (depending on if it was mentioned as a glass or a spoon or a bowl). For example, for tea the weight for a small-sized glass, a middle-sized glass, and a large-sized glass was noted. Then the average was obtained as [small + medium + large] / 3. Hence the equivalent weights of all ingredients estimated as volumes or weights were obtained and, from this, the proportional weight of each raw ingredient in each preparation was derived. For items reported in numbers, the weight of the item was averaged, again from three samples. For fruits, equivalent weights were computed from three different sizes.

To calculate the scoring key the values were computed from the nutrient value in the nutrient database. For example if the measure was one bowl (the average weight of three sizes was noted in grams); if the nutrient database described the contents present in 100 g of the food item, this was derived by a simple calculation. In case of certain food items more than one nutrient database had to be referred to. For each food item the average portion size (in terms of number or utensil, that is bowl, spoon or glass) are mentioned in Table 2.

 Table 1: Sample of the Food Frequency Questionnaire

Name: ______ Gender: _____ Age: ______ Over the past month, on a typical day (excluding fasting, festivals etc.), how often have you eaten [specific food item] and what was the average portion size that you consumed [prompting from models and standard portion sizes]?

S. no.	Item	Unit	Amount eaten in a day
1	Liquid Tea with milk	Glass	
2	Coffee with milk	Glass	
3			
	Lime water with sugar Butter Milk	Glass	
4	Baked/fried wheat/grain bread	Glass	
5		No.	
6	Chapati Parantha	No. No.	
7		No.	
8	Stuff parantha Puri	No.	
9	Bread	No.	
10	Sandwich	No.	
11	Daliya with milk	Bowl	
12	Sweet biscuit	No.	
12	Rice preparations	140.	
13	Khichadi	Bowl	
14	Rice plain	Bowl	
15	Idli	No.	
16	Dhosa	No.	
17	Pulaw	Bowl	
17		DOWI	
18	Pulse preparations Black Gram dal	Bowl	
19	Chana dal	Bowl	
20	Masoor dal	Bowl	
21	Green Gram dal	Bowl	
21	Leafy vegetable preparations	DOWI	
22		Bowl	
23	Fenugreek leaves Tanjalia bhaji	Bowl	
24	Spinach	Bowl	
25	Cabbage	Bowl	
23	Roots and tubers preparations	DOWI	
26	Elephant Yam	Bowl	
27	Potato	Bowl	
28	Sweet potato		
26		No.	
20	Other vegetable preparations Tomato	Parul	
29 30	Parval	Bowl Bowl	
31 32	Pink beans	Bowl Bowl	
33	Brinjal		
	Bottle gourd	Bowl	
34 35	Kovai	Bowl	
	Cluster bean	Bowl	
36	Ladies finger	Bowl	
37	Cauliflower	Bowl	
38	Drumstick	Bowl	
20	Vegetables eaten in raw form	D 1	
39	Mixed Salad	Bowl	
40	Onion	No.	
41	Carrot	No.	
42	Cabbage	No.	
43	Chillies	No.	
44	Radish	No.	
45	Cucumber	No.	
4.0	Non-Veg. food preparations	p. 1	
46	Meat curry (mutton)	Bowl	
47	Fish	Bowl	
48	Eggs	No.	
	Chutnies		
49	Coriander	Spoon	
50	Garlic	Spoon	
51	Mint	Spoon	

	Pickles		
52	Bitter gourd	Spoon	
53	Mango sweet	Spoon	
54	Mango hot	Spoon	
55	Carrot	Spoon	
56	Amla	Spoon	
57	Chilli	Spoon	
	Milk and milk products	•	
58	Milk	Glass	
59	Curd	Bowl	
60	Ghee	Spoon	
61	Butter	Spoon	
62	Cottage cheese/ Paneer	Bowl	
63	Kadhi	Bowl	
64	Sweet Kadhi	Bowl	
	Miscellaneous		
65	Moramba	Spoon	
66	Jaggery	No.	
67	Ganthia	Bowl	
68	Chivda	Bowl	
69	Bhajia	Bowl	
	Fried snacks (all types)		
70	Papad	No.	
71	Laddu	No.	
72	Barfi	No.	
73	Halwa	Bowl	
74	Kheer	Bowl	
75	Dhokla	No.	
76	Kachodi	No.	
77	Groundnut	Bowl	
78	Poha	Bowl	
	Fruits		
79	Apple	No.	
80	Banana	No.	
81	Guava	No.	
82	Custard apple	No.	
83	Orange	No.	
84	Grapes	No.	
85	Pomegranate	No.	
86	Mango	No.	
87	Dates	No.	
88	Sapota	No.	
89	Zizyphus/ Jujube	No.	
90	Papaya	No.	
91	Sugarcane	No.	
92	Pineapple	No.	
93	Tender coconut	No.	
94	Sweet lemon	No.	
95	Jamun	No.	
	Alcohol consumption		
96	Beer	Glass	
97	Whisky	Glass	
_	Water		
98	Amount of water	Glass	

Converting Common Measures to Standard Measures

Raw ingredients for each item were weighed, and volume to weight conversions measured for the cooked food item. The nutrient value of the food item was calculated using standard food conversion tables for the ingredients mentioned in the guidelines provided by the NIN, Hyderabad, India and ICMR [20, 21, 22]. In conventional compilations of the NIN, Hyderabad the nutrients are mentioned for 100 g. If

the average obtained (small + medium + large /3) was (for example) 220 g then with 100 g as the reference, the scoring key was developed. Where the nutrient composition was not available in these books, data from different websites were used [23-44].

Method of Administration

As the population has varied levels of literacy, the

Table 2: Average weight and nutritive values of the food items as a scoring key

S. no.	Items	Amount	Average weight (g)	Energy (Kcal)	Protein (g)	Fat (g)	Carbohydrate (g)	Calcium (mg)	Phosphorus (mg)	Iron (mg)
-	Liquid									
1	Tea with milk	1 Glass	115.84	9.27	0.46	0.46	0.58	0	0	0
2	Coffee with milk	1 Glass	188	9.27	0.46	0.46	0.58	0	0	0
3	Lime water with sugar	1 Glass	253.67	65.95	0.99	0.00	22.58	0	0	0
4	Butter Milk Baked/fried wheat/grain bread	1 Glass	265.67	39.85	2.13	2.92	1.33	79.70	79.70	0.27
5	Chapati	1 No.	42.33	85.00	3.00	0.45	17.50	12.00	105.50	2.85
6	Parantha	1 No.	44.5	109.47	2.40	4.76	14.51	17.80	65.42	1.38
7	Stuff parantha	1 No.	90	213.00	4.80	6.90	35.00	31.50	166.00	4.50
8	Puri	1 No.	32.33	103.46	2.63	3.62	15.09	10.43	96.13	2.50
9	Bread	1 No.	18.67	51.34	1.51	0.88	9.34	4.85	40.51	0.90
10	Sandwich	1 No.	32.5	97	1.6	7.05	7	7.15	21	0.25
11	Daliya with milk	1 Bowl	145	211	4.2	7.4	32	115.2	119	0.9
12	Sweet biscuit Rice preparations	1 No.	18.75	67.15	2.15	0.4	12.85	0	0	0
13	Khichadi	1 Bowl	290	864.2	11.31	41.76	115.42	69.6	211.7	2.9
14	Rice plain	1 Bowl	148.5	513.81	9.50	0.59	117.32	13.37	212.36	1.49
15	Idli	1 No.	50	149.5	2.9	9.4	13.4	42	80	1.4
16	Dhosa	1 No.	227.33	818.39	14.32	46.83	84.57	75.02	304.62	6.59
17	Pulaw	1 Bowl	150	179	4.75	5.15	28.5	28.45	104.5	1.6
	Pulse preparations									
18	Black Gram dal	1 Bowl	209.67	727.55	50.32	2.94	124.96	322.89	807.23	7.97
19	Chana dal	1 Bowl	209.67	673.04	46.13	1.05	119.93	601.75	652.07	14.19
20	Masoor dal	1 Bowl	209.67	371.42	23.21	6.14	55.41	98.54	278.56	4.79
21	Green Gram dal Leafy vegetable preparations	1 Bowl	209.67	729.65	51.37	2.52	125.59	157.25	849.16	8.18
22	Fenugreek leaves	1 Bowl	219.67	107.64	9.67	1.98	13.18	867.70	112.03	4.24
23	Tanjalia bhaji	1 Bowl	219.67	98.85	8.79	1.10	13.40	872.09	182.33	7.67
24	Spinach	1 Bowl	219.67	57.11	4.39	1.54	6.37	160.36	46.13	2.50
25	Cabbage Roots and tubers	1 Bowl	223.33	60.30	4.02	0.22	10.27	87.10	98.27	1.79
	preparations	4.5. 1			4.0=				== 0.4	
26	Elephant Yam	1 Bowl	154	121.66	1.85	0.15	28.34	77.00	52.36	0.92
27 28	Potato Sweet potato Other vegetable preparations	1 Bowl 1 No.	200.67 130.67	194.65 156.80	3.21 1.57	0.20 0.39	45.35 36.85	20.07 60.11	80.27 65.34	0.96 0.27
29	Tomato	1 Bowl	120	118.59	2.96	4.80	15.53	53.08	163.76	1.84
30	Parval	1 Bowl	183.33	36.06	3.61	0.54	3.97	54.09	72.12	3.07
31	Pink beans	1 Bowl	188.67	83.01	5.85	0.75	13.21	101.88	132.07	2.83
32	Brinjal	1 Bowl	180	43.20	2.52	0.54	7.20	32.40	84.60	0.68
33	Bottle gourd	1 Bowl	185	22.20	0.37	0.19	4.63	37.00	18.50	0.85
34	Kovai	1 Bowl	183.33	33.00	2.20	0.18	5.68	73.33	55.00	0.70
35	Cluster bean	1 Bowl	188.67	30.19	6.04	0.75	20.38	245.27	107.54	2.04
36	Ladies finger	1 Bowl	151.67	53.08	2.88	0.30	9.71	100.10	84.94	0.53
37 38	Cauliflower Drumstick Vegetables eaten	1 Bowl 1 Bowl	223.33 188.67	107.20 49.05	10.05 4.72	0.22 0.19	16.08 6.98	111.67 56.60	142.93 207.54	3.13 0.34
	in raw form									
39	Mixed Salad	1 Bowl	100	17.00	1.52	0.24	3.20	0	0	0
40	Onion	1 No.	54.67	27.34	0.66	0.05	6.07	25.64	27.34	0.33
41	Carrot	1 No.	79.67	22.31	0.48	0.24	4.54	0	0	0
42	Cabbage	1 No.	545	147.15	9.81	0.55	25.07	212.55	239.80	4.36
43	Chillies	1 No.	3	0.87	0.09	0.02	0.09	0.90	2.40	0.13
44	Radish	1 No.	153.33	26.07	1.07	0.15	5.21	53.67	33.73	0.61
45	Cucumber Non-Veg. food	1 No.	150.67	19.59	0.60	0.15	3.77	15.07	37.67	0.90
46	preparations Meat curry (mutton)	1 Bowl	230.67	272.19	49.36	8.30	0.00	27.68	445.19	0.00
47	Fish	1 Bowl	128	164.07	20.48	2.91	13.96	205.85	283.93	9.77
48	Eggs Chutnies	1 No.	54.67	94.58	7.27	7.27	0.00	32.80	120.27	1.15

Indian Journal of Ancient Medicine and Yoga / Volume 9 Number 4 / October - December 2016

			the F	Residents of	the North	ern Region	of India			
49	Coriander	1 Spoon	20	47.00	0.60	4.20	1.70	6.00	27.00	0.60
50	Garlic	1 Spoon	23	33.35	1.45	0.02	6.85	6.90	71.30	0.28
51	Mint	1 Spoon	18	7	0.3	0	1.5	11.4	8	0.6
	Pickles									
52	Bitter gourd	1 Spoon	13	14.22	0.23	0.91	1.26	0	0	0
53	Mango sweet	1 Spoon	13.67	21.46	0.25	1.61	1.50	0	0	0
54	Mango hot	1 Spoon	13.67	35.54	0.40	2.99	1.04	0	0	0
55	Carrot	1 Spoon	15	23.55	0.27	1.77	1.65	0	0	0
56 57	Amla	1 Spoon	18.17	20.85	0.51	1.27	1.82	0	0	0
57	Chilli Milk and milk	1 Spoon	4	4.37	0.16	0.28	0.29	0	0	0
	products									
58	Milk	1 Glass	266.67	312.00	11.47	17.33	13.33	560.01	346.67	0.53
59	Curd	1 Bowl	221.33	132.80	6.86	8.85	6.64	329.78	205.84	0.44
60	Ghee	1 Spoon	4.33	38.97	0	4.33	0	0	0	0
61	Butter	1 Spoon	16.67	121.52	0	13.50	0	0	0	0
62	Cottage cheese/	1 Bowl	196.67	684.41	47.40	49.36	12.39	1553.69	1022.68	4.13
	Paneer									
63	Kadhi	1 Bowl	186	186	5.39	9.49	27.9	0	0	0
64	Sweet Kadhi	1 Bowl	186	120.80	6.42	4.79	13.14	0	0	0
	Miscellaneous									
65	Moramba	1 Spoon	23	68.18	0.02	0.00	17.02	0	0	0
66	Jaggery	1 No.	73.33	280.85	0.29	0.07	69.66	58.66	29.33	1.94
67	Ganthia	1 Bowl	75.67	384.40	13.32	26.86	24.06	0	0	0
68	Chivda	1 Bowl	59.33	249.19	2.49	16.02	23.85	13.65	79.50	2.31
69	Bhajia	1 Bowl	76.33	480.88	3.82	38.17	30.53	0	0	0
	Fried snacks (all									
70	types) Papad	1 No.	20	74.2	5.20	0.66	12	28.6	77	1.56
71	Laddu	1 No.	45.67	178.11	2.57	10.80	18.74	0	0	0
72	Barfi	1 No.	60	405	7.6	25.4	35	23	124	3.3
73	Halwa	1 Bowl	207	666.54	4.55	32.91	86.94	8.49	99.36	2.28
74	Kheer	1 Bowl	223.33	314.90	9.16	10.05	47.12	178.66	218.86	2.23
75	Dhokla	1 No.	71.33	87.02	3.00	1.50	14.98	60.63	66.34	0.71
76	Kachodi	1 No.	143	715	10.58	50.77	53.91	50.05	117.26	2.43
77	Groundnut	1 Bowl	94.67	539.62	24.80	37.68	25.28	72.90	350.28	2.93
78	Poha	1 Bowl	100	198.67	2.47	8.73	27.33	22.13	96.00	5.13
	Fruits									
79	Apple	1 No.	206.67	121.94	0.41	1.03	27.69	20.67	28.93	1.36
80	Banana	1 No.	148	171.68	1.78	0.44	40.26	25.16	53.28	0.53
81	Guava	1 No.	105.33	53.72	0.95	0.32	11.80	10.53	29.49	0.28
82 83	Custard apple	1 No.	179.6	186.78	2.87	0.72	42.21	30.53	84.41	7.74
84	Orange	1 No.	190 7.16	91.20 5.08	1.33 0.04	0.38 0.02	20.71 1.18	49.40 1.43	38.00 2.15	0.61 0.04
85	Grapes Pomegranate	1 No. 1 No.	178.5	116.03	2.86	0.02	25.88	17.85	124.95	3.20
86	Mango	1 No.	257.33	190.42	1.54	1.03	43.49	36.03	41.17	3.35
87	Dates	1 No.	5.5	17.44	0.14	0.02	4.17	6.60	2.75	0.40
88	Sapota	1 No.	60	58.8	0.42	0.66	12.84	16.8	16.2	0.75
89	Zizyphus/ Jujubi	1 No.	12.67	9.38	0.10	0.04	2.15	0.51	1.14	0.06
90	Papaya	1 No.	810.33	259.31	4.86	0.81	58.34	137.76	105.34	4.05
91	Sugarcane	1 No.	907.33	3611.17	0.91	0.00	901.89	108.88	9.07	1.41
92	Pineapple	1 No.	998.33	459.23	3.99	1.00	107.82	199.67	89.85	24.16
93	Tender coconut	1 No.	875	3097.50	28.88	293.04	133.26	122.5	988.75	21.26
94	Sweet lemon	1 No.	127.17	54.68	1.02	0.38	11.83	50.87	38.15	0.89
95	Jamun	1 No.	4.83	2.99	0.03	0.01	0.68	0.72	0.72	0.06
	Alcohol									
06	consumption	1.01	274 5	117.07	1.0/	0	0.75	10.70	20.55	0.05
96 97	Beer	1 Glass 1 Glass	274.5 59.15	117.97	1.26 0	0	9.75	10.79 0	38.55 0	0.05 0
7/	Whisky Water	1 Glass	59.15	122.44	U	U	0	U	U	U
	TTUICI									

Abbreviations used:

No. = Number Kcal = Kilo calories g = Gram

mg = Milligram

questionnaire was designed to be interviewer-administered. From this FFQ, the mean nutrition derived from the intake of food items consumed by persons of north India can be determined. Here north India is taken to mean the six north Indian states of Punjab, Jammu & Kashmir, Delhi, Haryana, Himachal Pradesh, Uttarakhand and the Union Territory of Chandigarh. Four other states which are not formally part of North India, but which are traditionally, culturally and linguistically, seen to be so, are Rajasthan, Uttar Pradesh, Bihar and Madhya Pradesh [45]. These four states were included in considering the food items for this questionnaire.

The FFQ is very easy to administer. It can be administered to an individual or to a group of 5 to a maximum of 10 persons, to ensure the accuracy of the responses. The instructions are also easy to understand. For each food item on the FFQ, the average frequency of consumption over the past month (on any typical day excluding fasting, or festivals) and the normal portion size typically eaten by the respondent is ascertained. It has a detailed scoring key to measure nutritive values in terms of energy, protein, fat, carbohydrate and other micronutrients of each item. Hence the amount of energy, fat, carbohydrate, protein and other micronutrients in each food item can be calculated based on norms from the National Institute of Nutrition (NIN), Hyderabad, India and other sources [23-44].

Computation of Food and Nutrient Intakes

For any FFQ it is essential to have food composition values to convert information from an FFQ into macronutrient and micronutrient values. Developing a food composition database is very expensive due to costs of chemical analysis for many foods and many nutrients. Therefore we compiled information from the guidelines provided by the NIN, Hyderabad, India [20,21,22] and from different websites [23-44] to develop a comprehensive and new nutrient composition database mentioned in Table 2.

Limitations

A limiting factor is that the FFQ is limited to a specific part of India and even then may not be entirely comprehensive. A detailed survey of foods consumed in each region would be essential for a comprehensive FFQ.

Conclusion

This study presents the development of a FFQ and the related nutrient composition database for a north Indian population. The present form of the FFQ is like a bridge between the earlier version of the FFQ [15] and the guidelines provided by the National Institute of Nutrition, Hyderabad, India.

References

- 1. Boeing H, Wahrendorf J, Heinemann L, Kulesza W, Rywik SL, Sznajd JA et al. Results from a comparative dietary assessment in Europe: Comparison of dietary information from concurrently applied frequency questionnaires and qualitative measurement instrument. Eur J Clin Nutr 1989; 43:361-377.
- Jayawardena R, Swaminathan S, Byrne NM, Soares MJ, Katulanda P, Hills AP. Development of a food frequency questionnaire for Sri Lankan adults. Nutr J 2012; 11:63.
- Ahuja MMS. Epidemiological studies on diabetes mellitus in India. In: Ahuja MMS ed. Epidemiology of diabetes mellitus in developing countries. New Delhi: Interprint, 1979.p.29-38.
- Ramachandran A, Snehalatha C, Latha E, Vijay V, Viswanathan M. Rising prevalence of NIDDM in an urban population in India. *Diabetologia* 1997; 40: 232-237.
- Ramachandran A, Snehalatha C, Kapur A, Vijay V, Mohan V, Das AK et al. High prevalence of diabetes and impaired glucose tolerance in India: National Urban Diabetes Survey. *Diabetologia* 2001; 44: 1094-1101.
- 6. Reddy KS. Cardiovascular disease in non-western countries. *N Engl J Med* 2004; 350:2438-2440.
- Somatunga LC. NCD Risk factor survey in Sri Lanka (STEP Survey). Geneva: World Health Organisation; 2004 www.who.int/chp/steps/ SriLankaSTEPS Report2003.pdf [Accessed April 2014].
- 8. Rastogi T, Reddy KS, Vaz M, Spiegelman D, Prabhakaran D, Willett WC et al. Diet and risk of ischemic heart disease in India. *Am J Clin Nutr* 2004; 79:582-592.
- Singhal S, Goyle A, Gupta R. Quantitative food frequency questionnaire and assessment of dietary intake. Natl Med J India 1998; 11:268-275.
- 10. Stamler J. Assessing diets to improve world health: nutritional research on disease causation in populations. *Am J Clin Nutr* 1994; 59:146S.
- 11. Block G. A review of validations of dietary assessment methods. *Am J Epidemiol* 1982; 115:492-505.
- Bowen L, Bharathi AV, Kinra S, Destavola B, Ness A, Ebrahim S. Development and evaluation of a semiquantitative food frequency questionnaire for use in urban and rural India. Asia Pac J Clin Nutr 2012; 21: 355-360.
- 13. Gupta PC, Hebert JR. Quantitative food frequency

- questionnaires-applicability in India. *Natl Med J India* 1999; 12:138-139.
- 14. Hebert JR, Gupta PC, Bhonsle RB, Murti PR, Mehta H, Verghese F et al. Development and testing of a quantitative food frequency questionnaire for use in Kerala, India. *Public Health Nutr* 1998; 1:123-130.
- 15. Hebert JR, Gupta PC, Bhonsle RB, Sinor PN, Mehta H, Mehta FS. Development and testing of a quantitative food frequency questionnaire for use in Gujarat, India. *Public Health Nutr* 1999; 2:39-50.
- Pandey D, Bhatia V, Boddula R, Singh HK, Bhatia E. Validation and reproducibility of a food frequency questionnaire to assess energy and fat intake in affluent north Indians. *Natl Med J India* 2005; 18:230-235.
- Sudha V, Radhika G, Sathya RM, Ganesan A, Mohan V. Reproducibility and validity of an intervieweradministered semi-quantitative food frequency questionnaire to assess dietary intake of urban adults in southern India. *Int I Food Sci Nutr* 2006; 57:481-493.
- 18. Bharathi AV, Kurpad AV, Thomas T, Yusuf S, Saraswathi G, Vaz M. Development of food frequency questionnaires and a nutrient database for the Prospective Urban and Rural Epidemiological (PURE) pilot study in South India: Methodological issues. Asia Pac J Clin Nutr 2008; 17:178-185.
- Nelson M. The validation of dietary questionnaire. In: Margetts BM, Nelson M, ed. Design concepts in nutritional epidemiology. New York: Oxford University Press, 1991; 266-297.
- Gopalan C, Rama Sastri BV, Balasubramanian SC. Nutritive value of Indian foods. Hyderabad, India: National Institute of Nutrition, ICMR; 2012.
- 21. Pasricha S, Rebello LM. *Some common Indian recipes and their nutritive value*. Hyderabad, India: National Institute of Nutrition, ICMR; 2011.
- 22. Pandey K. *Apne Aahar Ko Jane*. Hyderabad, India: National Institute of Nutrition, ICMR; 2012.
- Calories in Drinks. Assessed from http:// www.weightlossresources.co.uk/r/calories/calorie_counter/drinks.htm#tea, assessed on (12/08/2014).
- 24. The facts about your favorite beverages. Assessed from http://origin-www.pepsicobeveragefacts .com/Home/Product?formula=33877& form=RTD&size=20, assessed on (12/08/2014).
- How Many Calories in Weetabix. Assessed from http://www.weightlossresources.co.uk/calories-infood/breakfast-cereals/Weetabix.htm, assessed on (12/08/2014).
- 26. Fatsecret. Assessed from https://www.fatsecret.com/calories-nutrition/generic/mixed-salad-greens-raw?portionid=54934&portionamount=100.000, assessed on (12/08/2014).
- 27. How Many Calories in Raw Carrot. Assessed from http://www.weightlossresources.co.uk/calories-infood/salad/raw-carrot.htm, assessed on (12/08/2014).

- Pataks Hot Mango Pickle. Assessed from http:// www.tesco.com/groceries/Product/Details/ ?id=260805330, assessed on (12/08/2014).
- Waitrose pickle carrot. Assessed from http:// www.waitrose.com/shop/ProductView-10317-10001-74042 Waitrose+pickle+carrot, assessed on (12/ 08/2014).
- Tops. Assessed from: http://www.topsindia.com/ Products/Pickle_Amla.aspx, assessed on (12/08/ 2014).
- G. D. Foods Manufacturing India Private Limited, New Delhi. Assessed from http://www.indiamart. com/gd-foodsmanufacturing/pickles.html, assessed on (12/08/2014).
- 32. Nutrition Rank: Eat better. Assessed from http://www.nutritionrank.com/calories-dahi-besankadhi-545403, assessed on (12/08/2014).
- Indian Kadhi (Gujrati). Assessed from http:// www.fatsecret.com/Diary.aspx?pa=fjrd&rid= 1459152, assessed on (12/08/2014).
- 34. Tops. Assessed from http://www.topsindia.com/ Products/Jam_Mango.aspx, assessed on (12/08/2014).
- Neals Yard Whole foods Hot Bombay Mix Gathia. Assessed from http://www.hollandandbarrett.com/ shop/product/neals-yard-wholefoods-hot-bombaymix-gathia-60090994, assessed on (12/08/2014).
- 36. Aloo Bhujia. Assessed from http://www.fatsecret. co.in/calories-nutrition/lehar-namkeen/aloo-bhujia/100g, assessed on (12/08/2014).
- 37. Papad. Assessed from http://www.nutritionvalue.org/Papad_nutritional_value.html, assessed on (12/08/2014).
- 38. Ladoo Round Ball (Asian-Indian Dessert). Assessed from http://www.fatsecret.com/calories-nutrition/generic/ladoo-round-ball-asian-indian-dessert?portionid=55972&portionamount=100.000, assessed on (12/08/2014).
- 39. Protection for geographical indication "BÀ ĐEN" for custard-apple. Assessed from http://www.noip.gov.vn/noip/cms_en.nsf/vwDisplay ContentNews/F504390C4464C8F247 25791700516 A25?OpenDocument, assessed on (12/08/2014).
- 40. Power your diet. Assessed from: http://www.nutrition-and-you.com/coconut.html, assessed on (12/08/2014).
- Nirmala DB, Shenbagaveni G. Jamun: An Indigenous Fruit that Grows Across India. Facts for you. Assessed from http://www.ffymag.com/admin/issuepdf/31-33_Jamun_FFYJune14.pdf, assessed on (12/08/2014).
- 42. Lehman S. Beer, Health and Nutrition. Assessed from http://nutrition.about.com/od/hydrationwater/p/regbeer.htm, assessed on (12/08/2014).
- 43. How Many Calories in Whiskey. Assessed from http://www.weightlossresources.co.uk/calories-infood/alcoholic-drinks/Whiskey.htm, assessed on

(12/08/2014).

- 44. Calorie Slism: Food nutrition facts and count calories in food. Assessed from http://slism.com/calorie/199999/, assessed on (12/08/2014).
- 45. North India: From Wikipedia, the free encyclopedia. Assessed from http://en.wikipedia.org/wiki/North_India, assessed on (12/08/2014).

Special Note!

Please note that our all Customers, Advertisers, Authors, Editorial Board Members and Editor-in-chief are advised to pay any type of charges against Article Processing, Editorial Board Membership Fees, Postage & Handling Charges of author copy, Purchase of Subscription, Single issue Purchase and Advertisement in any Journal directly to Red Flower Publication Pvt. Ltd.

Nobody is authorized to collect the payment on behalf of Red Flower Publication Pvt. Ltd. and company is not responsible of respective services ordered for.