

Dec 11, 2024

Dr. H. S. Tatiya Assistant Professor Forensic
Medicine and Toxicology
B. J. Govt. Medical College and Sassoon
General Hospitals,,Pune,Maharashtra - 411

48/41-42, DSIDC, Pocket-II
Mayur Vihar Phase-I, Delhi - 110 091(India)
Mob: 91-9821671871
Tel: 91-11-45796900, 22756995, 22754205
Email: author@rfppl.co.in, sales@rfppl.co.in
Website: www.rfppl.co.in

CIN:U22110D2009PTC193331

ARTICLE ACCEPTANCE LETTER

Dear H. S. Tatiya Assistant Professor Forensic Medicine and Toxicology,

Thank you very much for your submission to our journal. We are pleased to inform you that your paper has been reviewed, and accepted for publication. In case you have not submitted copyright form; please send scanned copy shortly through e-mail.

Title of the journal : [Indian Journal of Forensic Medicine and Pathology](#)

Article Title : [Use Of Hospital-Based Blood Gas Analyzer For Diagnosis Of Carbon Monoxide Poisoning In Medicolegal Autopsy Cases: An Experience From Series Of Cases.](#)

Article Reference Number : [IJFMP_16731_2024](#)

All Authors : [1.Dr. Jagruti J. Nikam,2.Dr. H.S. Tatiya,3.Dr. H.V. Vaidya,,Dr. V.T. Jadhao,](#)

Corresponding Authors : [Dr. H. S. Tatiya Assistant Professor Forensic Medicine and Toxicology](#)

Article Type : [Case Report](#)

Thank you for making the journal a vehicle for your research interests.

Best wishes,

Editor-in-Chief

([Indian Journal of Forensic Medicine and Pathology](#))

- System generated letter, hence no signature required.